Chemi-Cap

214 INSECT SPRAY

HOTELS — SCHOOLS — RESTAURANTS

PORTION 66 OFFICES — BAKERIES — SUPERMARKETS

SHIPS — HOSPITALS

FOOD HANDLING ESTABLISHMENTS

KILLS: MOSQUITOES — GNATS (Midges) FLEAS – TICKS – SPIDERS HOUSE FLIES — COCKROACHES — ANTS

ACTIVE INGREDIENTS:

- † Min. 72% d-trans-Chrysanthemum monocarboxylic ester of d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one, Max 28% Other isomers.
- *Cis/trans isomers ratio: max. 30% (±) cis. and min. 70% (±) trans.
- **Equivalent to 0.32% (butylcarbityl)(6-Propylpiperonyl) ether and 0.08% related compounds.

NET WT. 16 OZ. (1 LB.) (453 Grams)

CAUTION:

CONTENTS UNDER PRESSURE SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

DIRECTIONS FOR USE - SHAKE WELL BEFORE USING

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not use this product in or on electrical equipment due to the possibility of shock hazard. Remove protective cap. Aim spray opening away from person. Push button to spray.

TO KILL FLYING INSECTS: House files, mosquitoes, gnats (midges), fruit files. Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially windows and other light sources, which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

TO KILL CRAWLING INSECTS: Fleas, cockroaches (waterbugs), crickets, silverfish, centipedes, grain mites and grain insects, carpet beetles, grain weevils. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, around window frames, ant trails and hills.

TO KILL BEDBUGS AND LICE: Apply as a spot treatment to cracks and crevices, around baseboards, floorhoards, bedboards and walls. First thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, thoroughly with an effective cleaning compound and rinse with potable water. In the homo, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, birds and cover fish aquaritums before spraying.

STATEMENT OF PRACTICAL TREATMENT

FOR SKIN AND EYES: In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS: This pesticide is highly toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F (54.5°C) may cause bursting.

Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazards. STORAGE: Keep in locked storage area.

CONTAINER DISPOSAL: Do not puncture or incinerate container. Replace cap and discard container in trash.

EPA EST. NO. 7405-FL-1 -- EPA REG. NO. 7405-66

12/99