

DEC - 6 1993

1042

Until Reregistration

CHEMI-CAP TOTAL RELEASE
INSECT FOGGER

1605439820
18/1

Chemical Packaging Corporation
P.O. Box 9947
Ft. Lauderdale FL 33310

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment.

a. Add the phrase "EPA Registration No. 7405-70" to your label before you release the product for shipment.

b. Under the heading: "To Operate Valve" add the following text at the end of the paragraph.

.....Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6 (e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure:		CONCURRENCES					
SYMBOL							
SURNAME	Moats						
DATE	11/17/93						



TOTAL RELEASE INSECT FOGGER

LOCK VALVE FOR CONTINUOUS SPRAYING

Kills Ants, Cockroaches, Confused Flour Beetles, Crickets, Fleas, Flies, Mosquitoes, Pill Bugs, Rice Weevils, Saw-toothed Grain Beetles, Small Flying Moths and Ticks.

For use in Rooms, Apartments, Homes, Attics, Basements, Garages, Cabins, Campers, Boats, Household Storage Areas, Pet Sleeping Areas.

ONE UNIT TREATS UP TO 6,000 CUBIC FEET

ACTIVE INGREDIENTS:	
Pyrethrine	0.050%
*N-Octyl bicycloheptene dicarboximide	0.400%
Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethyl) 2,2-dimethylcyclopropanecarboxylate]	0.400%
Related Compounds	0.035%
INERT INGREDIENTS	99.115%
	100.000%

MGK 264, Insecticide Synergist
**cis-trans isomer ratio: Min. 35% (+ or -) cis Max. 65% (+ or -) trans
EVERCIDE, MGK* — Registered trademarks of McLaughlin Gormley King Co.

NET WT. 6 OZ. (170 Grams)

CAUTION:
KEEP OUT OF REACH OF CHILDREN
CONTENTS UNDER PRESSURE
SEE OTHER CAUTIONS ON BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE — KEEP CONTAINER UPRIGHT

This product will kill ants, cockroaches, confused flour beetles, crickets, fleas, flies, mosquitoes, bugs, rice weevils, saw-toothed grain beetles, small flying moths and ticks.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of air not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button the way down, hooking the catch. Then place fogger on stand or table in center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

TO KILL FLEAS AND TICKS: Destroy pet's old bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION:

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

EPA EST. NO. 7405-FL-1

EPA REG. NO. 7405-

SOLD BY

CHEMICAL Packaging CORPORATION

P.O. BOX 9947 • FT. LAUDERDALE, FL 33310
LOS ANGELES, CA ATLANTA, GA

BEST AVAILABLE COPY

Under the
Fungicide
as shown
registered
74