99/15/

N

Õ

2

Kills, Ants, Cockroaches, Confused Flour Beetles, Crickets, Fleas, Flies, Mosquitoes, Plil Bugs, Rice Weevils, Saw-toothed Grain Beetles, Small Flying Moths and Ticks. For use in Rooms, Apartments, Homes, Attics, Basements, Garages, Cabins, Campers, Boats, Household Storage Areas, Pet Sleeping Areas.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


SHAKE WELL BEFORE USE KEEP CONTAINER UPRIGHT

This product will kill ants, cockroaches, confused flour beetles, crickets, fleas, flies, mosquitoes, pill bugs, rice weevils, saw-toothed grain beetles, small flying moths and ticks. Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 8,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the areas during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks. Do no use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

TO KILL FLEAS AND TICKS: Destroy pet's old bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

SOLD BY



P.O. Box 667770 > Fompano Beach, FL 33066



TOTAL RELEASE INSECT FOGGER

LOCK VALVE FOR CONTINUOUS SPRAYING ONE UNIT TREATS UP TO 6,000 CUBIC FEET

ACTIVE INGREDIENTS: Pyrethrins. N-Octyl bicycloheptene dicarboximide.. Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2.2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate)...

Related Compounds.. INERT INGREDIENTS. .99.116% 100,000%

0.400%

NON-FLAMMABLE

NET WT. 6 OZ. (170 Grams) KEEP OUT OF REACH OF CHILDREN

CAUTION

CONTENTS UNDER PRESSURE SEE OTHER CAUTIONS ON SIDE PANELS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful If swallowed, absorbed through sidn, or inheled. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating. drinking, chewing gum or using tobacco. Remove and wash contaminated clothing

Avoid contamination of food or feedstuffs. Do not use in commercial foo processing, preparation, food storage or serving area. In the home, all food processing surfaces and food should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed, Remove pets, bird and cover fish aquariums before spraying.

IF INHALED:

- Hove person to fresh sir.
 Hove person to fresh sir.
 Hove person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible.
 Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
 Rinse immediately with plenty of water for 15-20 minutes.
 Call a poison control center or doctor for treatment advice.

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.

 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a polson control center or doctor for further treatment advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice. Move person
- Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container, Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Do not puriotize or incinerate! If empty: Place in trast or offer for recycling if available. If perty filled: Cell your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

EPA EST, NO. 7406-FL-1 . EPA REG. NO. 7406-70

24 Hour Medical / Transportation Emergency

1-800-266-3924 ACCEPTED

SEP 1 5 2004

Under the Federal Insecticide. Fungicide, and Rodenticide Act. as amended, for the pesticide Registered under EPA Reg. No. 7405-+0