

(Front Panel)

Reg no. 74113-10

PM-25

193

PENNINGTON  
Trademark (R)

PENNGREEN

TREATS UP TO 7,200 SQ. FT.

CRABGRASS

PREVENTER

Contains Balan (R): the registered trademark for Elanco Products Company benefin.

Beautiful Lawns begin with PENNINGTON SEED

PENNGREEN LAWN FOODS keep them beautiful!

ACTIVE INGREDIENT:

N-butyl-N-ethyl-alpha,alpha,alpha,-trifluoro-2,6-dinitro-p-toluidine ..... 2.5%

INERT INGREDIENTS: ..... 97.5%

TOTAL ..... 100.0%

EPA REG. NO. 7413

EPA Est. No. 7413-GA-1 (A)

32802-WI-1 (B)

32802-MO-1 (C)

The first letter of the code on the bottom tape indicates the location of the manufacturing plant.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT


IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Remove contaminated clothing. Wash affected area with soap and warm water.

See Back Panel For Additional Precautionary Statements.

NET WEIGHT 10 LBS.




PENNINGTON  
Trademark (R)

(Rear Panel)

PENNINGTON  
Trademark (R)

PENNGREEN (R)



## CRABGRASS PREVENTER

Contains Balan\*

A Selective Pre-emergence Herbicide for the Control of Crabgrass and Most Other Annual Weed Grasses on Lawns and Golf Courses (Also-For Poa annua) In Established - Bluegrass (Perennial) - Ryegrass (Perennial) - Fescue - Bahiagrass - Bermudagrass - Centipedegrass - St. Augustine Grass - Zoysiagrass.

Treats Up To 7,200 Sq. Ft.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating or smoking.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor run-off or drift from treated areas.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Crabgrass Preventer containing Balan\* is a pre-emergence herbicide which is applied directly to established turf for the control of Smooth Crabgrass, Hairy Crabgrass, Goosegrass (Silvercrab Crabgrass), Watergrass (Barnyardgrass), Yellow and Green Foxtail and Annual Bluegrass (Poa annua). It controls annualgrass weeds by killing their seeds as they germinate. It does not control established weeds. When it is applied as directed the following established grasses are tolerant to Benefin: Perennial Bluegrasses, Perennial Ryegrass, Centipedegrass, Fescue, Zoysiagrass, Bermudagrass, St. Augustine Grass and Bahiagrass. Apply to turf before germination of annual grass weeds. Do not reseed within 42 days after application.

#### SPRING GERMINATING SUMMER ANNUAL GRASSES: CRABGRASSES, FOXTAILS AND BARNYARDGRASS

A. NORTHERN (COOL SEASON) TURFGRASSES - For Pre-emergence control, cover 5,500 to 7,200 sq. ft. of turf with this bag of Crabgrass Preventer in the spring one to two weeks prior to the onset of conditions favorable for annual weed grass seed germination.

B. SOUTHERN (WARM SEASON) TURFGRASSES - For Pre-emergence control, cover 3,600 to 5,500 sq. ft. of turf with this bag of Crabgrass Preventer in the late winter or early spring; one to two weeks prior to the onset of conditions favorable for annual weed grass seed germination.

In areas of the United States where germination of these annual weed grass species continues for extended periods of time, a second application of Crabgrass Preventer at the recommended rate may be made 8 to 10 weeks after initial treatment for continued control.

#### POA ANNUA (ANNUAL BLUEGRASS)

In areas of heavy infestation of annual bluegrass, its elimination will temporarily result in thin turfgrass areas. Proper fertilization, irrigation and soil incorporated reseedling will encourage existing desirable turfgrasses and newly planted seeding turfgrasses to fill in these thin areas previously occupied by annual bluegrass.

A. NORTHERN (COOL SEASON) TURFGRASSES - For pre-emergence control, cover 5,500 sq. ft. of turf with this bag of Crabgrass Preventer in late summer or early fall and again in late winter or early spring one to two weeks prior to the expected germination of annual bluegrass.


**BEST AVAILABLE COPY**

B. SOUTHERN (WARM SEASON) TURFGRASSES - For pre-emergence control, cover 3,600 sq. ft. of turf with this bag of Crabgrass Preventer in the late summer or early fall one to two weeks prior to the expected germination of annual bluegrass. In the southern areas of United States where germination of annual bluegrass continues for extended periods of time, a second application of Crabgrass Preventer can be made 10 to 12 weeks after the initial treatment covering 3,600 sq.ft. per bag.

#### SPREADER SETTINGS

CRABGRASS PREVENTER for coverage of 5,000 sq. ft.	SCOTTS DROP (PF1)	SCOTTS ROTARY (C2)	CYCLONE (B1)	STA- GREEN (EB84)	ORTHO ROTARY (4000)	ORTHO DROP (3000)	SEARS DROP (671.19150)	PENNINGTON (EB84)
	4.5	H	3.5	6	2.5	3.5	6	6

NOTICE: Buyer assumes all risk and liability of use, storage, and/or handling of this material not in accordance with the terms of this label.



#### STORAGE AND DISPOSAL

**STORAGE:** Store in original container and keep any bags containing unused product in an area inaccessible to children and domestic animals. Do not store near food or feedstuff. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

**PRODUCT DISPOSAL:** To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty bag. Fold empty bag and discard in trash.

#### Warranty and Disclaimer

Subject to the limitation of liability herein set forth, Pennington warrants that the product sold is as described on the container within recognized tolerances. **LIABILITY ON THIS WARRANTY IS LIMITED TO THE PURCHASE PRICE OF THE PRODUCT.** In no event shall Pennington be liable for indirect, consequential or other damages in excess of the purchase price. **PENNINGTON MAKES NO OTHER WARRANTY EITHER EXPRESS OR IMPLIED AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THE PRODUCT.** The product is sold at the price quoted only upon the condition that the above disclaimer of warranty and the limitation of damages are part of the basis of the bargain. Products not accepted under these terms should be returned within 20 days in the original, unopened container and Buyer will receive his choice of either return of purchase price or a price quotation which includes such warranties as desired as the basis of the bargain (provided such a quote is obtainable which is dependent upon the nature of the products sold).

Manufactured by  
PENNINGTON ENTERPRISES INC.  
P. O. Box 290  
Madison, Georgia 30650

**BEST AVAILABLE COPY**