

pp 17 7021-6  
18 182

SEP 20 1991

H. R. McLane, Authorized Agent for  
California Liquid Fertilizer Company  
1210 Red Road, Suite 206  
Miami, Florida 33144

Dear Mr. McLane:

Subject: Revised Labeling  
Last-Pipe Multi-Nutrient Fertilizer  
EPA Reg. No. 401.100000-7421-6  
Approved for sale on 08/20/1991

The following information is being provided to you for your information and use. This information is being provided to you for your information and use. This information is being provided to you for your information and use.

Very truly yours,  
David L. ...  
Director

BEST AVAILABLE COPY

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

# LAST-BITE SNAIL & SLUG KILLER

**PELLETS**

A SOIL SURFACE TREATMENT FOR CONTROL OF SNAILS & SLUGS IN FLOWER BEDS, ORNAMENTALS, HEDGES, AND ESPECIALLY IN LOW GROWING COVER, SUCH AS IVY, DICHOONDRA LAWNS AND YOUNG BEDDING PLANTS

**ACTIVE INGREDIENT**

Metolaldehyde (2,4,6,8 tetramethyl-1,3,5,7 tetraoxacyclo-octane) ... 3.15%

INERT INGREDIENTS ..... 96.85%

Total 100.00%

## KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT

**IF SWALLOWED** Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **IF ON SKIN** Wash with soap and warm water. **IF IN EYES** Flush with flowing water. Get medical attention if irritation persists.

THIS PESTICIDE MAY BE LETHAL TO DOGS OR OTHER PETS IF EATEN  
KEEP PETS OUT OF TREATED AREA

SEE SIDE BACK PANEL FOR ENVIRONMENTAL PRECAUTIONARY STATEMENTS  
EPA REG. NO. 7421-6 ..... EPA EST. NO. 7421-CA-1

NET WEIGHT 36 OZ. (21.4 LBS.)

**CALIFORNIA LIQUID FERTILIZER COMPANY**  
1801 Highland Avenue - Duarte, California 91010

**PRECAUTIONARY STATEMENTS**

**HAZARDOUS TO HUMANS & DOMESTIC ANIMALS. DO NOT TAKE INTERNALLY. DO NOT GET IN EYES. DO NOT GET ON SKIN. CAUTION.** May be harmful if swallowed. Inhaled or absorbed through the skin. Do not breathe dust, get in eyes, on skin or on clothing. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and warm water before reuse. If poisoning is suspected, obtain prompt medical aid. Keep pellets away from dogs and cats. Dogs may be attracted to the bait, care should be taken to keep these animals out of treated areas.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water or wetlands (example: bays, marshes and pebbles). Do not contaminate water when disposing of empty metal washwater. Do not apply on fruits, vegetables or other crop plants.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ ENTIRE LABEL. USE IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE. DO NOT APPLY DIRECTLY ONTO PLANTS.** Do not allow bait to contact the edible portions of any food crop.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in original labeled container in a cool, dry, well-ventilated area out of reach of children. Keep container tightly closed when not in use. Do not store in direct sunlight. **DISPOSAL:** Do not reuse empty container. Wrap in several layers of newspaper and discard in trash.

**WHERE AND HOW TO APPLY**

Read entire label before using. **LAST-BITE Snail & Slug Killer Pellets are a formulated bait for control of Snails and Slugs.** The pests will be attracted to the pellets and will be killed quickly. These pests are night feeders and their presence can be detected by their shiny mucous like trails. They seek shelter during the day in protected, cool areas and generally hide in damp locations around flower beds, ornamentals, hedges, and especially in low growing cover, such as Ivy, Dichondra lawns and young bedding plants. **LAST-BITE Snail & Slug Killer Pellets should be broadcast late in the day, before or after thoroughly wetting the areas suspected to be infested.**

During periods of damp weather watering the pests multiply rapidly. It may be necessary to re-apply bait at intervals, even more frequently during infestations. New broods can be controlled by 3 baitings at 10 day intervals. Best results are obtained if soil is wet. Dry soil should be moistened before application. Do not allow pellets to come in contact with any part of plant that may be used for food purposes. Apply any time of the day. Multiple applications are preferred. Do not apply less than 48 hours after application.

**HOW MUCH TO APPLY**

Use 1 lb. to treat 1,100 to 1,200 sq. ft. For control of SNAILS and SLUGS, apply when first plants damage is anticipated and repeat as needed.

**ORNAMENTALS**

One pound will cover up to 1,100 sq. ft. of FLOWER BEDS, ORNAMENTALS, and LOW GROWING COVER AND YOUNG BEDDING PLANTS. Water the infested area before application. Broadcast **LAST-BITE Snail & Slug Killer Pellets** in infested areas and along edges of flower beds adjacent to border or ground cover. Apply on ground at base of ground cover, walls in shade, protected locations. Water for 48 hours.

**DICHOONDRA LAWNS**

One pound will cover up to 1,100 sq. ft. of Water infested area thoroughly. Broadcast **LAST-BITE Snail & Slug Killer Pellets** directly on lawn. Spread water for 48 hours.

**NOTICE**

Seller makes no warranty, expressed or implied, concerning the use of this product. Buyer's use and or handling of this material in violation of use and or handling is contrary to law.

