


111 12 7421-19 PA 16
 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460	EPA Reg. Number: 7421-19	Date of Issuance: MAY 18 1991
	NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration	Term of Issuance: Conditional	
	(under FIFRA, as amended)	Name of Pesticide Product: LAST BITE ANT KILLER GRANULES	
Name and Address of Registrant (include ZIP Code): California Liquid Fertilizer Company 1801 S. Highland Avenue Duarte, CA 91010			
Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.			
On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:			
1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.			
2. Make the labeling changes listed below before you release the product for shipment:			
a. Add the phrase "EPA Registration No. 7421-19"			
b. On the front panel of your label please add "For outdoor use on the home lawn only".			
Signature of Approving Official:			Date:

EPA Form 8570-6

CONCURRENCES

SYMBOL	H. 7505C						
SURNAME	RLO						
DATE	5/19/91						

page 2
EPA Reg. No. 7421-19

3. Submit, three (3) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

)
Enclosures

)

ACCEPTED
with COMMENTS
in EPA
C
calico
BRAND

LAST-BITE ANT KILLER GRANULES

ALSO CONTROLS, FLEAS, EARWIGS,
CHINCH BUGS, BERMUDA MITES, LAWN MOTHS,
CUTWORMS, MILLIPEDES
AND OTHER INSECTS AS LISTED
AS AN AID IN THE CONTROL OF FIRE ANTS

THIS PRODUCT MUST NOT BE USED
ON GOLF COURSES AND SOD FARMS

READY TO USE
1 Pounds Treats 200 Sq.Ft.

ACTIVE INGREDIENT:
DIAZINON: [O,O-Diethyl O-(2-isopropyl-6-methyl-
4-pyrimidinyl) phosphorothioate] 2.0%
INERT INGREDIENTS: 98.0%
Total 100.0%

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth if person is unconscious or convulsing. **IF INHALED:** Remove victim to fresh air and apply artificial respiration if indicated. **IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. **IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists. **NOTE TO PHYSICIAN:** This product is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered but only in conjunction with atropine. SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.7421- EPA Est No.7421-CA-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing dust and contact with eyes, skin or clothing. Wash thoroughly after handling and before eating or smoking. May cause skin sensitization following repeated contact with skin of susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result, consult a physician. Do not store near food or feed products. Food utensils such as spoons or measuring cups must not be used for food purposes after use in measuring pesticides. Do not contaminate ornamental fish ponds. Where "watering in" is required, do not allow children or pets on those treated areas until granules are watered into the soil and grass or soil is dry. Do not use on pets, animals or livestock.

ENVIRONMENTAL HAZARDS

This product is highly toxic to birds and fish, and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Apply this product only as specified on this label. Because of the migratory habits of certain water fowl, do not apply in Nassau County, NY between Nov. 1 and May 20. Do not exceed maximum permitted label rates, since rates above those recommended significantly increase potential hazards to birds. Avoid overlapping treated areas. If waterfowl, i.e. ducks, geese, can be expected to enter the treated area after treatment (except spot treatments), water lawn with at least 0.25 inch of water immediately after application, however, stop watering before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Runoff may be hazardous to aquatic organisms, in neighboring areas. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources. Do not contaminate water when disposing of equipment washwaters.

NET WEIGHT 1 POUND
CALIFORNIA LIQUID
FERTILIZER COMPANY
DUARTE, CALIFORNIA 91010

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original labeled container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Securely wrap container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse empty container. Wrap in several layers of newspaper and discard in trash. For minor spills, leaks, etc. follow all precautions indicated on this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes. In the event of an emergency, call 1-800-888-8372 day or night.

LAWN INSECTS

LAST-BITE ANT KILLER GRANULES CONTROLS ANTS, ARMYWORMS, BERMUDAGRASS MITES, BILLBUGS, BROWN DOG TICKS, CHIGGERS, CHINCH BUGS, CLOVER MITES, CRICKETS, CUTWORMS, DIGGER WASPS, EARWIGS, FIRE ANTS*, FLEAS, SOD WEBWORMS (LAWN MOTHS), LEAFHOPPERS, MILLIPEDES, SOW-BUGS, SPRINGTAILS. WHITE GRUBS OF EUROPEAN CHAFER, JAPANESE BEETLE, SOUTHERN CHAFER *AIDS IN THE CONTROL OF FIRE ANTS.

OVERALL LAWN APPLICATION

FOR SURFACE FEEDING INSECTS

Use 5 lbs. granules per 1,000 sq.ft. for control of the following insects on both grass and dichondra lawns: ANTS, ARMYWORMS, BERMUDAGRASS MITES, BROWN DOG TICKS, CHIGGERS; CHINCH BUGS, CLOVER MITES, CRICKETS, CUTWORMS, EARWIGS, FLEAS (in the Lawn; do not use this product on pets), LAWN MOTHS (Sod Webworms), LEAFHOPPERS, MILLIPEDES, SOW BUGS, SPRINGTAILS (COLLEMBOLA).

FOR SOIL FEEDING INSECTS

BILLBUGS, WHITE GRUBS OF JAPANESE BEETLES, EUROPEAN CHAFER, SOUTHERN CHAFER, ATAENIUS SPRETULUS (Dung Beetle). Apply 5 lbs. per 1,000 sq.ft. of lawn. Water grass thoroughly after application. For Billbug control, apply in spring or early summer when activity is first observed or when chewed or brown grass indicates damage from these insects. Repeat as necessary. For grub control, except Dung Beetles, treat any time between late July and early October. For Dung Beetle grub control, apply in spring or early summer when damage is first noticed. Water grass thoroughly with 1/4 to 1/2 inch of water after application. Treat again in late summer or early fall if a second-generation occurs.

HYPERODES WEEVILS: Apply 5 lbs. per 1,000 sq.ft. of grass. Water grass thoroughly after application. Treat problem areas in mid-April and again in Mid-May

IMPORTANT - APPLICATION PRECAUTIONS

Refer to Environmental Hazards paragraph on this label for information concerning the protection of waterfowl that might enter and feed on diazinon treated turf areas. Apply with a Lawn Spreader when grass is dry. See Lawn Spreader Settings on this label. Repeat as directed. For application with other types of equipment, apply at the same rate of 5 lbs. per 1,000 sq.ft. or 8 oz. per 100 sq.ft.

SPOT TREATMENT FOR ANTS, FIRE ANTS & WASPS

Apply with a disposable tablespoon
and after use, discard in trash.

ANTS: Apply 1 tablespoonful of granules over and around each ant hill and ant trail. Repeat as needed.

FIRE ANTS: To aid in the control of the fire ants in lawns, around patios and other home recreational areas apply 1 1/4 cup of this product over, and around each fire ant mound. Immediately after application, water in thoroughly. A minimum of 1 gallon of water should be applied to each mound area. Repeat as necessary. Apply gently to avoid disturbing ants. Use of high pressure watering equipment may disturb the ants and cause migration thus reducing product effectiveness.

NOTE: For best results apply in cool weather, 65 to 80° F, or in early morning or late evening hours. Treat new mounds as they appear. Kills Fire Ants within 24 hours; no waiting for days or weeks to get results.

DIGGER WASPS Apply 1 tablespoon in and around each nest opening. Apply at dusk or after dark when wasps are not active.

BAND AND PERIMETER TREATMENTS AROUND THE OUTSIDE OF HOMES

The following insects are commonly found around or near the foundation of the home as well as in the lawn, under porches, around patios, storage sheds and areas planted to ornamentals and they may frequently enter the home. Apply a band of this product from the foundation wall out 5 ft. (making a 5 foot wide barrier) to control ANTS, BROWN DOG TICKS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOW BUGS (Billbugs) and SPRINGTAILS (Collembola) Distribute the granules uniformly using a rate of 8 ounces for each 100 sq.ft. of area (5 ft. x 20 ft.) treated; i.e. one pound treats 200 Sq. Ft. Repeat as necessary. Do not handle product without gloves.

LAWN SPREADER SETTINGS to apply 5 lbs./1,000 sq.ft.

Central Imperial #1662-G	6 1/2
Central Suburbia #1622-O	6 1/2
Cyclone #B1	4 1/2
Greenfield #105	6 1/2
Ortho #3000	4 1/2
Ortho #1000	4 1/2
J. C. Penney #6005	7 1/4
J. C. Penney #Rotary	5
Scot #PF-4	4
Sears Craftsman #671.1.198	6

NOTE: Broadcast spreaders such as the Cyclone are dependent on rate of walking and turning speed of the broadcast unit. Carefully calculate the area to be treated and make certain the proper number of pounds is applied to the area. *Settings are calculated for spreaders in new condition. Spreaders will vary and must be checked for accuracy.

NOTICE: Buyer and user assume all risk and liability of use, storage and/or handling of this product not in accordance with the terms of this label. 03-09-90

BEST AVAILABLE COPY