

**PENTA-5**

Paintable!

**PROTECTS WOOD**

as an undercoating  
Kills termites  
and mold

**PREVENTS SWELLING**

swelling, shrinking

Use on shingles, stairs, sills,  
floors, furniture, patio furniture

**Seals Wood**  
dry All unsound wood should  
show visible evidence of decay to  
prevent wood-boring beetles.

Apply to the wood for at least three  
days. At least 2 coats should be  
applied. Surfaces should be covered  
before rain and joints. When wood  
is on posts, etc., the portion  
below ground should be effective  
for 24 hours to be an effective

As a repellent additive in con-  
crete shingle paint at a ratio of  
one part paint with one gallon JASCO  
and a quarter gallons of a water  
base. Parts of this mixture are rec-  
ommended to the painting job.

Wood should be thoroughly  
cleaned. In finished construction,  
use pump sprayer or brush to  
apply. Termites will not eat JASCO  
more than 1/2 inches deep (but not below  
ground the foundation. Apply  
one inch for trenches up to  
30 inches deep the dosage  
for trees, grass, trees and shrubs

Apply 1 quart per 1,000 board feet for  
hardness; approximately 150  
square feet or brush. Allow at least 24  
hours before paint are applied.


Do not absorb through the  
skin. Do not breathe vapor or spray  
on clothing. Wash thor-  
oughly or use near heat or

KEEP OUT OF REACH OF CHILDREN

SEE MEASURE

ALCOHOL CORP

OPNIA 9404



7424-2

KILLS TERMITES - PREVENTS FUNGI AND MOLD



... do the JOB in a JIFFY with

**JASCO**

**PENTA-5**

Wood

Preservative

CLEAR and  
PAINTABLE

Seals  
Wood

Repels  
Water

ACTIVE INGREDIENTS:

\*Pentachlorophenol 4.40%  
\*Other Chlorophenols 0.60%  
Petroleum Hydrocarbons 85.00%

INERT INGREDIENTS

10.00%  
\*Equivalent to 5.3% technical pentachlorophenol as defined by Federal Specification TT-W-570.

**KILLS TERMITES  
ANTS AND BEETLES**

**PREVENTS ROT  
FUNGI AND MOLD**

**CONTROLS WARPING AND SWELLING**

Meets Federal Specification TT-W-572 Type 2, Composition A.

1 QUART U S MEASURE

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

See cautions on back panel

PROTECTS PAINT - STOPS ROT AND DECAY

## Directions for Use

Agitate well before using and while using. Use at the rate of one ounce (or more) for each inch of diameter of the elm tree. Use more than one ounce in relation to the severity of the infection and amount of absorption of this fluid in accordance with instructions given professional applicators at schools of instruction or under training programs. Repeat applications as necessary at any time the tree is biologically active.

To be used only in Missouri, Iowa, Illinois and Indiana.

C. R. &

### Agitate Well Before Using

Do not reuse empty containers. Wash thoroughly with water and detergent. Discard in a safe place.

Store in Cool Place

Product No. \_\_\_\_\_  
**ACCEPTED**  
 7/19/68  
 UNDER THE FEDERAL INSECTICIDE ACT FOR ECONOMIC PEST CONTROL SUBJECT TO ATTACHED COMMENTS.

Contents \_\_\_\_\_ gals net

# FREERS ELM ARRESTER

For the Arrest and Prevention of Dutch Elm Disease

(Patent Pending)

For Use by Trained Professional Personnel Only

**FLAMMABLE—Keep Away from Open Flame**

**POISON**

(See Side Panel For Warnings and Cautions)

(See antidote statement and other warnings on the back/side panel)

**DANGER—KEEP OUT OF REACH OF CHILDREN**

#### INGREDIENTS

Manufactured For	Mercuric Chloride	0.12%
<b>THE FREERS COMPANY</b>	Methyl Alcohol	95.65%
Box 184, Muscatine, Iowa	Inert Ingredients	4.23%
		<hr/> 100.00%



**KEEP OUT OF REACH OF CHILDREN**

ANTIDOTE: If taken internally, give a tablespoon of warm saline solution. Repeat until vomit fluid is clear. Keep victim quiet. Call a physician immediately!

WARNING: Do not breathe fumes and do not get on skin or in eyes. In case of skin contact, wash with soap and water immediately. Use copious quantities of water. Remove clothing and do not wear again until laundered. May be fatal if swallowed. Do not contaminate or store near feed or foodstuffs.

The seller makes no representation or warranty of any kind, express or implied, of the effectiveness of this product.