

JASCO

TERMIN-8 H₂O

WOOD PRESERVATIVE

1 GALLON 3.785 L

PREVENTS TERMITES & OTHER INSECT ATTACK
Evita el ataque de termitas y otros insectos

DOCKS & PIERS, CONSTRUCTION POSTS, FENCING, AND END CUTS • DECKS • FENCES
SHAKES • SHINGLES • ROOFS • POSTS • PRESSURE TREATED WOOD END CUT PROTECTION

WARNING! KEEP OUT OF REACH OF CHILDREN.
MANTENGA ESTE PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS.
See Back Panel for Precautionary Statements

406-5692 4/06

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. All wood to be treated should be dry, clean, free from previous finishes and the framing or cutting completed before applying Termin-8 H₂O. All unsound wood should be removed at least 2 feet beyond any visible evidence of decay. Best results can be obtained by soaking the wood for five minutes per inch of wood thickness. When this is not possible at least 2 coats should be applied by brush or low pressure spray. The second coat must be applied before the first coat is dry, and all surfaces should be covered with particular attention paid to side and end grains. Fence posts, poles, foundation timbers and heavy wooden members should be free of bark, dry and well-seasoned. The portion to be buried should be soaked 48 hours to be an effective wood preservative against decay - 24 hours for wood in contact with soil. Avoid spray drift. Fish nets, rope, canvas, burlap or twine should be dipped in Termin-8 H₂O to thoroughly saturate the fibers.

ENVIRONMENTAL HAZARDS
Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame. Close container after each use.

STORAGE AND DISPOSAL-PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: US Quart/1 Gallon Containers: Do not reuse empty container. Securely wrap original in several layers of newspaper and discard in trash.

GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedures. Buyer assumes all risk of use, handling or storage when such use, handling or storage is not in strict accordance with label.

Item #0931-1
4/06 pn 400-5695

EPA REG. NO. 7424-9 **EPA EST. 7424-CA-2^{JA}** **EPA EST. NO 82446-TN-001^{8*}**

Letters in lot # correspond to superscript at the end of EPA EST. NO.

MADE IN USA

0 26452 09311 7

ACCEPTED

APR 27 2006

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 7424-9

7424-9

4/27/2006

Page 183

RIESGOS AMBIENTALES

No aplique directamente al agua. No contamine el agua al desechar los agentes limpiadores y líquidos de enjuague de los equipos.

RIESGOS FISICOS Y QUIMICOS: No use ni almacene cerca de fuentes de calor, chispas o llamas. Cierre el envase después de cada uso.

ALMACENAMIENTO Y ELIMINACION DE DESECHOS - PROHIBICIONES: No contamine el agua ni los alimentos al almacenar o desechar.

DESECHO DE PESTICIDAS: Los residuos resultantes del uso de este producto se pueden eliminar in situ o en una instalación aprobada para este tipo de desechos.

DESECHO DE ENVASES: Envases de 1 cuarto de galón/1 galón (0.9 l/3.78 l): No vuelva a utilizar el envase vacío. Envuelva el envase original con varias capas de papel y deséchelo en la basura.

GENERAL: Consulte con las autoridades locales, federales o estatales para obtener información sobre procedimientos alternativos aprobados. El comprador asume el riesgo derivado del uso, manejo o almacenamiento cuando dicho uso, manejo o almacenamiento no cumpla estrictamente lo estipulado en la etiqueta.

Instrucciones de uso Usar este producto sin respetar las indicaciones de la etiqueta viola las leyes federales. La madera a tratar debe estar seca, limpia, libre de acabados anteriores, y el enmarca do y los cortes se deben realizar antes de aplicar Termin-8 H2O. Las maderas poco seguras se deben quitar desde una distancia de 2 pies a partir de cualquier evidencia visible de deterioro. Se obtienen mejores resultados impregnando la madera durante cinco minutos por cada pulgada (2.54 cm) de grosor. Cuando esto no sea posible, se deberán aplicar al menos 2 capas usando un pincel o un rociador de poca presión. La segunda capa se deberá aplicar antes de que la primera se seque, y se deben cubrir todas las superficies prestando especial atención a las vetas laterales y a contrahilo. Los postes para cercos, mástiles, las maderas de cimentación y las vigas de madera deben estar libres de corteza, secos y bien curados. La porción a enterrar se debe dejar en remojo durante 48 horas para que el producto actúe eficazmente como preservador de madera contra la descomposición, y durante 24 horas para la madera que esté en contacto con el suelo. Evite la acumulación de rocío. Las redes, sogas, lonas, arpilleras o cordeles se deben sumergir en Termin-8 H2O para que las fibras se saturen completamente.

TINTURAS SEMITRANSSPARENTES: Este producto se puede mezclar con hasta 6 oz. (170 g) de colores de tintura universales por galón (3.78 l) de ZPW, lo que producirá una tintura impermeable de preservador para madera.

COBERTURA: Aproximadamente, siete galones (26.5 l) cada 1000 pies tablares (2.36 m) para baño caliente-frío en tanque abierto, dependiendo de la dureza de la madera. Un galón (3.78 l) cubre aproximadamente 150 pies cuadrados (14 m) aplicando con pincel o rociador. La madera debe estar seca y sin olor 24-48 horas antes de aplicar la pintura.

LIMPIEZA: Use agua limpia jabonosa para los pinceles, rociadores, etc. No contamine el agua al desechar los agentes limpiadores.

USES

- TINTABLE
- PAINTABLE
- WATER REPELLENT
- PROTECTS AGAINST ROT, TERMITES, WARPING & SWELLING

INGREDIENT STATEMENT

ACTIVE INGREDIENT	
ZINC NAPHTHENATE	...15.75%
INERT INGREDIENT84.25%
TOTAL	...100.00%

Equivalent 20 2% Zinc Metal. This product Contains a Maximum of 260 g/L V.O.C.

PEEL
HERE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. All wood to be treated should be dry, clean, free from previous finishes and the framing or cutting completed before applying Termin-8 H2O. All unsound wood should be removed at least 2 feet beyond any visible evidence of decay. Best results can be obtained by soaking the wood for five minutes per inch of wood thickness. When this is not possible at least 2 coats should be applied by brush or low pressure spray. The second coat must be applied before the first coat is dry, and all surfaces should be covered with particular attention paid to side and end grains. Fence posts, poles, foundation timbers and heavy wooden members should be free of bark, dry and well-seasoned. The portion to be buried should be soaked 48 hours to be an effective wood preservative against decay - 24 hours for wood in contact with soil. Avoid spray drift. Fish nets, rope, canvas, burlap or twine should be dipped in Termin-8 H2O to thoroughly saturate the fibers.

Las Direcciones españolas Adentro

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame. Close container after each use.

STORAGE AND DISPOSAL-PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.



Item #0931-1
4/06 pn 400-5695



EPA REG. NO. 7424-9

EPA EST. 7424-CA-2^{JA}

EPA EST. NO 82446-TN-001⁸

Letters in lot # correspond to superscript at the end of EPA EST. NO.

JASCO CHEMICAL CORP. Santa Ana, CA 92701

283

CONTAINER DISPOSAL: US Quart/1 Gallon Containers: Do not reuse empty container. Securely wrap original in several layers of newspaper and discard in trash.

GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedures. Buyer assumes all risk of use, handling or storage when such use, handling or storage is not in strict accordance with label.

Termin-8 H2O Colorless but Tintable.

WOOD PRESERVATIVE Protects paint from moisture. Ideal as an undercoating. Stops wood rot fungi and mildew. Kills Termites, Carpenter Ants, Wood Boring Beetles.

WATER REPELLENT Protects wood from warping, swelling, shrinking, grain raising and checking.

FOR EXTERIOR USE ONLY Decks, doors, windows & frames, shingles, sidings, fences, sills, stairs, porches, structural lumber, roofs (not composition)

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND ANIMALS**

WARNING! - Causes substantial but temporary eye injury Harmful or fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid breathing spray mists or vapors. Wear goggles or face shield and rubber gloves when handling Termin-8 H2O. DO NOT breathe vapors during brush, roll, spray and dip applications. Wear a NIOSH/MSHA approved respirator for continued use of this product or for frequent use of this product. In case of emergencies or accidents involving this product, call Chemtrec at 1-800-424-9300. Application of this product may produce strong, lingering, unpleasant odor.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 10-20 minutes. Call a Poison Control Center or doctor for treatment advice.

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

In case of emergency call 1-800-424-9300. Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

Termin-8 H2O incoloro, se puede teñir

PRESERVADOR PARA MADERA Protege la pintura contra la humedad. Es ideal para aplicar como base. Detiene la formación de moho y de los hongos que pudren la madera. Mata las termitas, las hormigas carpinteras y la carcoma perforadora de madera.

IMPERMEABLE Protege la madera contra las combaduras, la hinchazón y evita que las vetas se levanten y que se produzcan grietas

PARA USAR EN EXTERIORES UNICAMENTE Terrazas, puertas, ventanas y marcos, tejas, revestimientos, cercos, umbrales, escaleras, galerías, estructuras de madera, techos (no compuestos)

¡ADVERTENCIA! - AVISOS DE PRECAUCION: PELIGROSO PARA PERSONAS Y ANIMALES DOMESTICOS. Provoca daños, considerables pero temporarios, a los ojos. Tóxico o mortal si se lo ingiere o absorbe a través de la piel. No debe entrar en contacto con los ojos, la piel o la ropa. Lave bien con agua y jabón después de usar. Quítese la ropa contaminada y lávela antes de volver a usarla. Evite la inhalación de vapores o rocío. Al manipular Termin-8 H2O, use gafas protectoras o máscara y guantes de goma. Al aplicar el producto con pincel, rodillo, rociador o por inmersión, NO respire los vapores. Use un respirador aprobado por NIOSH/MSHA (o por el instituto de salud y seguridad ocupacional de su localidad) en caso de usar el producto en forma prolongada o frecuente. **En caso de emergencias o accidentes relacionados con este producto, llame a Chemtrec al 1-800-424-9300 (en EE.UU.).** Su aplicación puede producir un olor fuerte, persistente y desagradable.

PRIMEROS AUXILIOS EN CASO DE ENTRAR EN CONTACTO CON LOS OJOS: Manténgalos abiertos y enjuáguelos de un modo lento y suave con agua durante 15-20 minutos. En caso de usar lentes de contacto, quíteselos luego de los primeros 5 minutos y continúe enjuagando. Llame a un centro de toxicología o a un médico para obtener consejos sobre tratamiento.

EN CASO DE ENTRAR EN CONTACTO CON LA PIEL O LA ROPA: Quítese la ropa contaminada. Enjuague inmediatamente la piel con abundante agua durante 10-20 minutos. Llame a un centro de toxicología o a un médico para obtener consejos sobre tratamiento.

EN CASO DE INGESTION: Llame inmediatamente a un centro de toxicología o a un médico para obtener consejos sobre tratamiento. Si la persona puede tragar, dele a tomar a sorbos un vaso de agua. No induzca el vómito a menos que así lo aconseje un médico o centro de toxicología. No dé a ingerir nada a una persona inconsciente.

En caso de emergencia, llame al 1-800-424-9300 (en EE.UU.) Tenga a mano el envase o la etiqueta del producto en caso de llamar a un centro de toxicología o a un médico, o en caso de solicitar tratamiento. **NOTA PARA EL MEDICO:** El probable daño en la mucosa puede contraindicar la realización de un lavado gástrico.

**MANTENGA ESTE PRODUCTO FUERA
DEL ALCANCE DE LOS NIÑOS.**

383