

8170

**DRY
INSECTICIDE
II**

**A Powdered Insecticide for
use on
Livestock and Poultry.**

ACTIVE INGREDIENT

Malathion* 4.00%

INERT INGREDIENTS 96.00%

*O, O-dimethyl phosphorodithioate of diethyl mercaptosuccinate

CAUTION: Keep out of reach of children.
See other warnings on side panel.

NET WEIGHT: 25 Lbs.

m

8170

©INTERNATIONAL MULTIFOODS CORPORATION

POULTRY: Lice and Mites — Premise Treatment — For control of chicken red mite, northern fowl mite and poultry lice, apply 1 lb. per 50 to 60 sq. ft. of litter and floor space and to nests, roosts and adjacent areas. Bird Treatment — Dust powder thoroughly into Bird's feathers.

CAUTION: Avoid breathing of dust. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and water troughs. Do not reuse container. Destroy container when empty. Do not contaminate water by cleaning equipment or disposal of waste and containers.

NON-WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured for



AGRICULTURAL PRODUCTS DIVISION
INTERNATIONAL MULTIFOODS CORPORATION
MINNEAPOLIS, MINNESOTA 55402

8170-873p

ACCEPTED

OCT 11 1973

THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
REGISTERED
SUBJECT
TO ATTACHED COMMENTS.

7433-18

Premise Treat-
red mite, north-
apply 1 lb. per
or space and to
as. Bird Treat-
hly into Bird's

ust. Avoid con-
hly after using.
d water troughs.
stroy container
inate water by
al of waste and

es no warranty,
ning the use of
ted on the label.
and/or handling
se and/or han-
uctions.

TS DIVISION
OODS CORPORATION
TA 55402

Supersweet

**DRY
INSECTICIDE
II**