

7450-51  
TJP

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

RD/IRB:JOB:50448:LaRocca:RD-25:eg:Kendrick & Co:898-1270:3/8/85:Del.3/19/85

**BEST AVAILABLE COPY**

3 of 3  
HSE-37  
m

# SUPERSWEET FLY BLOCK 4

## With Rabon® Oral Larvicide

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle.

| ACTIVE INGREDIENTS:  | BY WEIGHT |
|--|-----------|
| 2-Chloro-1-(2,4,5-trichlorophenyl) methyl dimethyl phosphate | 0.473%    |
| INERT INGREDIENTS**  | 99.527%   |
| TOTAL  | 100.00%   |

\*\* Trade Name: Rabon, Rabon 250, Rabon 500  
Rabon is a registered trademark of Shell Oil Co.

### GUARANTEED ANALYSIS

|   |        |
|---|--------|
| Calcium (Ca) Maximum                        | 7.20%  |
| Calcium (Ca) Minimum                        | 6.00%  |
| Phosphorus (P) Minimum                      | 4.00%  |
| Sulfur (S) Maximum                          | 19.20% |
| Sulfur (S) Minimum                          | 16.00% |
| Vitamin A minimum (60,000 USP Units per lb) |        |
| Vitamin D3 minimum (5,000 USP Units per lb) |        |

### FEED INGREDIENTS

Calcium Carbonate, Dicalcium Phosphate, Bentonite, Casein, Molasses, Salt, Manganese Oxide, Vitamin A Supplement, D-Activated Animal Stere, Manganese Oxide, Iron Sulfate, Iron Carbonate, Copper Sulfate, Cobalt Carbonate, Zinc Oxide, Calcium Iodate, Magnesium Oxide, Calcium Sulfate.

### DIRECTIONS FOR USE: GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Provide one block per 5 head of cattle. Add an additional block when each block has been one half consumed. Cattle should consume an average of .5 oz. of the block per 100 pounds of body weight per month. This will supply the recommended average intake of 70 mg. RABON® Oral Larvicide per hundred pounds of body weight. Animals should not be starved for months before initiation of the Supersweet Fly Block 4 with RABON® program but OMIH all salt from other feed after the program is started. Do not feed free-choice sources of salt or mineral containing salt in any form. Place near water and light areas. Protect from rain. Store in a cool, dry place. Supersweet Fly Block 4 with RABON® is available in 100 lb. and 50 lb. blocks. The weight of the block per 100 pounds of body weight per month may be used to determine the number of blocks to use. The consumption is below: 1/2 of the block per 100 pounds of body weight per month in areas the number of feeding locations. Start feeding Supersweet Fly Block 4 with RABON® early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall.

Supersweet Fly Block 4 with RABON® may be fed up to slaughter.

**KEEP OUT OF  
REACH OF CHILDREN  
CAUTION**

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Keep out of reach of children. Do not swallow. Avoid contact with eyes. Avoid breathing dust. Wash thoroughly with soap and water. If eyes wash with plenty of water. If swallowed, call your physician immediately.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, lakes, streams or ponds. Do not contaminate water by cleaning or disposal of wastes.

### STORAGE AND DISPOSAL

Do not contaminate water by storage or disposal. PESTICIDE DISPOSAL: Pesticides can not be used according to label instructions must be disposed of according to applicable federal state or local procedures. CONTAINER DISPOSAL: Do not use plastic overwrap in a sanitary manner by incineration if allowed by local authorities.

Supersweet Fly Block 4 with RABON® prevents the development of horn flies, face flies and stable flies in the manure of treated cattle. It is a violation of federal law to use this product in a manner inconsistent with its labeling. It is necessary to use other control measures for population of existing adult horn flies and stable flies which can breed in manure, but in other decaying vegetable silage on the premises.

In order to achieve optimum control the Supersweet Fly Block 4 with RABON® should be used in conjunction with other good management and sanitation practices.

**NET WEIGHT 50 LBS.**

\* Rabon is the registered trademark of Shell Oil Co. U.S. Pat. 3,102,842

**Supersweet  
FEEDS**

**INTERNATIONAL  
MULTIFOODS**  
MINNEAPOLIS, MN 55402

5624-184

EPA Reg. No. 7455  
EPA Est. No. 7455-1A-01

**BEST AVAILABLE COPY**

**ACCEPTED  
with COMMENTS  
in EPA Letter Dated**

**MAR 29 1985**

U.S. Environmental Protection Agency  
Office of Pesticide Programs  
Registration Division  
400 Michigan Avenue, N.E.  
Washington, D.C. 20002  
7455-37

10/1 10/11 0220-16 11/15

MAR 28 1985

300/140533  
17/ 2

Ernest S. Ott, DVM  
Lambert Kay  
Div. of Carter Wallace, Inc.  
P.O. Box 418  
Cranbury, NJ 08512

Dear Dr. Ott:

Subject: Amendment - Minor Revisions to Use Directions  
Ear Rite Insecticidal Ear Wash for Dogs  
EPA Registration No. 8220-16  
Your Application Dated October 31, 1984

**BEST AVAILABLE COPY**

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

1. The child hazard precaution should appear just above the signal word CAUTION on the front panel of the label.
2. The ingredients statement should appear on the front panel of the label as per the Section 162.10 of the Regulations.
3. In the side panel precautions make the following revisions:
  - a. Delete "pets" and substitute with "dogs" to accurately reflect the use site.
  - b. Add the headings PRECAUTIONARY STATEMENTS-HAZARDS TO HUMANS AND DOMESTIC ANIMALS to this section.
  - c. Add "Harmful if swallowed" to this section.
  - d. Move the fire hazard precaution to a separate paragraph headed by Physical or Chemical Hazards.

CONCURRENCES

|           |             |  |  |  |  |  |  |  |
|-----------|-------------|--|--|--|--|--|--|--|
| SYMBOL ▶  |             |  |  |  |  |  |  |  |
| SUBNAME ▶ | T. Paustley |  |  |  |  |  |  |  |
| DATE ▶    | 3/13/85     |  |  |  |  |  |  |  |