

DANGER!

IMPORTANT: Read these entire Directions and Conditions of Sale, including the Warranty and Limitation of Damages provision, before using DNBP-3S.

CONDITION OF SALE: These Directions for Use reflect the opinion of experts based on tests of effectiveness, of toxicity to plants and laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller. Retzloff Chemical Company and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

WARNING

MAY BE FATAL IF SWALLOWED OR VAPOR ABSORBED THROUGH THE SKIN.

AVOID BREATHING SPRAY DRIFT, OR VAPOR.

DO NOT TAKE INTERNALLY.

DO NOT GET IN EYES, ON SKIN, ON CLOTHING.

DO NOT WEAR CONTAMINATED CLOTHING OR SHOES.

KEEP AWAY FROM CHILDREN, DOMESTIC ANIMALS AND FOODSTUFFS.

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes.

DIRECTIONS:

DO NOT APPLY WHEN AIR TEMPERATURES EXCEED 70 DEGREES F.


DNBP-3S mixes readily in most waters with moderate agitation. In unusually hard water a tarry sludge may form in the sprayer and clog the screens. To avoid this add 1 lb. Calgon type water softener per 100 gal. water before the herbicide is added.

Beans: Snap, Field, Lima, Soy, Pre-emergence use 1.5-2 gallons of DNBP-3S per acre in about 30 gallons of water as an overall spray shortly after planting. Do not apply to light sandy soils.

Soybeans: Post-emergence use 3 or 4 quarts of DNBP-3S in about 30 gallons of water as an over-all spray when the beans are in the cotyledon to first true leaf stage and the weeds are up. Do not apply if temperatures above 70°F are anticipated. Do not apply to light sandy soils.

Potatoes: Pre-emergence use 1 to 2 gallons of DNBP-3S in 30 to 40 gallons of water just before emergence. Use the higher rate if grasses are a serious problem.

NOTE — Recommended dosages are for overall application. If band spraying is used dosage should be decreased proportionately. Apply with low pressure (25-50 lb.) low volume spray equipment. Do not use machinery containing a residue of copper. If rinsing does not remove copper wash sprayer with a 1% acetic acid solution for 2 hours (but not more than 3 hours) and rinse with clean water.



DNBP-3S

HERBICIDE

ACTIVE INGREDIENT: Triethanolamine Salt of 4, 6-Dinitro-o-sec-Butylphenol*	50%
INERT INGREDIENTS:	50%
TOTAL	100%

NET CONTENTS U. S. GALLONS.

Equal to 3 lbs. of active ingredients per gallon.



POISON DANGER:

KEEP OUT OF REACH OF CHILDREN

ANTIDOTE

EXTERNAL: Wash with rubbing alcohol and follow with soap and water. Remove contaminated clothing immediately. If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.


INTERNAL: To induce vomiting immediately, give teaspoon of baking soda dissolved in a glass of warm water. Repeat until vomiting fluid is clear. CALL A PHYSICIAN IMMEDIATELY.

NOTE TO ATTENDING PHYSICIAN: Active ingredient is a metabolic stimulant. Treat symptomatically.

See other required warnings on sidepanel.

RETZLOFF CHEMICAL CO.
HOUSTON, TEXAS

Chemicals for Agriculture and Industry



DANGER!

IMPORTANT: Read these entire Directions and Conditions of Sale, including the Warranty and Limitation of Damages provision, before using DNBP-3S.

CONDITION OF SALE: These Directions for Use reflect the opinion of experts based on tests of effectiveness, of toxicity to plants and laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller. Retzloff Chemical Company and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

WARNING

MAY BE FATAL IF SWALLOWED OR VAPOR ABSORBED THROUGH THE SKIN.

AVOID BREATHING SPRAY DRIFT, OR VAPOR.

DO NOT TAKE INTERNALLY.

DO NOT GET IN EYES, ON SKIN, ON CLOTHING.

DO NOT WEAR CONTAMINATED CLOTHING OR SHOES.

KEEP AWAY FROM CHILDREN, DOMESTIC ANIMALS AND FOODSTUFFS.

This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes.

DIRECTIONS:

DO NOT APPLY WHEN AIR TEMPERATURES EXCEED 70 DEGREES F.

DNBP-3S mixes readily in most waters with moderate agitation. In unusually hard water a tarry sludge may form in the sprayer and clog the screens. To avoid this add 1 lb. Calgon type water softener per 100 gal. water before the herbicide is added.

Beans: Snap, Field, Lima, Soy. Pre-emergence use 1.5-2 gallons of DNBP-3S per acre in about 30 gallons of water as an overall spray shortly after planting. Do not apply to light sandy soils.

Soybeans: Post-emergence use 3 or 4 quarts of DNBP-3S in about 30 gallons of water as an over-all spray when the beans are in the cotyledon to first true leaf stage and the weeds are up. Do not apply if temperatures above 70°F are anticipated. Do not apply to light sandy soils.

Potatoes: Pre-emergence use 1 to 2 gallons of DNBP-3S in 30 to 40 gallons of water just before emergence. Use the higher rate if grasses are a serious problem.

NOTE — Recommended dosages are for overall application. If band spraying is used dosage should be decreased proportionately. Apply with low pressure (25-50 lb.) low volume spray equipment. Do not use machinery containing a residue of copper. If rinsing does not remove copper wash sprayer with a 1% acetic acid solution for 2 hours (but not more than 3 hours) and rinse with clean water.



DNBP-3S

HERBICIDE

ACTIVE INGREDIENT: Triethanolamine Salt of 4, 6-Dinitro-o-sec-Butylphenol*	50%
INERT INGREDIENTS:	50%
TOTAL	100%

NET CONTENTS U. S. GALLONS.

*Equal to 3 lbs. of active ingredients per gallon.



POISON DANGER:



KEEP OUT OF REACH OF CHILDREN.

ANTIDOTE

EXTERNAL: Wash with rubbing alcohol and follow with soap and water. Remove contaminated clothing immediately. If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

INTERNAL: To induce vomiting immediately, give teaspoon of baking soda dissolved in a glass of warm water. Repeat until vomiting fluid is clear. CALL A PHYSICIAN IMMEDIATELY.

NOTE TO ATTENDING PHYSICIAN: Active ingredient is a metabolic stimulant. Treat symptomatically.

See other required warnings on sidepanel.


RETZLOFF CHEMICAL CO.
HOUSTON, TEXAS

Chemicals for Agriculture and Industry

ACCEPTED

Jul-7-1967

UNDER THE FEDERAL INSECTICIDE AND FUNGICIDE ACT FOR ECONOMIC PEST CONTROL UNDER NO. 7192



DNBP-3S

HERBICIDE

ACTIVE INGREDIENT: Triethanolamine Salt of 4, 6-Dinitro-o-sec-Butyl-phenol* 50%

INERT INGREDIENTS: 50%

TOTAL 100%

NET CONTENTS U. S. GALLONS.

Equal to 3 lbs. of active ingredients per gallon

ANTIDOTE

EXTERNAL: Wash with rubbing alcohol and follow with soap and water. Remove contaminated clothing immediately. If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

INTERNAL: To induce vomiting immediately, give teaspoon of baking soda dissolved in a glass of warm water. Repeat until vomiting fluid is clear. CALL A PHYSICIAN IMMEDIATELY.

NOTE TO ATTENDING PHYSICIAN: Active ingredient is a metabolic stimulant. Treat symptomatically.

See other required warnings on sidepanel.

RETZLOFF CHEMICAL CO.
HOUSTON, TEXAS

Chemicals for Agriculture and Industry



POISON



WARRANTY AND LIMITATION OF DAMAGES: Retzloff Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale; subject to the risks referred to therein. Retzloff Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of RETZLOFF CHEMICAL COMPANY is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warrant shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

ACCEPTED

1969

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 7472-7



WARNING

KEEP AWAY from FEED or FOOD PRODUCTS


POISON
CAUTION—DO NOT DROP

IF LEAKING **DON'T** BREATHE FUMES
TOUCH CONTENTS
SWALLOW

This is to certify that the contents of this package are properly described by name and are packed and marked and are in proper condition for transportation according to the Regulations prescribed by the Interstate Commerce Commission.
RETZLOFF CHEMICAL CO.
OF TEXAS
HOUSTON, TEXAS

Shipper's name required hereon for shipments by EXPRESS

USDA REG. NO. 7472-7



DNBP-3S

HERBICIDE

ACTIVE INGREDIENT: Triethanolamine Salt of 4, 6-Dinitro-o-sec-Butyl-phenol*	50%
INERT INGREDIENTS:	50%
TOTAL	100%

NET CONTENTS U. S. GALLONS.

*Equal to 3 lbs. of active ingredients per gallon.



POISON DANGER:



KEEP OUT OF REACH OF CHILDREN

ANTIDOTE

EXTERNAL: Wash with rubbing alcohol and follow with soap and water. Remove contaminated clothing immediately. If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention.

INTERNAL: To induce vomiting immediately, give teaspoon of baking soda dissolved in a glass of warm water. Repeat until vomiting fluid is clear. CALL A PHYSICIAN IMMEDIATELY.

NOTE TO ATTENDING PHYSICIAN: Active ingredient is a metabolic stimulant. Treat symptomatically.

See other required warnings on sidepanel.

RETZLOFF CHEMICAL CO.
HOUSTON, TEXAS

Chemicals for Agriculture and Industry



POISON



WARRANTY AND LIMITATION OF DAMAGES: Retzloff Chemical Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale; subject to the risks referred to therein. Retzloff Chemical Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of RETZLOFF CHEMICAL COMPANY is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warrant shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

ACCEPTED
 Jul-7-1969
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 7472-7

WARNING
 KEEP AWAY from FEED or FOOD PRODUCTS

POISON
 CAUTION—DO NOT DROP

IF LEAKING DON'T BREATHE FUMES
 TOUCH CONTENTS
 SWALLOW

This is to certify that the contents of this package are properly described by name and are packed and marked and are in proper condition for transportation according to the Regulations prescribed by the Interstate Commerce Commission.
 RETZLOFF CHEMICAL CO.
 OF TEXAS
 HOUSTON, TEXAS

Shipper's name required hereon for shipments by EXPRESS

USDA REG. NO. 7472-7