

PLEASE READ ENTIRE LABEL BEFORE USING

Commercial growers should consult the Florida Citrus Commissions' service special list for information on sprays for citrus groves.

Kills Red Spider Mite, Citrus Rust Mite, Aphid, Scale and White Fly. Copper assists in the control of greasy spot and melanose.

GENERAL INFORMATION

In order to produce good, bright fruit a spray program should be followed.

- (1) Dormant Spray: January - spray using 3 1/3 Tbs. gallon. (4 pt. to 50 gallons.)
- (2) Post-Bloom Spray: Immediately after flower petals have fallen and before young fruits are 3/4" in diameter, usually in March or April, use 3 1/3 Tbs. per gallon.
- (3) Pre-Summer Spray (May): 3 1/3 Tbs. to a gallon of water. (4 pts. to 50 gallons.)
- (4) Summer Scalcicide: If scales, white fly or sooty mold are present between June 15 and July 15, repeat No. 3
- (5) Fall Spray: Usually October 15 to November 15. Use 3 1/3 Tbs per gallon. (4 pts. to 50 gallons of water)

TO PREPARE SPRAY: Mix with water at the rate shown.

Do not mix more spray than is to be used within a few hours.

APPLICATION: Spray plants thoroughly, applying to bottom and top surfaces of foliage and to the fruit. Do not use closer than 7 days of harvest. For more information on disease control -- dilution rates -- timing of applications, consult your State Agricultural Experiment Station or State Extension Service Specialist.

While best results may be expected by following the spray schedule, this material may be used any time during the year.

EPA Est No. 7478-Ga-1

EPA Reg. No. 7478-41

FLORIDA CITRUS SPRAY

Combined Fungicide, Miticide, Insecticide, Scalcicide for use on Oranges, Grapefruit, Limes, Lemons and Tangerines

CAUTION: KEEP OUT OF REACH OF CHILDREN

Formulated and Distributed by CHEM-PAK CO MIAMI, FLORIDA 33143

SEE ADDITIONAL WARNINGS AND CAUTIONS ON SIDE PANELS

ACTIVE INGREDIENTS:

Copper Salts of Rosin and Fatty Acid (Copper as Metallic 2%)*	24.0%
1,1-bis (chlorophenyl) 2, 2,2-Trichloroethanol**	4.0%
Malathion***	12.0%
INERT INGREDIENTS	60.0%
	100.0%

***O-dimethyl dithiophosphate of diethyl mercaptosuccinate
 * CITCOP 4E - TM Cities Service Co.
 ** KELTHANE is a Rohm & Haas Co. trademark.
 *** CYTHION - TM American Cyanamid Co. for their pre-grade Malathion.

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid inhalation. Avoid contact with skin, eyes, or clothing. If skin contacted, wash thoroughly with water for at least 15 minutes and get medical attention. Avoid contamination of feed and food-stuffs. Keep from children and domestic animals. If poisoning occurs, get prompt medical aid.

Notice: Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

Important: To protect water resources, fish and wildlife, do not contaminate lakes, streams or ponds.

The Malathion in spray is toxic to fish and to bees visiting bloom.

Warning: Do not use, pour, spill or store near heat or open flame. Store in cool, dry place.

Note: Do not re-use empty container. Rinse thoroughly and dispose of properly. Spray will stain - do not use where staining of walks, patio, house, etc. might result.

Net Contents 1 Pint (16 fluid oz.)

ACCEPTED

APR 28 1976

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7478-41