

Req # 75-16 1002 pm 01

<b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b> <b>OFFICE OF PESTICIDES PROGRAMS</b> <b>REGISTRATION DIVISION (75F-567)</b> WASHINGTON, D.C. 20460	<b>EPA REGISTRATION NO.</b> 7500-16	<b>DATE OF ISSUANCE</b> <b>JUL 17 1985</b>
	<b>TERM OF ISSUANCE</b>	
	<b>NAME OF PESTICIDE PRODUCT</b> Herculgard Black Zinc Wood Preserver (Formula 5P61)	

**NOTICE OF PESTICIDE:**  REGISTRATION  
 REREGISTRATION  
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

**NAME AND ADDRESS OF REGISTRANT (Include ZIP code)**

The Gibson-Homans Company  
 175 Enterprise Parkway  
 Twinsburg, OH 44087

161 152564  
 18 1

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditional registered in accordance with FIFRA sec. 2(b)(1)(A) provided that you:

1. Halt and prohibit all other persons from registering or attempting to register your product under FIFRA sec. 2(b)(1)(A) when the Agency requires a registration of similar products to be submitted.
2. Modify the labeling as indicated below before you release the product for shipment.
3. Ask the label "EPA Registration No. 7500-16."
4. Amend the type of wood preservative to be treated wood, such as tepees, rail ties, etc., to be the type of wood and replace them with these typical end uses for treated wood.
5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

**BEST AVAILABLE COPY**

Henry M. Jacoby  
 Product Manager (21)  
 Fungicide-Rodenticide Branch  
 Registration Division (75F-567)

ATTACHMENT IS APPLICABLE

**SIGNATURE OF APPROVING OFFICIAL** *Henry M. Jacoby* **DATE** 7/17/85

DESCRIPTION ← 12 PT CAP

This exterior wood preserver combines water repelling and wood preserving properties to give lasting protection to woods such as pine, oak, hickory, maple, birch, elm, poplar, sycamore and plywood. This preservative is of a zinc-base and will check decay, fungi, rotting, termites and similar wood infesting pests. Apply by brush, spray or dip treatment. Coverage is from 250 to 450 square feet per gallon, depending upon the condition of the wood on which it is applied.

PRECAUTIONARY STATEMENTS ←

Hazards to Humans and Domestic Animals - Warning EYES - Do not get in eyes. Can cause severe irritation, redness, tearing or blurred vision. SKIN - Avoid skin contact. May cause moderate irritation, defatting or dermatitis. BREATHING - Do not breathe vapor or spray mist. Can cause nasal and respiratory irritation, fatigue, headache, unconsciousness, asphyxiation. SWALLOWING - Do not ingest. Can cause gastrointestinal irritation, nausea, vomiting, diarrhea. Aspiration of material into lungs can cause chemical pneumonitis which can be fatal. OTHER - Do not use treated wood where there will be food or bee contact. Keep container closed when not in use. Wear protective clothing and gloves when using this wood preserver or handling freshly treated lumber.

ENVIRONMENTAL HAZARDS ←

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not allow spray mist to drift on beneficial vegetation.

PHYSICAL AND CHEMICAL HAZARDS ←

Do not use or store near high heat, sparks or open flame. Avoid contact with strong oxidizing agents (bleach, swimming pool chlorine, etc.).

Pin # 1500-2 2082




12 PT CAP

BEST AVAILABLE COPY

UPC CODE

BLECH 12 PT CAP

BLECH 12 PT CAP



Action  
Iner  
KEEP  
M  
See addit  
STATEME  
Eyes - Fl  
lids occas  
Skin - Th  
laminated  
← Inhalatio  
is diff  
admini  
medica  
← Ingestio

EPA REG. NO. 7500-

NET C

1. OH-01 2. NJ-01 3. GA-01

product in a manner inconsistent with its label.

NOTE: FOR EXTERIOR USE ONLY. DO NOT USE TREATED WOOD WHERE THERE WILL BE FREQUENT SKIN CONTACT.

Use Handi-Gard Black Zinc Wood Preserver just as it is and do not thin for any type of application. Shake well or stir thoroughly before using. Before using, all previous paint and rotted wood should be removed, and the surface cleaned of loose particles. Make brush applications as liberal as necessary to obtain good penetration. Two liberal coats are required, particularly on wood that is to contact the ground. For dip treatment, soaking time depend on the type of wood and its thickness. Approximate 30 minutes of soaking is recommended for wood not more than 1 inch thick. For heavy timbers, 12 to 4 hours of soaking is recommended.

10 PT CAP →

BEST AVAILABLE COPY

12 PT CAP →

**STORAGE AND DISPOSAL**

10 PT CAP →

**STORAGE:** Store at temperatures under 120°F. Wear gloves and protective clothing if contact with wood preserver is possible. Store only in original container. Do not store near pesticides, fertilizers, food or feed. In case of container leakage, dispose of wood preserver according to the disposal directions on this label.

10 PT CAP →

**PESTICIDE DISPOSAL:**  
Household - Securely wrap original container in several layers of newspaper and discard in trash.  
Other - Pesticide wastes are toxic. Improper disposal of excess wood preserver, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

10 PT CAP →

**CONTAINER DISPOSAL:**  
Household - Do not reuse can. Rinse thoroughly before discarding in trash.  
Other - Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Block →