DIRECTIONS FOR USE

CAPTAN 30-DD is especially formulated for treatment of seeds for the control of seed and soilborne diseases, including damping-off and seed decay organisms, and seedling blights.

Mix thoroughly before use or use entire container at one time. Do not combine collodal suspensions, wetable powder or emulsifiable concentrates unless previous experience assures compatibility.

This product is to be used in liquid or slurry treaters similar to Panomatic, Mist-O-Matic or Calkins.

The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates.

STORAGE AND DISPOSAL

- STORAGE—Store in a cool place. Do not store in direct sunlight. Protect from freezing temperatures.
- PROHIBITIONS—Do not re-use empty containers. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
- PESTICIDE DISPOSAL—Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities.
- CONTAINER DISPOSAL—Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place.
- GENERAL—Consult federal, state, or local disposal authorities for approved alternate procedures.

Gustafson (3) CAPTAN 30 - DD

ACTIVE INGREDIENT: Captan N — (trichloromethyl)thio-4-cyclohexene-1. 30% 1 captan x — (trichloromethyl)thio-4-cyclohexene-1. 30% INERT INGREDIENTS: 70%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid inhalation of dust, Wear respirator, Avoid contact with skin. Wash with soap and water after handling.

Do not allow treated seed or grain to be used for food, feed, or oil purposes.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

EPA Est. No. 07501-ID-1 EPA Reg. No. 7501-9-AA

NET CONTENTS: 5 U.S. Gallons

SEED - Application rates per 100 lbs. of seed of diluted product.

Dilute 1 gallon with 5 gallons of water.	
CORN — Field	270cc
Sweet	
WHEAT.	270cc
OATS*	420c
BARLEY"	
FLAX	
PEAS	370c
CUCUMBER, CANTALOUPE, TOMATO	
SQUASH, PUMPKIN, WATERMELON and MUSKMELON	
COTTON — Acid Delinted	
Reginned	, 630¢
CABBAGE, CAULIFLOWER, BROCCOLI, BRUSSELS SPROUTS,	
COLLARDS, KALE, MUSTARD, TURNIP	
PEPPERS (California Wonder)	
COWPEAS	
RICE	
RYE'	3/000
*For Seed and Seedling Rots, not for Bunt Smut.	
Dilute 1 gallon with 3 gallons of water.	
BEANS**	250cc
SOYBEANS	240cc
SORGHUM hulled (Kernel Smut)	420cc
SUGAR BEETS - West	570cc
SPINACH	570c
**Do not use on Lima Beans.	
Dilute 1 gallon with 2 gallons of water	
CLOVER, ALFALFA, LESPEDEZA, TREFOIL	
BEETS, SWISS CHARD, SUGAR BEETS — East	
BLUE GRASS, GRASSES	580c
WARRANTY STATEMENT	

Gustalson werrants that this product conforms to the chemical description on the label on its reasonably fit for purposes strated on the label only when used in accordance with directions and instructions specified on the label. Gustafson neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

Manufactured by: Gustafson, Inc. 6350 LBJ Freeway, Suite 180 Dallas, Texas 75240 (214) 661-1334

ACCEPTED

MAY 3 1979

Under the Federal Insecticide, Fungicide, and Redunticide Act, as amended, for the posticide registered under FPA Reg. No. 1501-9 ACCEPTED

1979

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered harler TEST PROTIMENT AVAILABLE

1