ACCEPTED

JUL 3 0 1980

Under the Federal Insecticide. Fungi ide, and Rodenticide Act. as amended, for the pesticide registered under EPA Reg. No.

DIRECTIONS FOR USE

CAPTAN 30-DD is especially formulated for treatment of seeds for the control of seed and sollborne diseases, including damping-off and seed decay organisms, and seedling blights.

Mix thoroughly before use or use entire container at one time. Do not combine colloidat suspensions, wettable powder or emulsifiable concentrates unless previous experience assures compatibility.

IMPORTANT

The Federal Government and most states have seed laws or regulations requiring an appropriate caution statement be affixed to bags containing treated seeds, such as;

Treated Seed Do Not Use for Food, Feed or Oli Purposes.

This product is to be used in liquid or slurry treaters similar to Panomatic, Mist-O-Matic or Calkins.

The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates.

STORAGE AND DISPOSAL

- 1. STORAGE—Store in a cool place. Do not store in direct sunlight. Protect from freezing temperatures.
- PROHIBITIONS-Do not re-use empty containers. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
- PESTICIDE DISPOSAL-Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities.
- CONTAINER DISPOSAL Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place.
- GENERAL—Consult federal, state, or local disposal authorities for approved afternate procedures.

Gustafson (3) CAPTAN 30 - DD

ACTIVE INGREDIENT: Captan N-(trichloromethyl)thio-4-cyclohexene-1, RELATED DERIVATIVES 1.63% TOTAL 100%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid inhalation of dust. Wear respirator. Avoid contact with skin. Wash with soap and water after handling.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

EPA Est. No. 07501-ID-1 EPA Reg. No. 7501-9-AA

NET CONTENTS: 5 U.S. Gallons

SEED - Application rates per 100 lbs. of seed of diluted product.

Dilute 1 gailon with 5 gallons of water.	
CORN — Field	2700
Sweet	
WHEAT*,.,	
OATS*	
BARLEY*	3200
FLAX	5300
PEAS	3700
CUCUMBER, CANTALOUPE, TOMATO	4200
SQUASH, PUMPKIN, WATERMELON and MUSKMELON	280c
COTTON Acid Delinted	
Reginned	6300
CABBAGE, CAULIFLOWER, BROCCOLI, BRUSSELS SPROUTS,	
COLLARDS, KALE, MUSTARD, TURNIP	
PEPPERS (California Wonder)	
COWPEAS	
RICE	
RYE"	3700
*For Seed and Seedling Rots, not for Bunt Smut.	
Dilute 1 gailon with 3 gallons of water.	
BEANS**	
SOYBEANS	2400
SORGHUM — hulled (Kernel Smut)	4200
SUGAR BEETS — West	
SPINACH	
**Do not use on Lima Beans.	
Dilute 1 gallon with 2 gallons of water.	***
CLOVER, ALFALFA, LESPEDEZA, TREFOIL	5800
BEETS, SWISS CHARD, SUGAR BEETS — East	8500
BLUE GRASS, GRASSES	580c
WARRANTY STATEMENT	

Gustafson warrants that this product conforms to the chemical description on the label and is reasonably fill for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Gustafson neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, express or implied, concerning this material.

A quality product manufactured by:

Gustafson (2) 17400 Dallas North Parkway, Suite 220 - Dallas, Texas 75248