JUN 6 :995

mr. Dennis L. ncFadden Gustatson, Inc. P.O. Box 660065 Dallas, TX 75266 0065

pear br. Mcfadden:

EPA Registration No. 7501-14

Application Dated January 13, 1995, Request

To Agency Proposing waiver of Dermal Sensitization
Study, Amended Labeling

The proposed amendment to the subject pesticide product registration by waiving the dermal sensitization study based in information submitted has been reviewed and was found to be acceptable. The proposed labeling submitted with the application is acceptable for registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended provided that you:

- 1. Revise the proposed precautionary statement for dermal sensitization to read: "Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals."
- Submit rive (5) printed copies or the lindl printed label before releasing the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIRA, Section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy or the label is enclosed for your records.

Sincerely yours,

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C)

111

| - inclosure | CONCURRENCES |
|--------------------------|---------------------|
| SYMBOL | |
| SURNAME E. Wilson: Diske | te. ABC24: 06-06-95 |
| DATE | |
| EPA Form 1320-1 (12-70) | OFFICIAL FILE CORY |

Gustafson 42-S Thiram

Fungicide

ACCEPTED
with COMMENTS
In EPA Letter Dated

JUN 6 1995

Under the Federal Insecticide, Fundicide, and Redemicide Act as amended, for the pesticide registered under EPA Reg. No.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water.

See _dditional precautionary statements.

EPA Reg. No. 7501-14 U.S. Pat. 4,372,080

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful If swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Consumption of alcoholic beverages increases the toxic effects of thiram. This product may cause allergic reactions.

PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemicalresistant category selection chart. Applicators and other handlers (other than mixers and loaders) must wear: long-sleeved shirt and long pants, waterproof gloves, shoes plus socks and protective eyewear. Mixers and loaders must wear: long-sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chlo-

ride and Viton, and shoes plus socks and protective eyewear. Mixers and loaders must wear:long-sleeved shirt and long parits, chemical-resistant gloves, such as, barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, and Viton, and shoes plus socks and protective eyewear. Mixers and loaders must wear for exposures in enclosed areas, a respirator with either an organic vapor-removing cartridge with prefiter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G); for exposures outdoors, dust/mist respirator (MSHA/NIOSH approval number prefix TC-21C).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

- STORAGE—Store in a cool place. Keep container tightly closed to prevent evaporation. Stir before using. DO NOT SUBJECT TO TEMPERATURES BELOW 32°F.
- PROHIBITIONS—Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.
- 3. PESTICIDE DISPOSAL—Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot

■ Gustafson (%)

• ••

•••

be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

4. CONTAINER DISPOSAL.—Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistances. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, and shoes plus socks and protective evewear.

For The Treatment of Coniferous Seed

Damping-off Protection:Use 2 quarts of GUSTAFSON 42-S Thiram per 100 lbs. of seed. Slowly add to the seed while turning in a tumbler such as a concrete mixer. Tumble seed for approximately 2 minutes and then spread coated seed on a screen to dry.

For The Treatment of Ornamental Bulbs and Tubers

Treat any time after drying. Dip in a suspension made by mixing 1-1/2 pts. of Gustafson 42-S Thiram in 8 gals. of water. Agitate the suspension. If bufbs or tubers are to be stored, spread out to dry. Bufbs or tubers that are treated with this product must bear distinct labeling that instructs:

CAUTION: Treated with thiram. Wear rubber gloves and protective clothing when handling products treated with thiram. Direct exposure to skin may result in severe dermatitis.

RECOMMENDATIONS FOR USE AS A COMMERCIAL SEED TREATMENT

Gustafson 42-S Thiram Fungicide is a liquid organic fungicide recommended for the treatment of seeds listed in the following table. Used according to directions, Gustafson 42-S Thiram will usually increase stands and yields by reducing losses from seed decay, damping-off and seedling blights caused by many seed-borne and soilborne organisms. Gustafson 42-S Thiram will usually control covered smuts or bunt of wheat, barley and rye and covered kernel smut of sorghum and will usually prevent

basal rot and decay of ornamental bulbs and tubers.

For Slurry-Type Treater: Gustafson 42-S Thiram should be applied with water as a suspension in the slurry-type treater specifically designed and approved for this purpose. If it is desirable to prepare slurries in large containers for addition to the slurry tank, entire contents should be thoroughly agitated before withdrawing any of the slurry.

| | Gustafson 42-Strivam |
|------------------------------------------------------------------------------------------------|--------------------------|
| | treating Rate FL Oz. Per |
| SEEDS | But or 100 Libe. Weight |
| Barley, Milet, Oats, Rys, Sorghum, Triticals, Wheat | 2/bu_ |
| Bears (Lime) and Peas | 3/100lbs. |
| Beens (Shap & Diy, Soybeens, Covpess) | 2/100 lbs. |
| Broccoli, Brussels Sprouts, Cabbags, Cauliflower, Collards, Kale, Kohirabi, Musterd, Turnip | 8/100 lbs. |
| Beet (Gurden), Swise Chard | 8/100 lbs. |
| Cartaloupe, Cucumber, Pumpkin, Squeeh, Watarmaton | 4.5/100 lbs. |
| Carrot, Endive, Lettuce, Pepper, Redish, Spinsch | 8/100 lbs. |
| Castor beans | 4.5/100 lbs. |
| Com (Field) | 1.5/bu |
| Com (Sweet) | 5/100 lbs. |
| Eggelent | 6.5/100 ba |
| Cotton-acid-delinted | 4.5/100 lbs. |
| Cotton-reginned and fuzzy | 4.5/100 ba |
| Flex | 3bu |
| Grazees | 8/100 lbs. |
| Clez | 6/100 lbs. |
| Onion | 6/100 lbs. |
| Pearulas* | 3/100 lbs. |
| Floe | 1 <i>5</i> /bu |
| Selfower, Surflower | 26u |
| Scenne | 3/100 lba. |
| Small seed legumes | 8/100 lbs. |
| Sugar beets | 8/100 lba |
| Tometo | 6/100 lbs. |

For The Treatment of Rice Seed In California

* Note: In the treatment of peanuts, do not dilute with water

Gustafson 42-S Thiram Fungicide and Repellent is a liquid organic fungicide recommended for the treatment of rice seed in California.

Used according to directions, Gustafson 42-S Thiram will usually increase stands and yields by reducing losses from seed decay, damping-off and seedling blights caused by seedborne and soilborne organisms.

Gustafson 42-S Thiram is recommended for use on well cured rice seed in California prior to pre-plant scaking. Gustafson 42-S Thiram should be used with water as a suspension in treaters suitable for adequate mixing and accurate application to the seed. If it is desirable to prepare slurries in large containers for addition to treater tanks, entire contents should be tho pughly; agitated before withdrawing any of the slurry for seed treatment.

How To Use: Rice seed treatment in California.

SLURRY TREATERS:

| Treater Tank Concentration | Application Rate |
|------------------------------|---------------------|
| Mix 1 gallon of Gustafson | 4 oz. per |
| 42-S with 1 gallon of water. | 100 lbs. seed |

MIST-O-MATIC TREATER:

Treater Tank
Concentration
Rate
Mix 1 gallon of Gustafson
4 oz. per
42-S with 1 gallon of water.
100 lbs. seed
Note: To prevent water contamination in irrigation or drainage
canals soak water should be retained in settling basins.

Do not use treated seed for food or feed.

USE PRECAUTION - When using formulations that do not contain dye, to comply with 21 CFR Chapter 1, Section 2.25, all grain seed treated with an economic poleon must be colored to distinguish and prevent subsequent inadvertent use as a food for man or feed for animals.

LABEL TREATED SEED - "This seed treated with thiram funglcide (Gustafson 42-S Thiram). Do not use for food, feed or oil purposes."

NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson, Inc., no claims are made to guarantee germination of carry-over seed.

As its sole express warrar "/, Gustafson, Inc., warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON, INC. NEITHER MAKES NOR AUTHORIZES ANY WARRANTY OF FITNESS OR MARCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/user purchases this product subject to the foregoing conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson, Inc. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

Aquality product manufactured by: Gustafson, Inc. * 700 Preston Road, Suite 400 Plano, Texas 75093 (214) 985-8877

| Gustafson (logo) ar | nd Pro-ized ar | e Reg. TM's og | Gustafson, I | Inc |
|---------------------|----------------|----------------|--------------|-----|
| VITAVAX is a Reg. | TM of Uniroy | al Chemical C | ompany, Inc. | |

| Net Contents: | Gallons |
|---------------|---------|
|---------------|---------|

14(S)-599010

t