Purese read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

\$EPA	ncy Registration Amendment x Other			OPP Identifier Number					
Application for Pesticide - Section I									
1. Company/Product Numbe 7501-14	r		2. EPA Product Manager L. Arrington			۱.,	3. Proposed Classification [X] None Restricted		
4. Company/Product (Name) Gustafson 42-S Thiram Fungicide			PM# Notifications			<u> ×</u>	None	Restricted	
5. Name and Address of Applicant (Include ZIP Code) Gustafson LLC 1400 Preston Rd., Suite 400 Plano, Texas 75093 Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name						
		Sec	tion - II						
Amandment - Explain		Final printed labe		els in repsonse to		OTIFICATION			
Resubmission in resp X Notification - Explain		*Me Too* Application. Other - Explain below.			JA	JAN 0 7 2005			
	of seeds remove "**"		ion - III	TE FOR	his notification is consist which was a 40 CFR 152, the conditional statement lation of 18 U.S.C. Soc. ther understand that if a fice 98-16 and 40 CFR 15 y be subject to enforcem	nat with the p 16, and no or at of Syramia 1001 to with his notificati	Cher changes here i s of this product. I felly make any false ion is not consistent	born under to the inbeli understand that it is a soldenseet to EPA. I with the terms of PR	
1. Material This Product Will	Be Packaged In:			PIF	Den	w/	Metad	den	
Child-Resistant Peckaging Yes No * Certification must	Yes Yes No If "Yes" No. per Unit Packaging Yes Yes		No If "Yes" No. per		nterner Mestic Glass Paper Other (Specify)				
be submitted 3. Location of Net Contents I	Information 4. Size	s(s) Retail Contain	ner	5. Loi	cation of Label I	Direction	1\$		
	Label Container 6. Manner in Which Label is Affixed to Product Lithograph Other								
		Paper glued Stenciled Secti	ion - IV						
1. Contact Point IComplete	items directly below for identi		<u></u>	d, if nece	essary, to proce	ss this t	application.)		
Name Dennis McFadden		Title Mgr. Te	1		•	phone No. (Include Area Code) 72-985-8877.			
i certify that the staten I acknowledge that any both under applicable is	nents I have made on this for y knowlinglly felse or misleadi	rtification m and all attachn ing statement ma	nents thereto are the sylvente by	ue, accu fine or i	rete and compliment or	ec.	6. Date Appl Received (Stan		
2. Signature Denn & Mchadden		3. Title Mgr.	3. Тішь Mgr. Tox. & Reg. Affairs				• • • • • • • • •	i	
4. Typed Name Dennis McFadden		5. Date 12/9	2/9/04			•			

Gustafson 42-S Thiram



Fungicide

ACTIVE INGREDIENT:	
Thiram (Tetramethylthiuram disulfide)	42%
INERTINGREDIENTS:	58%
TOTAL:	

Contains 4 pounds thiram per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. If Swallowed:

- •Call a poison control center or doctor immediately for treatment advice.
- ·Have person sip a glass of water if able to swallow.
- •Do not induce vomiting unless told to do so by a poison control center or doctor.
- •Do not give anything by mouth to an unconscious person. If in eyes:
- •Hold eye open and rinse slowly and gently with water for 15
- 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- •Call a poison control center or doctor for treatment advice. If on skin or clothing:
- Take off contaminated clothing.
- •Rinse skin immediately with plenty of water for 15 20
- •Call a poison control center or doctor for treatment advice.

See additional precautionary statements.

EPA Reg. No. 7501-14 EPA Est. U.S. Pat. 4,372,080

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Consumption of alcoholic beverages increases the toxic effects of thiram. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistant category selection chart. Applicators and other handlers (other than mixers and loaders) must wear: long-sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, and Viton, and shoes plus socks and protective eyewear. Mixers and loaders must wear: long-sleeved shirt and long pants, chemical-resistant gloves, such as, barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride and Viton, and shoes plus socks and protective eyewear; for exposures in enclosed areas, a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R. P or HE prefilter; for exposures outdoors, a NIOSH approved respirator with any N, R, P or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

- 1. PESTICIDE STORAGE—Store in a cool place. Keep container tightly closed to prevent evaporation. Stir before using. DO NOT SUBJECT TO TEMPERATURES BELOW 32°F.
- 2. PROHIBITIONS—Do not reuse empty container.
- 3. PESTICIDE DISPOSAL-Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.
- 4. CONTAINER DISPOSAL—Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of

Gustafson 🚷



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: if the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, and shoes plus socks and protective eyewear.

For Treatment of Coniferous Seed

Damping-off protection: Use 2 quarts of Gustafson 42-S Thiram per 100 lbs. of seed. Slowly add to the seed while turning in a tumbler such as a concrete mixer. Tumble seed for approximately 2 minutes and then spread coated seed on a screen to dry.

For The Treatment of Ornamental Bulbs, Corms and Tubers Treat any time after drying. Dip in a suspension made by mixing 1-1/2 pts. of Gustafson 42-S Thiram in 8 gals. of water. Agitate the suspension. If bulbs are to be stored, spread out to dry. Bulbs or tubers that are treated with this product must bear distinct labeling that instructs:

CAUTION: Treated with thiram. Wear rubber gloves and protective clothing when handling products treated with thiram. Direct exposure to skin may result in severe dermatitis.

RECOMMENDATIONS FOR USE AS A COMMERCIAL SEED TREATMENT

Gustafson 42-S Thiram Fungicide is a liquid fungicide recommended for the treatment of seeds listed in the following table. Used according to directions, Gustafson 42-S Thiram will usually increase stands and yields by reducing losses from seed decay, damping-off and seedling blights caused by many seedborne and soilborne organisms. Gustafson 42-S Thiram will usually control covered smuts or bunt of wheat, barley and rye and covered kernel smut of sorghum and will usually prevent basal rot and decay of ornamental bulbs and tubers. Gustafson 42-S Thiram aids in the control of Alternaria and Phoma on canola. Gustafson 42-S Thiram aids in the control of seedborne conidia produced from the honeydew inoculum from field infection of Claviceps africana (ergot) on sorghum seed.

For Slurry-Type Treater: Gustafson 42-S Thiram should be applied with water as a suspension in the slurry-type treater specifically designed and approved for this purpose. For film-coating operations: Gustafson 42-S Thiram has demonstrated good to excellent compatability with most commercial film-coating products. Coating procedures identified by polymer/coating companies and film-coating equipment manufacturers should be followed when preparing coating preparations containing Gustafson 42-S Thiram. If it is desirable to prepare slurries in large containers for addition to the slurry tank, entire contents should be thoroughly agitated before withdrawing any of the slurry.

SEEDS	Gustafson 42-S Thiram Treating Rate FI. Oz. Per Bu. or 100 lbs. Weight		
Barley, Millet, Oats**, Rye, Sorghum, Triticale**, Wheat	2 / bu.		
Beans (Lima) and Peas	3 / 100 lbs		
Beans (Snap & Dry, Soybeans, Cowpeas)	2 / 100 lbs		
Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards, Kale, Kohlrabi, Mustard, Turnip	8 / 100 lbs		
Beet (Garden), Swiss Chard	8 / 100 lbs.		
Canola**	6.4/100 lbs		
Cantaloupe, Cucumber, Pumpkin, Squash, Watermelon	4.5 / 100 lbs		
Carrot, Endive, Lettuce, Pepper, Radish, Spinach	8 /100 lbs.		
Castor beans**	4.5/100lbs		
Chicory**	5.2/100 lbs		
Corn (Field)	1.5/ bu.		
Com (Sweet)	5 / 100 lbs.		
Eggplant	6.5/100lbs		
Cotton - acid - delinted	4,5/100 bs		
Cotton - reginned and fuzzy	4.5/100lbs		
Flax	3 / bu.		
Grasses	8 / 100 lbs.		
Okra	6 / 100 lbs.		
Onion	6 / 100 lbs.		
Ornamental flower seed	8 / 100 lbs.		
Peanuts*	3 / 100 lbs.		
Rice	1.5 / bu.		
Safflower, Sunflower	2 / bu.		
Sesame	3 / 100 lbs.		
Small seed legumes	8 / 100 lbs.		
Sugar beets	8 / 100 lbs.		
Tomato	6 / 100 lbs.		
All other vegetable seeds	8 / 100lbs.		

*Note: In the treatment of peanuts, do not dilute with water

**Not registered for use in California

For the Treatment of Rice Seed in California

Gustafson 42-S Thiram Fungicide is a liquid fungicide recommended for the treatment of rice seed in California.

Used according to directions, Gustafson 42-S Thiram will usually increase stands and yields by reducing losses from seed decay, damping-off and seedling blights caused by seedborne and soilborne organisms.

Gustafson 42-S Thiram is recommended for use on well cured rice seed in California prior to pre-plant soaking. Gustafson 42-S Thiram should be used with water as a suspension in treaters suitable for adequate mixing and accurate application to the

seed. If it is desirable to prepare slurries in large containers for addition to treater tanks, entire contents should be thoroughly agitated before withdrawing any of the slurry for seed treatment.

How to Use: Rice seed treatment in California

SLURRYTREATERS:

Treater Tank
Concentration
Mix 1 gallon of Gustafson
4 fl. oz. per
42-S with 1 gallon of water
Application
Rate
4 fl. oz. per
100 lbs. seed

MIST-O-MATICTREATER:

Treater Tank
Concentration
Rate
Mix 1 gallon of Gustafson
4 fl. oz. per
42-S with 1 gallon of water.
100 lbs. seed
Note: To prevent water contamination in irrigation or drainage

canals soak water should be retained in settling basins.

Do not use treated seed for food or feed.

LABEL TREATED SEED-- "This seed treated with thiram fungicide (Gustafson 42-S Thiram). Do not use for food, feed or oil purposes.'

USE PRECAUTION - When using formulations that do not contain dye, to comply with 40 CFR 153.155, all seed treated with an economic poison must be colored to distinguish and prevent subsequent inadvertent use as a food for man or feed for animals.

NOTICE-READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKEANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product manufactured by: Gustafson LLC
1400 Preston Road, Suite 400
Plano, Texas 75093
Questions?(972) 985-8877

Gustafson (logo) is a registered trademark of Gustafson LLC, Plano, Texas

Change cucled Gustafson Thiram 50WP Dyed

NETUFICATION

clothing. Avoid inhaling of spray mist or dust. Do not use or store near food or feed. Consumption of alcoholic beverages increases the toxic effects of thiram.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

If swallowed:

- •Call a poison control center or doctor immediately for treatment advice.
- ·Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- •Do not give anything by mouth to an unconscious person. If inhaled:
- Move person to fresh air.
- •If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- •Call a poison control center or doctor for further treatment advice.

If on skin or clothing:

- •Take off contaminated clothing.
- ${}^{\bullet}$ Rinse skin immediately with plenty of water for 15 20 minutes.
- •Call a poison control center or doctor for treatment advice. If in eyes:
- •Hold eye open and rinse slowly and gently with water for 15
- 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- •Call a poison control center or doctor for treatment advice.

 See additional precautionary statements.

EPA Reg. No. 7501-105 EPA Est.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on

PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to the product are listed below. If you want maore options, follow the instructions for Category A on the EPA chemical resistant chart. Applicators and other handlers (other than mixers and loaders) must wear: long-sleeved shirt and long pants, chemical-resistant gloves, shoes plus socks and protective eyewear. Mixers and loaders must wear: long-sleeved shirt and long pants, water-proof gloves, shoes plus socks and protective eyewear. Mixers and loaders must wear for exposures in enclosed areas, a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter. Mixers and loaders must wear, for exposures outdoors, a NIOSH approved respirator with any N, R, P or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide product is toxic to fish, birds and wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Store in a cool, dry place in an area designated for pesticides, and away from food or feed. Keep pesticide in original container. Keep container firmly closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

Continued Next Column

Gustafson (3)

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. Do not reuse drum, Dispose of in the same manner.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical -resistant gloves, and shoes plus socks and protective evewear.

GENERAL INFORMATION

This product is recommended for the treatment of listed seeds and bulbs and, when used as directed, will usually increase stands and yields by reducing loss from seed decay, damping-off, and seedling blights. It also will usually control the loose and covered kernel smuts of sorghum and will usually prevent basal rot and decay of gladiolus corms. Gustafson Thiram 50WP aids in the control of *Alternaria* and *Phoma* on canola. Gustafson Thiram 50WP aids in the control of seedborne conidia produced from the honeydew inoculum from field infection of Claviceps africana (ergot) on sorghum seed.

DIRECTIONS FOR USE

This product may be applied as a dry treatment or may be mixed into the required amount of water to form a slurry treatment.

(Rotary Drum or Small Container)—Fill unit not more than 1/2 full; add correct amount of Thiram; rotate slowly until product is evenly distributed on all seed.

(Planter or Drill Box)—Place 1/2 the total amount of seed and Thiram in box and mix with paddle or stick. Add remaining 1/2 of seed and Thiram and stir as specified above.

Treat peanuts promptly after shelling. Other seeds may be treated anytime after being well-cured.

For film-coating operations-Gustafson Thiram 50WP has demonstrated good to excellent compatibility with most commercial film coating products. Coating procedures identified by the polymer/coating companies and film-coating equipment manufacturers should be followed when preparing coating prepara-

tions containing Gustafson Thiram 50WP.

For the treatment of Ornamental Bulbs, Corms and Tubers-Treat after drying thoroughly coating with Thiram by shaking in a paper bag or similar device.

Bulbs, Corms and Tubers that are treated with this product must bear distinct labeling that instructs: CAUTION: Treated with thiram. Wear rubber gloves and protective clothing when handling products treated with thiram. Direct exposure to skin may result in severe dermatitis.

IMPORTANT:

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Seed commercially treated with this product must be labeled in accord with all applicable requirements of the Federal Seed Act. Labels attached to treated seed must state "Treated seed, must not be used for or mixed with food or animal feed, or processed for oil." and "Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water."

SEED TREATMENT DOSAGE RATES

Type of Seed	Ounces per 100 pounds
Barley	4.1
Beans (Snap & Dry)	2.0
Beans (Lima)	3.0
Beets (Garden & Sugar)	8.0
Canola*	6.4
Canola*Cantaloupe, Cucumber, Pumpkin	
Squash, Watermelon	4.5
Castor Beans*	4.5
Corn (Field & Sweet)	3.0
Cotton	
Cowpeas	
Eggplant	
Flax	
Grasses	
Legumes (Small seeded)	
Millet	4.0
Okra	6.0
Peanuts (Shelled)	
Peas	
Rice	4.3
Rye	3.7
Safflower	4.0
Sesame	3.0
Sorghum	2.7
Soybeans	3.3
Sugar Beets	8.0
Tomato	
Wheat	3 .3
Broccoli, Brussels Sprouts, Carro	its. Cabbage.
Cauliflower, Collards, Endive	
Kohlrabi, Lettuce, Mustard, P	
Radish, Spinach, Swiss Char	d, TurnipAll 8.0
Ornamental foliage plants in the	families
Araliacea (scheffleras), Aracea (p	ohilodendrons)
and Palmacea (palms)	All 8.0
Ornamental flower seeds	All8.0
All other vegetable seeds	0.811A

^{*}Not registered for use in California

- 6 -

NOTE: When using formulations that do not contain dye, to comply with 40 CFR 153.155, all seed treated with an economic poison must be colored to distinguish and prevent subsequent advertent use as a food for man or feed for animals.

NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRE-SENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MER-CHANTABILITY, GUARANTY OR REPRESENTATION, EX-PRESS OR IMPLIED, CONCERNING THIS MATERIAL, Buyer ssumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product manufactured by: Gustafson LLC 1400 Preston Road, Suite 400 Plano, Texas 75093 Questions?(972) 985-8877

Gustafson (logo) is a Reg. TM of Gustafson LLC

December 9, 2004

Linda Arrington, Notifications Office of Pesticide Programs Document Processing Desk (NOTIF) Room 266A, Crystal Mall 2 1801 S. Bell St. Arlington, VA 22202

Subject: Gustafson 42-S Thiram, 7501-14

Dear Ms. Arrington,

Gustafson LLC is submitting a notification to remove the "**" from the Okra listing in the table of seeds. Okra is to be registered for use in California.

Sincerely, Dennie Mefadden

Dennis McFadden

Manager, Toxicology and Regulatory Affairs