DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Mix thoroughly before use or use entire container at one time. Do not combine colloidal suspension, wettable powder or emulsifiable concentrates unless previous experience assures compatibility.

This product is to be used in liquid or slurry treaters.

The Federal Food and Drug Administration has set official tolerances for certain pesticides residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates.

Do not use treated seed for food, feed or oil purposes.

STORAGE AND DISPOSAL

- 1. STORAGE-Store in a cool place. Do not store in direct sunlight. Protect from freezing temperatures.
- 2. PROHIBITIONS-Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.
- 3. PESTICIDE DISPOSAL-Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
- 4. CONTAINER DISPOSAL-Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.
- GENERAL-Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

Gustafson (3) **METHOXYCHLOR 300**

ACTIVE INGREDIENTS:	
Methoxychlor Technical*	30%
INERT INGREDIENTS	70%
*2,2-bis (p-methoxyphenyl)-1,1,	100%
1-trichloroethane	. 26.4%
Related compounds	3.6%

CAUTION **KEEP OUT OF REACH OF CHILDREN**

This product is toxic to fish, Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. This product is toxic to bees and should not be applied when they are actively visiting the area. Apply this product only as specified on this label.

Avoid contact with skin. In case of skin contact, wash with soap and water. Do not breathe spray mist. Harmful if swallowed.

Avoid contamination of feed and foodstuffs. Do not store with food. Do not store with feed or forage to be fed to dairy animals or to animals being finished for slaughter.

EPA Est. No. 07501-ID-1 EPA Reg. No. 7501-15

NET CONTENTS: 5 U.S. Gallons

SEED TREATMENT

For control of insects such as Cadelle. Confused Flour Beetle. Rice Weevil, Angoumois Grain Moth and Indian Meat Moth during preplanting storage of clean seed.

Dosage Rate Range of Gustatison Methaxychior 300 per 100 pounds of Seed Seed

Corn 14 fl. oz. - 3 fl. oz. (7.5cc - 90cc) 1/2 fl. oz. - 3 fl. oz. (15cc - 90cc) Cotton Sorghilm C 1/2 H-02-T 341. ez. (15cc - 90cc)

Use maximum rate where insect infestations are severe. JUL : 8 1979

> Under the Federal Insecticide. Functioned and Rodenticide Act. as amended, for the pesticide Reg. No. 750/-15

WARRANTY STATEMENT

Gustafson warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Gustafson neither makes, nor authorizes any agent or representative to make, any other warranty of FITNESS or MERCHANT-ABILITY, guarantee or representation, express or implied, concerning this material.

Manufactured by: Gustafson, Inc. 6350 LBJ Freeway, Suite 180 Dallas, Texas 75240 (214) 661-1334

