OCT 08 1993

Mr. Dennis L. McFadden Gustafson, Inc. P.O. Box 660065 Dallas, TX 75266-0065

Dear Mr. McFadden:

Subject: Gustafson Thiram Technical

EPA Registration No 7501-20

Application Dated September 25, 1996, Request To

Add New Sites of Use: Seeds of Canola, Chicory, and

Ornamental Flowers and To Add a Formulating Use

Section To Label

Your application to amend the subject registration of Gustafson Thiram Technical has been reviewed and is acceptable under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as amended, provided that you:

- 1. Rearrange the "Directions of Use" section of the label under the headings: "Formulating Uses" and "End Uses". The listing of use-sites that may be claimed for "Formulating Uses" must not include pests controlled, as presently shown. Under the heading "End Uses", the pests and dosimetry as listed are appropriate.
- 2. In the Environmental Hazard statements correct the typographic error by leaving a space between the words "permitting authority"; and correct the spelling of the word "permitting".
- 3. Submit two (2) copies of the final printed label before releasing the product for shipment under revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA, section t(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

BEST AVAILABLE COPY

					Joanne	T Milla	<u>~</u>	
	E.Wilson:	Diskette	ABC18:10	−@BHCBBRENCES	Droduct	Managor	1931	
SYMBOL	nclosure				Fungici		cide Bran	
SURNAME					-		vision (7	
DATE)							

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

OCT 08 1995

Gustafson

Under the Federal Inspectation
Functionide, and Reden California Technical
as smeanded, for the positioning and the federal California Technical

resistered under EPA Reg. No. 7501-20

Agricultural Fungicide

FOR FORMULATING INTO REGISTERED SEED TREATMENT END-USE PRODUCTS AND FOR USE AS A SEED TREATMENT

ACTIVE INGREDIENT:	
Thiram (Tetramethylthiuram disulfide)	97.5%
INERT INGREDIENTS	2.5%
	~ '''
TOTAL	100%

EPA Reg. No. 7501-20

EPA Est. No.

NET CONTENTS:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS KEEP OUT OF REACH OF CHILDREN CAUTION

Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid inhaling of spray mist or dust. Do not use or store near food or feed. This product may cause allergic reactions. During commercial exposure in seed treatment and loading operations, wear goggles, clean rubber gloves, protective clothing, and a pesticide respirator jointly approved by th Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute of OccupationalSafety and Health under provisions of 30 CFR, Part11. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work, wash all clothing with soap and water before reusing. Consumption of alcoholic beverages increases the toxic effects of thiram.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention. In case of swallowing, apply stomach drain (by doctor only), or induce vomiting.

ENVIRONMENTAL HAZARD

This pesticide product is toxic to fish. Do not discharge effluent containing this product into lakes streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Poolutant Discharge elimination System

Continued Next Column

(NPDES) permit and the permitingauthority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Do not allow to freeze or become overheated.

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

REFORMULATION:

USE PATTERN: This product is for formulators in the manufacture of agricultural seed treatment fungicidal products, offered for sale to the public, and which are duly registered for seed treatment use only with the Environmental Protection Agency, Washington, D.C.

FORMULATION ASSISTANCE: Additional information regarding specific problems in formulations, involving this product may be obtained by writing: Gustafson, Inc., P.O. Box 660065, Dallas, Texas 75266-0065.

SEED TREATMENT:

Directions for Use as a Seed Treatment for Control of Damping-Off, Seed Decay, Seedling Blights, Oat Smut, Onion Smut, Loose and Covered Smuts of Sorghum, 'Apply at' recommended dosage, use suitable slurry seed treatment, equipment. Do not use treated seed for food, feed or oil.

Gustafson (%)



RATE SEED DISEASE Beans, Lima *seed decay, damping-off, seedling blight 1.8 oz. / 100 lbs. Corn, Field seed decay, damping-off, seedling blight 1.5 oz. / 100 ibs. Corn, Sweet ______seed decay, damping-off, seedling blight _____4.0 oz. / 100 lbs. Cottonseed (Acid Delinted).....seed decay, damping-off, seedling blight......3.0 oz. / 100 lbs.

Cowpeas....seed decay, damping-off, seedling blight......1.0 oz. / 100 lbs. Millet ______seed decay, damping-off, seedling blight _____2.0 oz. / 100 lbs. Okra.....seed decay, damping-off, seedling blight......3.0 oz. / 100 lbs. Sorghum.....seed decay, damping-off, seedling blight, loose and covered smuts...1.8 oz. / 100 lbs. Soybeans seed decay, damping-off, seedling blight 1.8 oz. / 100 lbs. Spinach......seed decay, damping-off, seedling blight......4.0 oz. / 100 lbs. Tomatoes.....seed decay, damping-off, seedling blight......3.0 oz. / 100 lbs. Turnips ______seed decay, damping-off, seedling blight _____4.0 oz. /100 lbs. Wheat.....seed decay, damping-off, seedling blight, covered smuts or bunt...1.66 oz. / 100 lbs. Only for formulation into a seed treatment fungicide, for the use sites listed above and the following use sites; SEED DISEASE Barley.....seed decay, damping-off, seedling blight, covered smuts or bunt Beans, Dry.....seed decay, damping-off, seedling blight Beets (Garden).....seed decay, damping-off, seedling blight Broccoli.....seed decay, damping-off, seedling blight Brussels Sprouts...... seed decay, damping-off, seedling blight Cabbage seed decay, damping-off, seedling blight Canola seed decay, damping-off, seedling blight Cantaloupe...... seed decay, damping-off, seedling blight Carrots seed decay, damping-off, seedling blight Castor beans seed decay, damping-off, seedling blight Cauliflower seed decay, damping-off, seedling blight Chicory seed decay, damping-off, seedling blight Collards...... seed decay, damping-off, seedling blight Coniferous seed decay, damping-off, seedling blight Cotton - reginned and fuzzy.....seed decay, damping-off, seedling blight Cucumber.....seed decay, damping-off, seedling blight Eggplant seed decay, damping-off, seedling blight Endive.....seed decay, damping-off, seedling blight Flax.....seed decay, damping-off, seedling blight Gladiolus bulbs......basal rot and decay Grasses seed decay, damping-off, seedling blight Kale....seed decay, damping-off, seedling blight Kohlrabi seed decay, damping-off, seedling blight Lettuce seed decay, damping-off, seedling blight Mustard seed decay, damping-off, seedling blight Oats.....seed decay, damping-off, seedling blight Onion seed decay, damping-off, seedling blight, onion smut (Urocystis sp.) Ornamental bulbs and tubers......basal rot and decay Ornamental flower seeds.....seed decay, damping-off, seedling blight Ornamental foliage plant seeds in the families Araliacea (scheffleras), Aracea (philodendrons), and Palmacea (palms)......seed decay, damping-off, seedling blight Peppers seed decay, damping-off, seedling blight Pumpkin seed decay, damping-off, seedling blight Radish.....seed decay, damping-off, seedling blight Small seed legumes seed decay, damping-off, seedling blight Squash seed decay, damping-off, seedling blight Sugar beets seed decay, damping-off, seedling blight

Sunflower seed decay, damping-off, seedling blight Swish Chard seed decay, damping-off, seedling blight Triticale seed decay, damping-off, seedling blight Watermelon seed decay, damping-off, seedling blight

- * Seed decay, damping-off, seedling blights are caused by an array of fungal plant pathogens from the genera; Pythium sps., Fusarium sps., Rhizopus sp., Penicillium sps., Aspergillus sps., Cladosporium sps., Alternaria sps., Helminthosporium sps., and others.
- **Covered smuts or bunts refers to those various fungi found in the genera *Ustilago sps.*, *Sporisorium sp.* (sorghum), *Tilletia sps.*
- *** Basal rot and decay are caused by Fusarium sps., Pythium sps., Rhizopus sps., Penicillium sps., Cladosporium sps., Aspergillus sps., Botrytis sps., Curvularia sps. and others.

NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson, Inc., no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON, INC. NEI-THER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FIT-NESS OR MERCHANTABILITY, GUARANTY OR REPRESEN-TATION, EXPRESS OR IMPLIED, CONCERNING THIS MATE-RIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson, Inc. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product manufactured by: Gustafson, Inc.
1400 Preston Road, Suite 400
Plano, Texas 75093
(214) 985-8877

Gustafson (logo) is a Reg. TM of Gustafson, Inc.

20(S)694150