

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not get in eyes, on skin, or on clothing. Causes eye and skin irritation. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs.

During exposure in seed treatment and loading operations, wear goggles, clean synthetic rubber gloves, protective clothing.

Wash hands, arms, and face thoroughly with soap after handling and before eating or smoking. Routinely shower or bathe after work and wash with soap and hot water before reusing.

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
If inhaled — Remove victim to fresh air. Apply artificial respiration if indicated.
If on skin — Remove contaminated clothing and wash affected areas with soap and water.
If in eyes — Flush eyes with plenty of water. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool dry place. Do not allow to freeze or become overheated.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

Gustafson
CAPTAN
LINDANE 12.5-25
Seed Protectant

Only for sale to, use and storage
by agricultural or commercial
applicator personnel.

ACCEPTED
with COMMENTS

Active Ingredients By Wt.

*Captan 11.84%

Related Derivatives66%

**Lindane 25.00%

Inert Ingredients 62.50%

registered under EPA Reg. No.

7501-38 100%

*N-[(trichloromethyl) thio]-4-cyohexene-1,
2-dicarboximide

**Gamma Isomer of Benzene Hexachloride

**KEEP OUT OF REACH
OF CHILDREN**

WARNING

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENT**

NET WEIGHT 10 LBS.

EPA Est. No. 8590-PA-1

EPA Reg. No. 7501-

A quality product manufactured by: **Gustafson**  17400 Dallas North Parkway, Suite 220 — Dallas, Texas 75

DIRECTIONS FOR USE

GUSTAFSON CAPTAN LINDANE 12.5-25 Seed Protectant is a dust base agricultural insecticide and fungicide especially formulated for seed treatment at planting time. This product is formulated to help lubricate the planter box and assure smooth, even seed flow to the furrow. GUSTAFSON CAPTAN LINDANE 12.5-25 Seed Protectant is formulated for use in the treatment of seeds for protection against wireworms, seed corn maggots, and certain other soil borne insects as well as providing fungicidal protection at planting time. Where Seeding Blight, Damping-Off, or seed decay is severe, supplement this product with an EPA approved systemic protectant fungicide such as Vitavax 200 Flowable Fungicide.

SEED TREATMENT DOSAGE RATES

TYPE OF SEED	OUNCES PER 100 POUNDS
Alfalfa Clover	2 oz
Barley	4 oz
Beans (use with a protective fungicide)	
Bush Snap and all others except Limas	2 oz
Baby Bush Limas	2 oz
Standard and Fordhook Large Limas	1 oz
Cabbage, Cauliflower, Broccoli, Brussels Sprouts, Radish	2 oz
Carrots, Onions	4 oz
Corn	8 oz
Cotton	8 oz
Cucumber, Cantaloupe, Watermelon, Squash, Pumpkin	4 oz
Flax	2 oz
Grass (Safflower, Rye, Sudan)	2 oz
Milo, Sorghum, Oats	4 oz
Oats	2 oz
Peas	4 oz
Soybean	2 oz
Spinach, Sunflower	4 oz
Sugar Beets	16 oz
Wheat	2 oz

IF SOIL TEMPERATURE IS EXTREMELY HIGH (hot weather, midsummer planting, or other reasons) reduce recommended dosage by one-half. Avoid lengthy storage of treated seed to prevent loss of Lindane.

Apply as a drill-box treatment, mixing thoroughly with the seed before planting. For best results, the following procedure is suggested: Fill drill-box only half full of seed, add half the required amount of GUSTAFSON CAPTAN LINDANE 12.5-25 Seed Protectant and mix thoroughly with a stick. Then add remainder of seed to drill-box and add the rest of the required amount of product to the seed. Again mixing thoroughly.

Good results are also obtained by premixing seed with the product in a suitable container, then pouring treated seed into drill-box.

USE RESTRICTIONS

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

NOTICE — READ CAREFULLY LIMITED WARRANTY STATEMENT

Gustafson warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Gustafson neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation expressed or implied, concerning this material. In the event of any breach by Gustafson of this limited warranty, Gustafson shall not be liable for consequential damages.

252-4493 (214) 931-8899

L43-9/82

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures