38(S)102604A3

Gustafson **CAPTAN LINDANE** 12.5 - 25 SEED PROTECTANT


This product may only be used as an on-farm seed treatment for corn and sorghum.

Captan*	
Related Derivatives	
Lindane**	
INERT INGREDIENTS	
TOTAL	

^{*}N-trichioromethylthio-4-cyclohexene-1,2-dicarboximide

EPA Reg. No. 7501-38 **EPA Est.**

NET CONTENTS



KEEP OUT OF REACH OF CHILDREN **PELIGRO** DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND **DOMESTIC ANIMALS**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid contamination of food or feed. Do not store with food, feed, or forage. This product should be applied in a well ventilated area.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for

treatment.	ct container or label with you when calling a poison control center or doctor, or going for
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

IN CASE OF AN EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL:

CHEMTREC: (800) 424-9300 (Toll free - US)

CHEMTREC: (703) 527-3387 (Domestic and International)

^{**}Gamma isomer of Benzene hexachloride

A Quality Product Manufactured By:

Gustafson (1)

Gustafson LLC • 1400 Preston Rd., Suite 400 • Plano, TX 75093 Questions? (972) 985-8877

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical resistant to this product are nitrile rubber, neoprene rubber, barrier laminate and Viton. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Mixers, loaders, applicators and other handlers, including persons handling or planting treated seeds, must wear: coveralls over long-sleeved shirt and long pants, chemical-resistant footwear plus socks, chemical-resistant gloves, protective eyewear and a NIOSH-approved respirator with any N, R, P or HE filter

Persons drying or bagging treated seeds or sewing bags of treated seeds are handlers and must wear handler personal protective equipment.

Handlers using closed systems and handlers planting or otherwise handling treated seed must wear: long-sleeved shirt and long pants, shoes plus socks, chemical-resistant gloves, chemical-resistant apron when mixing, loading or treating seeds on farm.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS:

When handlers use closed systems designed by the manufacturer to enclose the pesticide to prevent it from contacting handlers or other people AND the system is functioning properly and is used and maintained in accordance with the manufacturer's written operating instructions, the handlers need only wear long-sleeved shirt, long pants, chemical-resistant gloves, shoes and socks. However, the respirator must be immediately available for use in an emergency, such as a spill or equipment breakdown.

USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticides get inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water. Do not contaminate water by disposing of equipment washwaters or rinsate. Apply this product only as specified on the label.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain

circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is: coveralls worn over short-sleeved shirt and short pants, chemical-resistant gloves made of any waterproof material, shoes plus socks and chemical-resistant footwear plus socks and protective eyewear.

Gustafson Captan Lindane 12.5-25 Seed Protectant is a dust-based agricultural insecticide and fungicide especially formulated to help lubricate the planter box and assure smooth, even seed flow to the furrow. Gustafson Captan Lindane 12.5-25 Seed Protectant is formulated for use in the treatment of seeds for protection against wireworms, seed corn maggots and certain other soilborne insects, as well as providing fungicidal protection at planting time. Where seedling blight, damping-off or seed decay is severe, supplement this product with an EPA-approved systemic protectant fungicide such as Vitavax® 200 Flowable Fungicide.

SEED TREATMENT DOSAGE RATES

TYPE OF SEED

OUNCES PER 100 POUNDS

Corn

3.57

Sorghum

4

If soil temperature is extremely high (hot weather, midsummer planting or other reasons) reduce recommended dosage by one-half. Avoid lengthy storage of treated seed to prevent loss of Lindane.

Apply as a drill box treatment, mixing thoroughly with the seed before planting. For best results, the following procedure is suggested. Fill drill box only half full of seed, add half the required amount of Gustafson Captan Lindane 12.5-25 Seed Protectant and mix thoroughly with a stick. Then add remainder of seed to drill box and add the rest of the required amount of product to the seed, again mixing thoroughly.

Good results are also obtained by premixing seed with the product in a suitable container then pouring treated seed into drill box.

ROTATIONAL CROPS

A plant-back interval of 30 days should be observed for leafy vegetables and 12 months for all unregistered crops. Barley, wheat, oats, rye, corn and sorghum may be replanted immediately.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place. Protect from excessive heat. Do not store or transport near feed or food.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty liner into application equipment. Then dispose of empty liner in a sanitary landfill, or by incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

NOTICE - READ CAREFULLY

CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests

on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC, no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use, and store this product in accordance with safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

Gustafson (logo) is a Reg. TM of Gustafson LLC, Plano, Texas VITAVAX is a Reg. TM of Crompton Corporation