

Gustafson 

**VITAVAX® - 200M
FLOWABLE FUNGICIDE
(VITAVAX WITH MANEB)**

ACC
7521-37
7521-39
7521-41
7521-43

COMPOSITION

Active Ingredients: (% by weight)

Carboxin (5,6-dihydro-2-methyl-1,4-oxathiin-3-carboxanilide)*	12%
Maneb (Manganese ethylenebisdithiocarbamate) (Manganese equivalent as metallic 3.51%)	12%
Inert Ingredients:	76%
Total	100%

*U.S. Patents 3,249,499 - 3,393,202 - 3,454,391

KEEP OUT OF REACH OF CHILDREN

CAUTION!

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED:** Induce vomiting and see a physician
IF INHALED: See a physician if an abnormal reaction occurs
IF ON SKIN: Wash thoroughly with soap and water
IF IN EYES: Immediately flush eyes with plenty of water. See a physician

See left side panel for Additional Precautionary Statement

EPA Est. No.
EPA Reg. No. 7501-39

NET CONTENTS

VITAVAX is a Reg. TM of UNIROYAL CHEMICAL Div. of Unroyal Inc.

manufactured for: **Gustafson**  17400 Dallas North Parkway, Suite 220 — Dallas, Texas 75252-44

7501-39

Gustafson

X[®] - 200M FUNGICIDE (WITH MANEB)



A.C. 7501-39
7501-39
7501-39

7501-39

DIRECTIONS FOR USE

GUSTAFSON VITAVAX 200M Flowable Fungicide is a ready-to-use seed treatment.

RICE

GUSTAFSON VITAVAX 200M Flowable Fungicide combines the systemic action of carboxin with the surface action of maneb to control various seed and seedling diseases of rice. It is particularly effective against *Rhizoctonia solani* and *Helminthosporium oryzae*.

BARLEY, WHEAT AND OATS

In addition, loose smut (*Ustilago nuda*) and covered smut (*Ustilago hordei*) are controlled on barley and loose smut (*Ustilago tritici*) and common bunt (*Tilletia caries*) are controlled on wheat by GUSTAFSON VITAVAX 200M Flowable Fungicide.

Use 4-6 fluid ounces of GUSTAFSON VITAVAX 200M Flowable Fungicide per 100 pounds of seed. GUSTAFSON VITAVAX 200M Flowable Fungicide should be applied as a slurry treatment by machine.

SOYBEANS

Use 3 fluid ounces of GUSTAFSON VITAVAX 200M Flowable Fungicide per bushel of seed or 6 fluid ounces per 100 pounds of seed. GUSTAFSON VITAVAX 200M Flowable Fungicide should be applied as a slurry treatment by machine or to the hopper box as a pour on treatment.

USE RESTRICTIONS

Do not use treated seed for food or feed purposes. Do not graze or feed livestock on treated areas for six weeks after planting. Care must be exercised in the handling of treated seed.

USE PRECAUTION

When using formulations that do not contain dye, to comply with 41 CFR Chapter 1, Section 101-11.5, all grain seed treated with an economic poison must be colored with an approved dye. 41 CFR 101-11.5(b) (1) (ii) distinguish and prevent subsequent and inadvertent use as a food for man or feed for animals.

COMPATIBILITY

GUSTAFSON VITAVAX 200M Flowable Fungicide should not be tank mixed with any pesticide unless adequate physical compatibility and phytotoxicity tests have been completed and proved to be satisfactory.

SEED LABELING

— This seed treated with GUSTAFSON VITAVAX 200M Flowable Fungicide. Do not use treated seed for food, feed or oil purposes. Add appropriate information for any other chemical treatment.

NOTICE — READ CAREFULLY LIMITED WARRANTY STATEMENT

Gustafson warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Gustafson neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this material. In the event of any breach by Gustafson of this limited warranty, Gustafson shall not be liable for consequential damages.

POSITION

light)	
methyl-1,4-oxathiin-3-	
.....	12%
enebisdithiocarbamate)	
(as metallic 3.51%)	12%
.....	76%
.....	100%

3,202 - 3,454,391

EACH OF CHILDREN

ATTENTION! PRACTICAL TREATMENT

* see a physician
if an abnormal reaction occurs
wash with soap and water
rinse eyes with plenty of water. See a physician.

Additional Precautionary Statement:

NET CONTENTS

AGRI-CAL, Div. of Uniroyal, Inc.

**PRECAUTIONARY
STATEMENTS**

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. May cause irritation of nose, throat, eyes and skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or spray mist. Protective clothing (long pants, long-sleeved shirts, gloves, hat and boots) must be worn during mixing and loading. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Wash hands and face thoroughly with soap and water after use or before eating or smoking. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

Do not use in violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal or by cleaning of equipment. Open dumping is prohibited.
- 2. PESTICIDE DISPOSAL:** Pesticide spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures.
- 3. CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a landfill, or by other approved State and local procedures.
- 4. STORAGE:** Store in a cool, dry location. Do not store in direct hot sunlight. Keep container closed when not in use.
- 5. GENERAL:** Consult Federal, State or Local Disposal Authorities for approved alternative procedures such as limited open burning.

A quality product ma