

177
100
100

ACCEPTED

JUL 10 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 7501-40

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING

Harmful if swallowed, inhaled or absorbed through the skin. May cause irritation of nose, throat, eyes and skin. Avoid contact with skin, eyes or clothing. Applicators who apply this product manually or without the use of a closed system treatment procedure must wear the following protective clothing during the application process: long-sleeved shirt, long pants, gloves, and a disposable paper dust mask which covers at least one third of the face. This product should be applied in a well-ventilated area. Avoid breathing vapors or spray mist. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Wash hands and face thoroughly with soap and water after use or before eating or smoking. Remove and wash contaminated clothing before reuse.

Avoid contamination of feed and foodstuffs. Do not store with food. Do not store with feed or forage to be fed to dairy animals or to animals being finished for slaughter.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near an open flame.

DIRECTIONS FOR USE

Read and follow all Federal law usage directions and manufacturer's directions with its labeling.

STORAGE AND DISPOSAL

- 1. STORAGE:** Store in a cool, dry place. Do not store in direct sunlight. Keep container closed when not in use.
- 2. PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal or by cleaning of equipment. Open dumping is prohibited.
- 3. PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
- 4. CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Gustafson 
VITAVAX® -M. NEB-LINDANE
FLOWABLE FUNGICIDE

SEED PROTECTANT

COMPOSITION

Active Ingredients (1% by weight)

Carbonyl (5,6-dihydro 2-methyl-1,4-dioxin-3-carboxamide) 14%

Maneb (Manganese ethylenebis(dithiocarbamate)) 12%

(Manganese equivalent as metallic 3.5%) 8%

Lindane (Gamma isomer of benzene hexachloride) 66%

Inert Ingredients

Total

14%

12%

8%

66%

100%

U.S. Patents 3,249,499; 3,393,202; 3,454,391

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

- If swallowed— Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
- If inhaled— Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin— Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes— Flush eyes with plenty of water. Call a physician immediately.

EPA Est. No. 7501-1D-1

NET CONTENTS

EPA Reg. No. 7501-40

VITAVAX is a Reg. TM of UNIROYAL CHEMICAL Div. of Unroyal Inc.

Gustafson (G) is a Reg. TM of Gustafson, Inc.

DIRECTIONS FOR USE

GUSTAFSON VITAVAX 200ML Flowable is a ready-to-use seed treatment containing a systemic and protectant fungicide plus the insecticide, Lindane.

BARLEY, WHEAT AND OATS

GUSTAFSON VITAVAX 200ML Flowable controls loose smut (*Ustilago nuda*) and covered smut (*Ustilago hordei*) on barley; loose smut (*Ustilago tritici*) and common bunt (*Tilletia caries*) on wheat; and loose smut (*Ustilago avenae*) on oats.

GUSTAFSON VITAVAX 200ML protects seeds against seed decay and damping off. Also provides protection to seeds and seedlings against damage from wireworms and seed corn maggots.

Apply **GUSTAFSON VITAVAX 200ML Flowable** at the rate of 5 fluid ounces on Wheat and Oats and 6 fluid ounces on Barley per 100 pounds of seed. Apply as a slurry treatment by machine.

USE RESTRICTIONS

Do not use treated seed for food or feed purposes. Do not graze or feed livestock on treated areas for six weeks after planting. Care must be exercised in the handling of treated seed.

SEED LABELING — This seed treated with **GUSTAFSON VITAVAX 200ML Flowable** at manufacturer's recommended rate. Do not use treated seed for food, feed or oil purposes. Add appropriate information for any other chemical treatments.

Labels for commercially treated seed should include the following addition to the Environmental Hazards statements:

Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water.

**NOTICE — READ CAREFULLY
LIMITED WARRANTY STATEMENT**

Gustafson warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Gustafson neither makes nor authorizes any agent or representative to make any other warranty of FIFED USA or MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this product. In the event of any breach by Gustafson of this limited warranty, Gustafson shall not be liable for consequential damages.

RO Lindane Mixture NA 2761

ORM-A