

7501-41

7-19-2002

1/4



Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0080. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 7501-41	2. EPA Product Manager Sherada Holgood	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Gustafson Reldan 4E Insecticide	PM# Notifications 04	
5. Name and Address of Applicant (Include ZIP Code) Gustafson LLC 1400 Preston Rd., Suite 400 Plano, TX 75093 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION JUL 19 2002
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Delete part 17 respirator wording per PR Notice 98-9.

"This notification is consistent with the provisions of PR Notice 98-9 and EPA regulations at 40 CFR 151.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-9 and 40 CFR 151.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Dennis McFadden

Section - III

1. Material This Product Will Be Packaged In:						2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____			
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container If "Yes" Package wgt. No. per container					
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>			
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Dennis McFadden	Title Mgr. Tox & Reg Affairs	Telephone No. (Include Area Code) 972-985-8877	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature Dennis McFadden	3. Title Mgr. Tox & Reg Affairs		
4. Typed Name Dennis McFadden	5. Date 7/12/02		

Gustafson Reldan® 4E Insecticide

NOTIFICATION

JUL 19 2002

ACTIVE INGREDIENTS:

Chlorpyrifos-methyl (0,0-dimethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate) 43.2%

INERT INGREDIENTS: 56.8%

TOTAL: 100.0%

Contains 4 lb. chlorpyrifos-methyl per gallon

KEEP OUT OF REACH OF CHILDREN DANGER

See Additional Precautionary Statements.

EPA Reg. No. 7501-41 EPA Est.

U.S. Patent No. 3,244,586

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive, causes eye and skin damage or irritation. Do not get in eyes, on skin or on clothing. Do not breathe vapors and spray mist. Keep container closed. Keep away from food, feedstuffs and water supplies.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category F on an EPA chemical resistance category selection chart.

Mixers, Loaders, Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber, or Viton. In addition, applicators applying to empty grain bins must wear: A NIOSH-approved respirator with any N, R, P, or HE filter. See Engineering Controls for additional requirements. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS:

Handlers applying directly to grain or stored seed must use automated admixture system. The system must apply the pesticide directly to the grain or seed and transfer grain or

seed directly into stationary storage facilities.

USER SAFETY RECOMMENDATION:

Users and persons in the treated area should avoid inhalation of treated grain dust. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of the gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor for treatment advice.

If in eyes:

-Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

-Call a poison control center or doctor for treatment advice.

If swallowed:

-Immediately call a poison control center or doctor.

-Do not induce vomiting unless told to do so by a poison control center or doctor.

-Do not give any liquid to the person.

-Do not give anything by mouth to an unconscious person.

If on skin or clothing:

-Take off contaminated clothing.

-Rinse skin immediately with plenty of water for 15 - 20 minutes.

-Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia. Contains an organophosphate that inhibits cholinesterase. Treat symptomatically. Atropine by injection is the preferable antidote. Oximes such as 2-PAM may or may not be therapeutic, but it is recommended they not be used in place of atropine.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment for disposal of wastes. Do not discharge directly or indirectly to surface water. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority.

Gustafson



PHYSICAL OR CHEMICAL HAZARDS

Combustible - Do Not Use or Store Near Heat or Open Flame. Do Not Cut or Weld Container.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Empty grain bin treatment applications are only permitted outside of the bin. Only downward spray is permitted. All openings, except for the point of application, must be closed during application. This product may only be applied to empty grain bins using high-pressure hand held or automated spray equipment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

PRODUCT STORAGE: Store in a cool, dry location. Do not store in direct sunlight.

PRODUCT INFORMATION:

STORED GRAIN: For protection of stored food, feed, and oil grains against injury from stored grain weevils, moths, beetles and mealworms including granary weevil, rice weevil, red flour beetle, confused flour beetle, saw-toothed grain beetle, Indian meal moth, and Angoumois grain moth. For optimum results, thoroughly clean and treat grain storage areas prior to storage of grain. If grain is insect infested, fumigate* to control existing populations and apply RELDAN for residual protection.

SEED TREATMENT: For protection of stored seed against injury from stored grain insects listed above. For optimum results, thoroughly clean and treat seed storage areas prior to storage of seed. If seed is insect infested, fumigate* to control existing populations and apply RELDAN for residual protection.

GRAIN BIN AND WAREHOUSE: Empty grain bin treatment applications are only permitted from outside of the bin. Only downward spray is permitted. All openings, except for the point of application, must be closed during applications. This product may only be applied to empty grain bins using automated spray equipment. Do not enter or allow others to enter until sprays have dried.

Dilute Gustafson RELDAN 4E with water to give a final concentration of 1% chlorpyrifos-methyl (1/2 pint of product per 3 gallons of finished spray or 1/2 liter of product per 25 liters of finished spray). Apply finished spray to equipment, wall and floor surfaces at the rate of 1 gallon per 650 to 1250 sq. ft. (946 ml per 60 to 115 square meters) prior to storing or handling grain. Application should be made only after equipment bins and buildings have been thoroughly cleaned and are insect free. Empty bin fumigation* is appropriate when inaccessible areas exist.

GENERAL DIRECTIONS FOR TREATMENT OF GRAIN BEING STORED: Dilute Gustafson RELDAN 4E with water or FDA approved food grade mineral or soybean oils and apply to the moving grain stream as a coarse spray to give a deposit of 6 ppm of chlorpyrifos-methyl on the grain. Final spray volume with water solutions of 5 gallons of liquid per 1000 bu. of grain. Final spray

volume with oil solutions should be applied at oil manufacturers' rates. Occasional agitation is needed in water solutions and constant agitation is necessary in oil solutions.

Gustafson RELDAN 4E is to be applied in solution in accordance with the General Directions to stored grains at the following rate per 1000 bu. to provide treatment with 6 ppm concentrations of chlorpyrifos-methyl:

	6 ppm	
	fl. oz.	ml.
Barley	9.2	270
Oats	6.2	180
Rice	8.6	255
Sorghum (milo)	10.7	315
Wheat	11.5	340

Gustafson RELDAN 4E is to be applied in solution in accordance with the General Directions to stored grains at the rate of 67.7 liters of solution per 100 metric tons to provide treatment with 6 ppm concentrations of chlorpyrifos-methyl:

	6 ppm	
	fl. oz.	ml.
	41.7	1250

* Fumigate with Phosphine or Methyl Bromide according to manufacturer's label recommendations.

USE PRECAUTIONS:

- Avoid contact with treated grain until liquid has dried.
- Avoid application at extremely dusty sites.
- Reldan solutions should be used within 48 hours.
- Check spray equipment calibration regularly to ensure proper application rates.
- When drying grain, apply Reldan after the grain has cooled.

NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of

known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these

3/4

4/4

terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product manufactured by:

Gustafson LLC

1400 Preston Road, Suite 400

Plano, Texas 75093

Questions? (972) 985-8877

Gustafson (logo) is a registered trademark of Gustafson LLC,
Plano, Texas

RELDAN is a registered trademark of Dow AgroSciences LLC