

att / 2.8 1994

### Gustafson

# TERRACLOR SUPER X®\*

municide, and the man and a mineral or the mineral

)

20-5 Dust With Graphite

\*TERRACLOR SUPER X contains two active ingredients, TERRACLOR® and TERRAZOLE®

ACTIVE INGREDIENTS: Pentachloronitrobenzene (PCNB)	20.0%
5-Ethoxy-3-(trichloromethyl)-1,2,4-thiadiazole	5.0%
INERT INGREDIENTS:	75.0%
TOTAL:	100.0%

## KEEP OUT OF REACH OF CHILDREN WARNING AVISO

SI usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detaile. (If you do not understand the label, find someone to explain it to you in detail.)

#### STATEMENT OF PRACTICAL TREATMENT

- If swallowed Catl a physician or Poison Control Center Immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
- If Inhaled Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin -- Remove contaminated clothing and wash affected areas with soap and water.
- If In eyes Flush eyes with plenty of water. Call a physician immediately.

See additional precautionary statements.

EPA Reg. No. 7501-54

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING AVISO

Harmful if swallowed. Do not inhale dust. Do not get on skin, on clothing or in eyes. May cause skin irritation. Contact may be harmful. Do not contaminate feed or foodstuffs.

#### PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear: long-sleeved shirt and long pants, waterproof gloves and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **USERS SAFETY RECOMMENDATIONS:**

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

#### **ENVIRONMENTAL HAZARDS**

This material is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Dispose of excess treated seeds by burying in non-crop lands away from water supplies.

#### STORAGE AND DISPOSAL

- 1. STORAGE: Store in cool, dry place. Do not store in direct sunlight. Protect from extreme temperatures.
- PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse container.
- 3. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Imprope: disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
- 4. CONTAINER DISPOSAL: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State of Tribe, consult the agency responsible for pesticide regulation.

#### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This

■ Gustafson 《》

BEST AVAILABLE COPT

572

Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, and shoes plus socks.

PLANTER BOX TREATMENT:

Premix with the seed at the specified rates, directly in the planter box at planting. Seed treatments must be throughly mixed with the seed, and planters adjusted according to the manufacter's directions (planting rates including air or vacuum may be affected by seed additives.)

Seed	Rate in Av. Oz.	Disease Complex
Beans, Wheat	2 oz. per bushel	
Peas, Soybeans	2-4 oz. per bushel	Common Smut or Bunt,
Com, Sorghum	2 oz. per 100 lbs.	Covered Smut
Peanuts	2-4 oz. per 100 lbs.	Fusarium, Pythium,
Sugar Beet	6-12 oz. per 100 lbs.	Rhizoctonia, Seedbornerust.
Barley	4 oz. per bushel	
Cotton	12 to 16 oz, per 100 ibs,	Rhizoctonia, Pythium

Note: One heaping scoop (enclosed) is equivalent to approximately 4 avoirdupois ounces of this product.

RESTRICTIONS: DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES.

#### NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pests, may result in reduced germination and/or reduction of seed and se dling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson, Inc., no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES.

SUBJECT TO APPLICABLE LAW, GUSTAFSON, INC. NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/tiser purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson, Inc. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product manufactured by: Gustafson, Inc.
1400 Preston Road, Suite 400
Plano, Texas 75093
(214) 985-8877

Gustafson (logo) is a Reg. TM of Gustafson, Inc.
Terraclor SuperX, Terraclor and Terrazole are Reg. TM's of
Uniroyal Chemical Company, Inc.

54(S)493101

