

p m

25

7501-57

Page 1 of 3

NOV - 4 1996

Mr. D. L. McFadden
Gustafson, Inc.
P.O. Box 660065
Dallas, TX 75266

Dear Mr. McFadden:

Subject: Use Deletions- Rice
Gustafson Terra-Coat L 205 N
EPA Reg. No. 7501-57
Your submission dated Nov. 10, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable and a stamped copy is enclosed for your records.

Please submit five (5) copies of the revised draft labels with the WPS statements at the next label printing.

Sincerely yours,

Robert J. Taylor
Product Manager 25
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

Gustafson
Logo @110%

ACCEPTED
with COMMENTS
In EPA Letter Dated

NOV - 4 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

7501-57

Terra-Coat Logo @100%

L-205N

**SEED TREATMENT FUNGICIDE
WITH DYE**

ACTIVE INGREDIENTS:

Pentachloronitrobenzene (PCNB)	23.1%
5-Ethoxy-3-(trichloromethyl)-1,2,4-thiadiazole	5.8%
INERT INGREDIENTS:	71.1%
TOTAL	100.0%

This product contains the toxic inert ingredient Rhodamine B.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

SEE ADDITIONAL PRECAUTIONARY STATEMENTS

Contains 2 lbs. of Pentachloronitrobenzene and 0.5 lb. of 5-Ethoxy-3-(trichloromethyl)-1,2,4-thiadiazole per U.S. Gallon at 68°F (20°C).

EPA Reg. No. 7501-57

EPA Est. _____

Net Contents: _____ Gallons

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

Causes skin irritation. Do not get on skin or on clothing. Wash thoroughly with soap and water after handling. A chemical resistant apron and respirator must be worn during mixing and loading of this product. Mixers, loaders and applicators, when mixing, loading and applying must wear chemical resistant gloves, protective boots or overshoes, long sleeved shirt and pants (or coveralls). Leather or fabric gloves are not acceptable. Check gloves for cuts or holes. If the gloves are damaged, dispose of them properly and get a new pair. Wash thoroughly all contaminated clothing before reuse. Clothing worn while loading, mixing and applying this product must be laundered separately from other clothing before reuse. Rinse gloves with water before taking them off, then wash your hands.

Continued Next Column

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Get medical attention. If on skin: Wash with plenty of soap and water. Get medical attention. If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention. Do not induce vomiting.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Cover or incorporate treated seeds. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a cool place. Do not store in direct sunlight. Protect from temperatures below 23°F.

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not re-use empty container.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and local authorities.

BEST AVAILABLE COPY

Controls certain seed and soilborne seedling diseases. Seed should be sound and well cured prior to treatment otherwise damage may occur. Using suitable liquid or slurry seed treating equipment such as Panogen or Mist-O-Matic®, apply Gustafson Terra-Coat L-205 undiluted directly to seed (or mix with one to two parts of water as required for optimum seed coverage) at dosage rates indicated in the chart below. This product contains a dye to indicate treated seed. Use the higher dose rate when disease pressure is severe.

Planting Seeds	Application Rates In Fluid Ounces	Seedling Diseases Complex
Barley	2-4 oz./bushel	Covered Smut, <i>Rhizoctonia</i> , <i>Pythium</i> , and <i>Fusarium</i>
Beans	2 oz./bushel	<i>Rhizoctonia</i> , <i>Pythium</i> , and <i>Fusarium</i>
Com	2 oz./100 lbs.	
Cotton	12-16 oz./100 lbs.	
*Peanuts	2-4 oz./100 lbs.	
Peas	2-4 oz./bushel	
Sorghum	2 oz./100 lbs.	
Soybeans	2-4 oz./bushel	
Safflower	2-4 oz./100 lbs.	Seedborne rust, <i>Rhizoctonia</i> , <i>Pythium</i> and <i>Fusarium</i>
Wheat	2 oz./bushel	Common Smut or Bunt, <i>Rhizoctonia</i> , <i>Pythium</i> and <i>Fusarium</i>

*Note: In the treatment of Peanuts, do not dilute with water.

IMPORTANT: Federal Law requires that bags containing treated seed shall be labeled with the following information.

This seed has been treated with **Pentachloronitrobenzene** and **5-Ethoxy-3-(trichloromethyl)-1,2,4-thiadiazole**

WARNING

**DO NOT USE FOR FEED, FOOD OR OIL PURPOSES.
STORE AWAY FROM FEEDS AND FOODSTUFFS.**

NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pests, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson, Inc., no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson, Inc. warrants that this product conforms to the agent description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. **SUBJECT TO ANY APPLICABLE STATE LAW, GUSTAFSON, INC. NEITHER MAKES, NOR AUTHORIZES ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTY, EXPRESS OR IMPLIED INCLUDING ANY IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL GUSTAFSON, INC. BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDI-**

RECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT; BUYER SHALL RECEIVE AS ITS SOLE REMEDY A RETURN OF THE PURCHASE PRICE PAID. Buyer assumes all responsibility for safety and use not in accordance with label instructions.

Gustafson, Inc. and the seller offer this product, and the Buyer/ User accept it, subject to the foregoing Conditions of Sale and Limited Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of Gustafson, Inc. If these terms are not acceptable, return all products, at once, unopened.

A quality product manufactured by:

Gustafson, Inc.
1400 Preston Road, Suite 400
Plano, Texas 75093
(214) 985-8877

Gustafson (logo) is a Reg. TM of Gustafson, Inc.
Terra-Coat is a Reg. TM of Uniroyal Chemical Company, Inc.

57(S)-198260

BEST AVAILABLE COPY