H-22 11501-91

Please read instructions on reverse before completing form. Form Approved OMB No. 2070-0060, Approval expires 11-30-93 OPP Identifier Number United States Environmental Protection Agency Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 19962**0** Application for Pesticide: Other Section I 3. Proposed Classification 2. EPA Product Manager Company/Product Number 7501-91 C. GILES-PARKER Restricted 4. Company/Product (Name) BAYTAN® 30 Flowable 22 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling GUSTAFSON, INC. to: PO BOX 660065 DALLAS, TEXAS 75266 0065 EPA Reg. No.__ Check if this is a new address Product Name Section II Final printed labels in response to Amendment - Explain below Agency letter dated_ Resubmission in response to Agency letter dated_ "Me Too" Application. Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) NOTIFICATION PER PR NOTICE 88-6, AS REQUIRED BY PR NOTICE 93-3, LABELING STATEMENT PROHIBITING APPLICATION TO WATER. ATTACHED ARE A REVISED, HIGHLIGHTED LABEL AND AN ORIGINAL LABEL. Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Water Soluble Packaging 2. Type of Container Unit Packaging Yes Metal Yes* Yes **Plastic** No Glass No Paper if "Yes." If "Yes." No. per -No. per Other (Specify Unit Package wgt. container Package wgt. container * Certification must be submitted. 3. Location of Net Contents Information 5. Location of Label Directions Size(s) of Retail Container On Label Container Manner in Which Label Is Affixed To Product Lithograph Other (Paper glued,: Stenciled ' Section IV 44 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Telephone No. (Include Area Code) ASST. MGR., TOXICOLOGY DENNIS L. MCFADDEN 214-985-8877: AND REGULATORY AFFAIRS 6. Date Application Certification Beceived I certify that the statements I have made on this form and all attachments thereto are true, accurate and complets. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature 3. Title ASST. MGR., TOXICOLOGY enna Maralden REGULATORY AFFAIRS 4. Typed Name 5. Date DENNIS L. MCFADDEN



BAYTAN® 30

Flowable Fungicide

NOTIFICATION DATE. 8/3/93

For Use Only By Commercial Seed Treaters

**Contains 2.65 pounds active per gallon U.S. Patent No. 3,952,002

KEEP OUT OF REACH OF CHILDREN CAUTION

See Additional Precautionary Statements.

EPA Reg. No. 7501-91

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe vapors. Applicators must wear long pants, long-sleeved shirts and chemical resistant gloves. Do not get in eyes ,on skin or on clothing. Do not contaminate feed or food. Wash hands, arms and face thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Administer water freely and induce vomiting by giving one dose (1/2 oz. of 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Get medial attention immediately.

IF ON SKIN: Wash skin immediately with soap and warm water. If irritation persists, get medical attention.

(Cont. Next Column)

IF EYES ARE CONTAMINATED: Wash with plenty of water for at least 15 minutes. If irritation persists, get medical attention.

IF INHALED: Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

SYMPTOMS OF POISONING

No specific symptoms. Acute poisoning is accompanied by general depression and illness. In case of poisoning, call a physician immediately. Have patient lie down and keep quiet. NOTE TO PHYSICIAN: No specific antidote is available. Treat symptomatically.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams, and ponds. Do not contaminate water when disposing of equipment washwaters. Do not apply to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place.

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

BAYTAN 30 Fungicide controls objected seed and soilborne diseasos of wheat, barley, oats and rye. Systemic activity of BAYTAN 30 Fungicide will provide early season control of infections by powritery mildew and rusts.

·····

CROP	DISEASE	FLUID OUNCES BAYTAN 30 Flowable Fungicide	REMARKS
	Seed and Soilborne Diseases:		
Wheat Barley Oats Rye	Wheat: Stinking smut Flag smut Loose smut Glume blotch Foot rot* Take-all*	0.75 to 1.5 fluid ounces per 100 pounds of seed	Refer to the Seed Treatment section on this label for the recommended method of treating seed. Apply the 0.75 ounce rate for control of smuts, and the 1.5 ounce rate for control or suppression of the other diseases.
	Barley: Covered smut Loose smut Foot rot* Net Blotch* Typhula rot*		*Suppression or some control of these diseases provided.
	Oats: Loose smut Rye: Stripe smut		Green forage may be grazed 40 days after seeding.
	Foliar Diseases:		
	Wheat: Powdery mlldew Leaf rust Stripe rust	1.5 fluid ounces per 100 pounds of seed	Refer to the Seed Treatment section on this label for the recommended method of treating see.
	Barley: Barley rust		Use of the recommended rate will control the noted early season diseases.
	Stripe rust Powdery mildew		Green forage may be grazed 40 days after seeding.
	Oats: Crown rust Stripe rust Powdery mildew		
	Rye: Rye rust Stripe rust Powdery mildew		

SEED TREATMENT: BAYTAN 30 Fungicide may be applied as a water-based slurry through standard slurry or mist-type commercial seed treatment equipment. Prepare a slurry by mixing the specified dosage in 16 fl. ozs. of water per 183 lbg. of seed. Add dye** to the resulting slurry. Mix the slurry thoroughly with the seeds to provide uniform coverage.

**21 CFR Chapter I. Section 2.25 requires grain seed treated with poisonous substances in excess of recognized tolerances be suitably colored with an EPA approved dye, such as one of the dyes listed on 40 CFR Section 180.1001(c) and (d), to prevent their subsequent inadvertent use as a food for man or feed for animals.

RESTRICTIONS

For use only through commercial seed treating equipment which are closed application systems. Do not use treated seed for feed, food or oil purposes.

- Oft

NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pests, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson, Inc., no claims are made to guarantee gentination of

carry-over seed.

As its sole express warranty, Gustafson, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON, INC. NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson, inc. If these terms are not acceptable, return all products to the place of

purchase, unopened for a full refund.

Gustafson (logo) is a Reg. TM of Gustafson, Inc. BAYTAN is a Reg. TM of the parent company of Miles, Inc..

A quality product manufactured by: Gustafson, Inc.
1400 Preston Road
Suite 400
Plano, Texas 75093
(214) 985-8877

91(W)-295060

