

1065

Panel

Reg. # 7501-92

(center panel)

**ACCEPTED**

**AUG 9 1985**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. **7501-92**

**GUSTAFSON  
CAPTAN 75%  
SEED PROTECTANT  
AGRICULTURAL FUNGICIDE**

ACTIVE INGREDIENTS:	By Wt.
*Captan . . . . .	70.90%
Related Derivatives . . . . .	4.10%
INERT INGREDIENTS: . . . . .	25.00%
*N-[(trichloromethyl)thio]-4-cyclohexene-1,2-dicarboximide	

---

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

See side panel for additional cautions.

---

EPA Est. No.  
EPA Reg. No. 7501  
NEW WEIGHT: 50 POUNDS

GUSTAFSON is a Reg. TM of Gustafson, Inc.

Gustafson, Inc.  
17400 Dallas North Parkway, Suite 200  
Dallas, TX 75252-4493  
(214) 931-8899

L124-3/85

**SPECIMEN**

(right panel)

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
DANGER

Causes Irreversible eye damage. Harmful if swallowed, or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Avoid inhalation of dust or spray mist. If conditions or frequency of use increase the potential of exposure, inhalation can best be avoided by wearing a pesticide respirator jointly approved the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Wash hands after use. Remove and launder clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, give a large amount of water to drink, make person vomit, and call a doctor. In case of eye contact, immediately flush eyes with plenty of clear water and get medical attention. For skin contact, wash with plenty of soap and water. See a doctor if irritation occurs or rash develops.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.  
Open dumping is prohibited.  
Do not reuse empty container.

STORAGE

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place. Protect from excessive heat.

PESTICIDE DISPOSAL

This product is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or reconstitute is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Do not reuse container. Dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

225

(left panel)

GUSTAFSON CAPTAN 75 SEED PROTECTANT is a special formulation containing Captan for seed treatment application. Gustafson Captan 75 Seed Protectant now contains a binder which helps to adhere the treater to the seed so that there is minimum loss during processing and planting. Has no adverse effect on seed germination or planting rate. It is used in preventing seed rot and damp-off diseases on germinating seeds and seedlings and smut on onion and hulled sorghum seeds.

#### PRECAUTIONS

Do not feed seed to animals. Do not use treated seed for human consumption. Seeds treated with Gustafson Captan 75 Seed Protectant, sold or shipped as feed or foodstuffs may be considered adulterated under state and federal laws. Treated seed must be labeled as follows:  
"TREATED SEED. DO NOT USE FOR FOOD, FEED OR OIL."

#### DIRECTIONS

**SLURRY TREATMENT:** When used in slurry treaters, do not allow mixtures to stand overnight. Clean out equipment thoroughly between treating operations. Thoroughly mix the recommended amount of this product into the required amount of water for the slurry treater equipment and dilution rate to be used.

**Note:** Seed treated by the slurry method should not be bagged until the seed has had an opportunity to dry. Store in well ventilated areas. If seed is bagged when wet, heat is developed and seed germination will be impaired.

**GLADIOLUS CORMS:** For prevention of Bulb Rot - Use 1 1/2 oz. in 1 gal. water (1 lb. to 10 gals.) Soak bulbs in mixture 20 to 30 minutes.

**GRASS SEED (Range Grasses such as Wheatgrass and Bromegrass):** To Control *Podosporiella verticillata*: 12 oz. Gustafson Captan 75 Seed Protectant per 100 lbs. seed. Apply as slurry treatment.

**ONION SEED PELLETTING:** Use 1 lb. Gustafson Captan 75 Seed Protectant per 1 lb. of seed plus 1/4 pt. methyl cellulose 5% solution.

THE FOLLOWING TABLE gives amount of Gustafson Captan 75% Seed Protectant to use on various seeds. Do not use on baby lima beans.

Seed	Dosage Rate	Lbs. Seeds Treated/ lb. of Product
Corn-Field	1 1/4 oz./100 lbs. 2/3 oz./bu.	1280
Corn-Sweet	2 2/3 oz./100 lbs. 1 1/2 oz./bu.	600
Wheat	1 1/4 oz./100 lbs. 2/3 oz./bu.	1280
Rye	1 3/4 oz./100 lbs.	910
Oats	2 oz./100 lbs. 2/3 oz./bu.	800
Barley	1 1/2 oz./100 lbs. 2/3 oz./bu.	1070
Flax	2 1/2 oz./100 lbs. 1 1/3 oz./bu.	640
Beans (Except Baby Limas)	1 3/4 oz./100 lbs.	910
Peas	1 oz./bu.	
Lentils (Wash. & Idaho only)	1 3/4 oz./100 lbs.	910
Cucumbers	2 oz./100 lbs.	800
Cantaloupe		
Squash	1 1/3 oz./100 lbs.	1200
Pumpkin		
Watermelon		
Beets	8 oz./100 lbs.	200
Swiss Chard		
Sugar Beets		200
Clover	5 1/2 oz./100 lbs.	290
Alfalfa	3 1/3 oz./bu.	
Soybeans	1 2/3 oz./100 lbs. 1 oz./bu.	960
Turnip	2 oz./100 lbs.	800
Cotton-Acid Delinted	2 oz./100 lbs.	800
Cotton-Machine Delinted Fuzzy (Not delinted)	3 oz./100 lbs.	530
Blue Grass	5 1/2 oz./100 lbs.	290
Cabbage, Radish	7 oz./100 lbs.	1600
Cauliflower		
Broccoli		
Brussels Sprouts		
Spinach, Eggplant	4 oz./100 lbs.	400
Sorghum	3 oz./100 lbs.	530
hulled (Kernel Smut)		
Peppers	2 oz./100 lbs.	800
Cowpeas	2 oz./100 lbs. 1 1/4 oz./bu.	800
Sesame	1 oz./100 lbs.	1600

(right panel)

A Slurry Product - Prevents Seed Rot and Damp-Off Diseases

NOTICE - READ CAREFULLY  
LIMITED WARRANTY STATEMENT

Gustafson warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Gustafson neither makes nor authorizes any agent or representative to make, any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this material. In the event of any breach by Gustafson of this limited warranty, Gustafson shall not be liable for consequential damages.

GUSTAFSON is a Reg. TM of Gustafson, Inc.