

BEST AVAILABLE COPY

BEST AVAILABLE COPY

PM 21

7501-97

ACCEPTED

NOV 25 1992

ANCHOR®

FLOWABLE FUNGICIDE

A SEED TREATMENT CHEMICAL FOR CONTROL AND SUPPRESSION

OF SEED ROT AND DAMPING OFF DISEASES OF CERTAIN CROPS.

For Use Only By Commercial Seed Treaters

DRAFT

DIRECTIONS FOR USE (CONT.)

Fruiting Vegetables: Cantaloupes, cucumbers, eggplant, gourds, melons, peppers (including chili, sweet, bell and pimiento), pumpkins, summer squash, tomatoes, watermelons and winter squash	For <i>Pythium</i> damping off; Apply ANCHOR as a seed treatment at the rate of 1.50 fluid ounces per 100 lbs. of seed.
--	---

Leafy Vegetables: Broccoli, brussels sprouts, cabbage, cauliflower, celery, collards, kale, kohlrabi, lettuce, mustard, parsley, rape, rhubarb and spinach	For <i>Pythium</i> damping off; Apply ANCHOR as a seed treatment at the rate of 1.50 fluid ounces per 100 lbs. of seed.
--	---

Soybeans, peas	For <i>Pythium</i> damping off; and early season <i>Phytophthora</i> control; Apply ANCHOR as a seed treatment at the rate of 1.50-2.25 fluid ounces per 100 lbs. of seed.
----------------	--

Cotton (acid delinted, delinted mechanically)	For <i>Pythium</i> seed rot and damping off; Apply ANCHOR as a seed treatment at the rate of 0.75-1.50 fluid ounces per 100 lbs. of seed.
---	---

Sunflower	For <i>Pythium</i> seed rot and damping off; Apply ANCHOR as a seed treatment at the rate of 0.75-1.50 fluid ounces per 100 lbs. of seed. For suppression of early season systemic Downy Mildew, apply at the rate of 3.0 fluid ounces per 100 lbs. of seed.
-----------	--

Root and Tuber Vegetables: Beets, carrots, parsnip, radish, rutabagas, sugar beets and turnip.	For control of <i>Pythium</i> damping off. Apply ANCHOR as a seed treatment at the rate of 1.50 fluid ounces per 100 lbs. of seed.
--	--

Grain Crops (except wheat): Barley, huckwheat, corn (field, sweet and popcorn), millet, oats, rye, sorghum and triticale.	For control of <i>Pythium</i> damping off; Apply ANCHOR as a seed treatment at the rate of 0.75-1.50 fluid ounces per 100 lbs. of seed.
---	---

Turf Grasses:	For <i>Pythium</i> damping off on golf courses and home lawns; Apply ANCHOR as a seed treatment at the rate of 0.75-1.50 fluid ounces per 100 lbs. of seed.
---------------	---

Forage Grasses:

Forage Legumes:
Alfalfa, clover, lespedeza, lupin, trefoil, vetch and velvet beans.

USE RES
Do not use treated seed for fox treated with this product must be (e.g., those listed in 40 CFR 181 color to the seed.

NOTICE - RE CONDITIONS OF WARRANTY

Treatment of highly mechanical low vigor and poor quality, except of existing disease or insect pest and/or reduction of seed at germination tests on a small percentage total seed lot to a selected character conditions be, and the control to guarantee germination of seed. As its sole express warranty, product conforms to the character reasonably fit for purposes stated accordance with directions and subject to the inherent risks as BY APPLICABLE LAW, IN LIMITED WARRANTY, GUSTAFSON NOR AUTHORIZES ANY OF TIVES TO MAKE ANY WARRANTY, GUARANTY OR IMPLIED, COMPANY assumes the responsibility to accordance with the safety maintained on the label. Buyer/User purchases this product of Sale and Limited Warranty may be varied only by a written authorized representative of Gustafson, return all products to the refund.

Gustafson (logo) and ANCHOR

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Do not use or store near heat or open flame.
PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FAILURE TO FOLLOW DIRECTIONS ON THIS LABEL MAY RESULT IN CROP INJURY OR POOR DISEASE CONTROL

Do not apply this product through any type of irrigation system.

Note: ANCHOR Flowable Fungicide is a systemic fungicide having a specific mode of action. ANCHOR Flowable Fungicide could be subject to development of resistant strains of fungi. Development of resistance cannot be predicted. Therefore, Gustafson, Inc. cannot assume liability for crop damage resulting from resistant strains of fungi. Consult with your State Agricultural Experiment Station or Extension Service Specialist for guidance and ways to control any possible ANCHOR Flowable Fungicide resistant strains of fungi which may occur.

ANCHOR Flowable Fungicide is a systemic fungicide seed dressing specifically for control of *Pythium* and suppression of *Phytophthora* spp. For control of other soilborne diseases, such as *Rhizoctonia* spp., ANCHOR Flowable Fungicide should be applied in combination with other registered seed dressing fungicides. ANCHOR Flowable Fungicide may be applied as a water-based slurry with other registered seed treatment insecticides and fungicides through standard slurry or mist-type commercial seed treatment equipment. Use the higher rate when conditions of heavy disease pressure are expected.

NOTE: Federal Law requires that bags containing treated seeds shall be labeled with the following information: "This seed has been treated with Oxadixyl Fungicide. Do not use treated seed for feed, food or oil purposes." Store away from feeds and food stuffs.

ACTIVE INGREDIENT:
Oxadixyl (2-methoxy-N-(2-oxo-1,3-oxazolidin-3-yl)acet-2,6-dithiide31.0%
INERT INGREDIENTS:69.0%
Total.....100.0%

Contains 2.65 pounds oxadixyl per gallon
EPA Reg. No. 7501-97 EPA Est. 7501-ID-1
NET CONTENTS: 2-1/2 U.S. Gallons

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes substantial but temporary eye injury. Do not get in eyes. Wear goggles.
Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid breathing dust or spray mist.

FIRST AID
IF ON SKIN: Wash with plenty of soap and water. Get medical attention.
IF IN EYES: Flush with plenty of water. Get medical attention.

ENVIRONMENTAL HAZARDS
Do not contaminate water when disposing of equipment washwaters. Apply only as specified on this label. Cover or incorporate spilled treated seeds.

A quality product manufactured by:
Gustafson, Inc.
1400 Prestch Road, Suite 400
Plano, Texas 75093
(214) 985-8877

97(1)-298270

Gustafson