NAME AND ADDRESS OF REGISTRANT (Instante &	
r .	
Guetafson, Inc. P. O. Box 660065	
Dallas, TX 75266-0965	
1	
-	
	1 2 3 4 4 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4
	in substance from that accepted is con. ection with this registration must b Division prior to use of the label in connecte. In any correspondence on gistration number.
On the basis of information furnished by the re	sgistrant, the above mamed posticide is hereby Registered/Reregistered as
the Tederal Insecticide, Fungicide, and Rode	nticide Act.
A copy of the isbeling accepted in connection	with this Registration/Recegistration is returned herewith.
Registration is in no way to be construid as a	a indemember or approval of this preduct by this Agency. In order to prote
	, on his motion, may stang time suppond or cancel the registration of a pe ince of any name in connection with the registration of a product under this
Act is not to be construed as giving the regist	mant a right to exclusive use of the name or to its use if it has been cover
by others.	¥. ***
_	litionally registered in Accordance
	ection 3(c)(7)(C) of the Act, since
-	ollowing data on or before July 1,
1985.	·
· .	
Typa of Dat	a Rebeint of sata
Type of Dat	a Receipt of ata
1. Rat Hepatocyte/	June 27, 1985
1. Rat Hepatocyte/ Unschedyled DNA	June 27, 1985
1. Rat Hepatocyte/	June 27, 1985
1. Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/	June 27, 1985 (UDS)
1. Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ 2. Chinese Hamster	June 27, 1985 (UDS) June 27, 1985
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypc 	June 27, 1985 (UDS) June 27, 1985 (Maintenance)
1. Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ 2. Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp	June 27, 1985 (UDS) June 27, 1985 exanthine phoribosyl
1. Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ 2. Chinese Hamster Ovary Cell-Hypo	June 27, 1985 June 27, 1985 Dexanthine Dhoribosyl Sward Muta-
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC) 	June 27, 1985 June 27, 1985 June 27, 1985 Ward Muta- D/HGPRT)
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC) Mouse Bone Marr 	June 27, 1985 June 27, 1985 June 27, 1985 Ward Muta- D/HGPRT) Tow June 27, 1985
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC) Mouse Bone Marr Micronucleus Te 	June 27, 1985 June 27, 1985 June 27, 1985 Ward Muta- D/HGPRT) Tow June 27, 1985
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC) Mouse Bone Marr 	June 27, 1985 June 27, 1985 June 27, 1985 Ward Muta- D/HGPRT) Tow June 27, 1985
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC) Mouse Bone Marr Micronucleus Te 	June 27, 1985 June 27, 1985 June 27, 1985 Ward Muta- D/HGPRT) June 27, 1985
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC) Mouse Bone Marr Micronucleus Te 	June 27, 1985 June 27, 1985 June 27, 1985 Ward Muta- D/HGPRT) June 27, 1985
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC) Mouse Bone Marr Micronucleus Te 	June 27, 1985 June 27, 1985 June 27, 1985 Ward Muta- D/HGPRT) Tow June 27, 1985
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC) Mouse Bone Marr Micronucleus Te 	June 27, 1985 June 27, 1985 June 27, 1985 Ward Muta- D/HGPRT) June 27, 1985
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC Mouse Bone Marr Micronucleus Te (Mouse MT)" 	June 27, 1985 June 27, 1985 June 27, 1985 Ward Muta- D/HGPRT) June 27, 1985
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC) Mouse Bone Marr Micronucleus Te 	June 27, 1985 June 27, 1985 June 27, 1985 Ward Muta- D/HGPRT) June 27, 1985
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC Mouse Bone Marr Micronucleus Te (Mouse MT)" 	June 27, 1985 June 27, 1985 June 27, 1985 Ward Muta- D/HGPRT) June 27, 1985
 Rat Hepatocyte/ Unscheduled DNA Synthesis (HPC/ Chinese Hamster Ovary Cell-Hypo (Guanine) Phosp Transterase For tion Assay (CHC Mouse Bone Marr Micronucleus Te (Mouse MT)" 	June 27, 1985 June 27, 1985 June 27, 1985 ward Muta- D/HGPRT) June 27, 1985 st

This registration is being extended until November 1, 1985 during which time the Agency will assess the above data. If these data are found to support continued registration, the Agency will consider another extension for this registration beyond November 1, 1985.

You must submit and/or cite all data required for registration/reregistration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

You must submit production information (pounds produced) for this product for the fiscal year in which this product is conditionally registered, in accordance with Soction 29 of FIFRA. The fiscal year begins October 1 and ends September 30. The production information must be submitted to the Agency no later than November 15, following the end of the preceding fiscal year. This information must be submitted to:

Registration Support and Emergency Response Branch egistration Division (TS-767C) Environmental Protection Agency Washington, D.C. 20460

Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, this registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger Product Manager (12) Insecticide Rodenticide Branch Registration Division (TS-767)

Enclosure

{

(center panel)

Date of Draft: 6/4/85

GUSTAFSON

2\$ RELDAN*

DUST INSECTICIDE

CONTROLS INSECT PESTS ATTACKING STORED GRAINS

ACTIVE INGREDI Chlorpyrif 2-pyridy	ENTS: fos-methyl [0,0-dimethyl 0-(3,5,0 /l) phosporothioate	5-trichiora- 		
INERT INGREDIE	NTS	98\$		
	KEEP OUT OF REACH OF CHILDRE CAUTION STATEMENT OF PRACTICAL TREATM			
16 Sugliand				
lf Swallowed:	Do not induce vomiting. Call a irmediately.	a physician		
lf Inhalod:	Remove victim to fresh air. Apply respiration if			
If On Skin:	Indicated. Call a physician. Remove contaminated clothing and immediately wash			
	with soap and water.	id simediatery wash		
lf in Eyes:	Flush eyes with plenty of water physician.	and call a		
inhibitor. Tr preferable ant	IAN: Chlorpyrlfos-methyl is a c eat symptomatically. Atropine b idote. Oximes such as 2-PAM may ut it is recommended they not be	y injection is the or may not be	, , , , , , , , , , , , , , , , , , , ,	
SEE SIDE	PANEL FOR ADDITIONAL PRECAUTIONA	RY STATEMENTS	· · · · · · · · · · · · · · · · · · ·	
U.S. Patent No EPA Reg. No. 7 EPA Est. No.	the Dow Chemical Company . 3,244,586	ACCEPTED with COMMENTS in EPA Letter Dated JUL 1985 JUN 271985	· · · · · · · · · · · · · · · · · · ·	
	GUSTAFSON, Inc. 17400 Dallas North Parkway Dallas, Texas 75252	Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pertude registered under EPA Rev. No. <u>TSUL-98</u>		

1

(right panel)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STOREL GRAIN: For protection of <u>barley</u>, <u>oats</u>, <u>rice</u>, <u>sorghum</u> and <u>wheat</u> against injury from stored grain weevils, moths, borers, beetles and mealworms including granary weevil, rice weevil, red flour beetle, confused flour beetle, saw-toothed grain beetle, indian meal moth, Angoumois grain moth and lesser grain borer. Apply to the grain at the rate of 15 lbs. of product per 1000 bu. as the grain is being loaded or turned into final storage. To protect stored grains from attack by indian meal moth, apply to the surface of clean or infested grain at the rate of 7 lbs. per 1000 sq. ft. of grain surface area. Apply evenly. Repeat if necessary.

HOW TO APPLY TO A TRACE OF BUILD SMALL GRAINS

Apply Gustafson 2% RELDAN Powder Insecticide when grain is in the trick or wagon prior to binning. To determine the amount in the truck or wagon, multiply he length by width by depth (all in feet) and multiply this ofal by 0.8 to get the number of bushels. Measure out the correct amount of Gustafson 2% RELDAN Powder Insecticide (15 lbs. pe 1000 bu.) and spread evenly over the surface of the grain in the truck or wagon. Cut into the grain with a shovel. Coating will become mixed with grain as it is dumped from the truck or wagon into the hopper. Further mixing will occur when the grain is augered or blown into the bin. Mixing 13 completed as the coating and grain roll down the cone shaped pile in the bin.

NOTICE--READ CAREFULLY LIMITED WARRANTY STATEMENT

Gustafson warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with rections and instructions specified on the label. Gustafson wither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this material. In the event of any breach by Gustafson of this limited warranty, Gustafson shall not be liable for consequential damages.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION CAUSES EYE IRRITATION--MAY CAUSE ALLERGIC SKIN REACTION HARMFUL IF SWALLOWED

Do not get in eyes, on skin, or on clothing. Remove contaminated clothing. Wash thoroughly after handling. Wear goggles or face shield and rubber gloves whenever eye or skin exposure is likely to occur and wash before reuse. Avoid breathing dust. Keep container closed. Handle dust in a ventilated area.

ENVIRONMENTAL HAZARD.

RELDAN Insecticide is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not discharge directly or indirectly into surface waters. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry location. Do not store in direct, hot sunlight.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by inclneration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

• • • • •

...