

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NUMBER	DATE OF ISSUANCE
	7501-99	11/1/85
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	TERM OF ISSUANCE	
	Until Reregistration	
NAME OF PESTICIDE PRODUCT		
GUSTAFSON RELPAN 3% INSECTICIDE		

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

GUSTAFSON, INC.
 P. O. BOX 660065
 DALLAS, TEXAS 75266

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5) since you provided the following acceptable mutagenicity studies:

- a. Rat Hepatocyte/Unscheduled DNA Synthesis (HPC/UDS)
- b. Chinese Hamster Ovary Cell-Hypoxanthine (Guanine) Phosphoribosyl Transferase Forward Mutation Assay (CHO/HGPRT)
- c. Mouse Bone Marrow Micronucleus Test (Mouse MT)

A stamped copy of the label is enclosed for your records.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *[Signature]* DATE: 11/1/85

(center panel)

Date of Draft: 6/4/85

GUSTAFSON

3% RELDAN*

DUST INSECTICIDE

CONTROLS INSECT PESTS ATTACKING STORED GRAINS

ACTIVE INGREDIENTS:

Chlorpyrifos-methyl [0,0-dimethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]..... 3%

INERT INGREDIENTS..... 97%

SPECIMEN

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed: Do not induce vomiting. Call a physician immediately.
- If Inhaled: Remove victim to fresh air. Apply respiration if indicated. Call a physician.
- If On Skin: Remove contaminated clothing and immediately wash with soap and water.
- If In Eyes: Flush eyes with plenty of water and call a physician.

NOTE TO PHYSICIAN: Chlorpyrifos-methyl is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is the preferable antidote. Oximes such as 2-PAM may or may not be therapeutic, but it is recommended they not be used in place of atropine.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

*Trademark of the Dow Chemical Company
U.S. Patent No. 3,244,586
EPA Reg. No. 7501-
EPA Est. No.
NET WEIGHT: 50 lbs.


ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 01 1985

GUSTAFSON, Inc.
17400 Dallas North Parkway
Dallas, Texas 75252

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, this pesticide
registered under EPA Reg. No.

7501-99



(left pane)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

CAUSES EYE IRRITATION--MAY CAUSE ALLERGIC SKIN REACTION
HARMFUL IF SWALLOWED

Do not get in eyes, on skin, or on clothing. Remove contaminated clothing. Wash thoroughly after handling. Wear goggles or face shield and rubber gloves whenever eye or skin exposure is likely to occur and wash before reuse. Avoid breathing dust. Keep container closed. Handle dust in a ventilated area.

ENVIRONMENTAL HAZARDS

RELDAN Insecticide is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not discharge directly or indirectly into surface waters. Do not contaminate water by cleaning of equipment or disposal of wastes.


STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry location. Do not store in direct, hot sunlight.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.



(right panel)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORED GRAIN: For protection of barley, oats, rice, sorghum and wheat against injury from stored grain weevils, moths, borers, beetles and mealworms including granary weevil, rice weevil, red flour beetle, confused flour beetle, saw-toothed grain beetle, Indian meal moth, Angoumois grain moth and lesser grain borer. Apply to the grain at the rate of 10 lbs. of product per 1000 bu. as the grain is being loaded or turned into final storage. To protect stored grains from attack by Indian meal moth, apply to the surface of clean or infested grain at the rate of 7 lbs. per 1000 sq. ft. of grain surface area. Apply evenly. Repeat if necessary.

HOW TO APPLY TO SHELLED CORN AND SMALL GRAINS

Apply Gustafson 3% RELDAN Powder Insecticide when grain is in the truck or wagon prior to binning. To determine the amount in the truck or wagon, multiply the length by width by depth (all in feet) and multiply this total by 0.8 to get the number of bushels. Measure out the correct amount of Gustafson 3% RELDAN Powder Insecticide (10 lbs. per 1000 bu.) and spread evenly over the surface of the grain in the truck or wagon. Cut into the grain with a shovel. Coating will become mixed with grain as it is dumped from the truck or wagon into the hopper. Further mixing will occur when the grain is augered or blown into the bin. Mixing is completed as the coating and grain roll down the cone shaped pile in the bin.

NOTICE--READ CAREFULLY LIMITED WARRANTY STATEMENT

Gustafson warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Gustafson neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this material. In the event of any breach by Gustafson of this limited warranty, Gustafson shall not be liable for consequential damages.

