

PM 12

7501-99

MS 182

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

NOV 2 1989

Mr. J.C. Rockwell
Gustafson, Inc.
P.O. Box 660065
Dallas, TX 75266-0065

Dear Mr. Rockwell:

Subject: Alternate Formulation
Gustafson 3% Reldan Dust Insecticide
EPA Registration No. 7501-99
Your Application Dated June 30, 1989

The alternate Confidential Statement of Formula is acceptable and
this information has been placed in our files for this product.

Sincerely yours,

Dennis H. Edwards, Jr.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

51643:I:Kumar:LE-13:KENCO:10/30/89:12/12/89:aw:VO:EK:aw

CONCURRENCES

SYMBOL	SURNAME	DATE					

Gustafson

Reldan® 3%

DUST INSECTICIDE

ACCEPTED

MAR 23 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 7501-99

ACTIVE INGREDIENTS:

Chlorpyrifos-methyl[0,0-dimethyl-0-(3,5,6-trichloro-2-pyridyl)phosphorothioate] 3%

INERT INGREDIENTS 97%

This product contains the toxic inert ingredient Methylene Chloride.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician immediately.

If Inhaled: Remove victim to fresh air. Apply respiration, if indicated. Call a physician.

If On Skin: Remove contaminated clothing and immediately wash with soap and water.

If In Eyes: Flush eyes with plenty of water and call a physician.

NOTE TO PHYSICIAN: Chlorpyrifos-methyl is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is the preferable antidote. Oximes such as 2-PAM may or may not be therapeutic, but it is recommended they not be used in place of atropine.

SEE ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 7501-99 U.S. Patent No. 3,244,586
Est No.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

**CAUSES EYE IRRITATION--MAY CAUSE
ALLERGIC SKIN REACTION
HARMFUL IF SWALLOWED**

Do not get in eyes, on skin, or on clothing. Remove contaminated clothing. Wash thoroughly after handling. Wear goggles or face shield and rubber

Cont. Next Column

gloves whenever eye or skin exposure is likely to occur and wash before reuse. Avoid breathing dust. Keep container closed. Handle dust in a ventilated area.

ENVIRONMENTAL HAZARDS

RELDAN Insecticide is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not discharge directly or indirectly into surface waters. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry location. Do not store in direct, hot sunlight.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORED GRAIN: For protection of barley, oats, rice, sorghum and wheat against injury from stored grain weevils, moths, beetles and mealworms including granary weevil, rice weevil, red flour beetle, confused flour beetle, saw-toothed grain beetle, Indian meal moth, Angoumois grain moth and suppression of lesser grain borer. Apply to the grain at the rate of 10 lbs. of product per 1000 bu. as the grain is being loaded or turned into final storage. If grain is insect infested, fumigate* to control existing populations and apply RELDAN for residual protection. To protect stored grains from attack by Indian meal moth, apply to the surface of clean or infested grain at the rate of 7 lbs. per 1000 sq. ft. of grain surface area. Apply evenly. Repeat if necessary.