1/7

	overne before comulette			Farm Amprove		/ · · ·	Approved expires 2-28-95
United States  Environmental Protection Agen Washington, DC 20460			jency		Registration Amendme	on OF	P Identifier Number
Application for Pesticide - Section I							
1. Company/Product Number 7501-105			2. EPA Product Manager  Shevada Holegaal  X None Restricted				
4. Company/Product (Name) Grestafion Thiram 50 WP Doug			PM Notifications				
5. Name and Address of Applicant (Include ZIP Code)  Gustuffon LC  1400 Pres fon Rd., Suite 400  Plano, TX 75093  Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.  Product Name				
		Se	ction - I				
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.				Final printed labels in repsonse to Agency letter dated "Me Too" Application.  Other - Explain below.  NOV 0 5 2002			
Explanation: Use additional page(s) if necessary. (For section I and Section II.)  Notification to UNOP Sentence, "This product or the confidence of the product or the confidence of the product. I understand that it is a character of the passe of the confidence of the product. I understand that it is a character of the product of the							
4 14 4 14 71 7 17 17 17 17 17 17 17 17 17 17 17 1	D- D6	<u>Se</u>	ction - II	<u>,                                      </u>		····	
Child-Resistant Packaging Yes No * Certification must be submitted	Yes Yes No No No. per If "Yes" No. per Unit Packaging wot. container Packaging works.		Yes No	No No. per		entainer Metal Plastic Glass Paper Other (Specify)	
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions							
Label Container							
Section - IV							
1. Contact Point  Complete items directly below for Identification of individual to be contacted, if necessary, to process this application.)							
Name    Continued to the statements I have made on this form and all attachments thereto are true, accurate and complete.     I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment of (Gramped)    Title						Date Application	
2. Signature  Dennis M  4. Typod Name  Dennis M		3. Title	lgr. To	x E Key 1 8/02	Hairs		
DUNNU 19	rauacu		•	₹'		}	

# Gustafson Thiram 50WP Dyed

NOTIFICATION
NOV 0 5 2002

ACTIVE INGREDIENT:	BYWI
Thiram (Tetramethylthiuram disulfide)	50%
OTHERINGREDIENTS	50%

100%

## KEEP OUT OF REACH OF CHILDREN CAUTION FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

#### If swallowed:

- •Call a poison control center or doctor immediately for treatment advice.
- •Have person sip a glass of water if able to swallow.
- •Do not induce vomiting unless told to do so by a poison control center or doctor.
- \*Do not give anything by mouth to an unconscious person. Ifinhaled:
- ·Move person to fresh air.
- •If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- •Call a poison control center or doctor for further treatment advice.

### If on skin or clothing:

- Take off contaminated clothing.
- •Rinse skin immediately with plenty of water for 15 20 minutes.
- •Call a poison control center or doctor for treatment advice.

  If in eyes:
- •Hold eye open and rinse slowly and gently with water for 15 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- •Call a poison control center or doctor for treatment advice.

  See additional precautionary statements.

EPA Reg. No. 7501-105 EPA Est.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on

clothing. Avoid inhaling of spray mist or dust. Do not use or store near food or feed. Consumption of alcoholic beverages increases the toxic effects of thiram.

### PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to the product are listed below. If you want maore options, follow the instructions for Category A on the EPA chemical resistant chart. Applicators and other handlers (other than mixers and loaders) must wear: long-sleeved shirt and long pants, chemical-resistant gloves, shoes plus socks and protective eyewear. Mixers and loaders must wear: long-sleeved shirt and long pants, water-proof gloves, shoes plus socks and protective eyewear. Mixers and loaders must wear for exposures in enclosed areas, a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter. Mixers and loaders must wear, for exposures outdoors, a NIOSH approved respirator with any N, R, P or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### **USER SAFETY RECOMMENDATIONS:**

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

### **ENVIRONMENTAL HAZARDS**

This pesticide product is toxic to fish, birds and wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

**STORAGE:** Store in a cool, dry place in an area designated for pesticides, and away from food or feed. Keep pesticide in original container. Keep container firmly closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic, improper disposal of excess pesticide, soray mixture or misate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

Continued Next Column

Gustafson (1)

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. Do not reuse drum. Dispose of in the same manner.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses. and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical -resistant gloves, and shoes plus socks and protective eyewear.

### **GENERAL INFORMATION**

This product is recommended for the treatment of listed seeds and bulbs and, when used as directed, will usually increase stands and yields by reducing loss from seed decay, damping-off, and seedling blights. It also will usually control the loose and covered kernel smuts of sorghum and will usually prevent basal rot and decay of gladiolus corms. Gustafson Thiram 50WP aids in the control of *Altemaria* and *Phoma* on canola. Gustafson Thiram 50WP aids in the control of seedborne conidia produced from the honeydew inoculum from field infection of Claviceps africana (ergot) on sorghum seed.

### **DIRECTIONS FOR USE**

This product may be applied as a dry treatment or may be mixed into the required amount of water to form a slurry treatment.

(Rotary Drum or Small Container)—Fill unit not more than 1/2 full; add correct amount of Thiram; rotate slowly until product is evenly distributed on all seed.

(Planter or Drill Box)—Place 1/2 the total amount of seed and Thiram in box and mix with paddle or stick. Add remaining 1/2 of seed and Thiram and stir as specified above.

Treat peanuts promptly after shelling. Other seeds may be treated anytime after being well-cured.

For film-coating operations-Gustafson Thiram 50WP has demonstrated good to excellent compatibility with most commercial film coating products. Coating procedures identified by the polymer/coating companies and film-coating equipment manufacturers should be followed when preparing coating prepara-

tions containing Gustafson Thiram 50WP

For the treatment of Ornamental Bulbs, Corms and Tubers-Treat after drying thoroughly coating with Thiram by shaking in a paper bag or similar device.

Bulbs, Corms and Tubers that are treated with this product must bear distinct labeling that instructs. CAUTION: Treated with thiram. Wear rubber gloves and protective clothing when handling products treated with thiram. Direct exposure to skin may result in severe dermatitis.

### IMPORTANT:

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Seed commercially treated with this product must be labeled in accord with all applicable requirements of the Federal Seed Act. Labels attached to treated seed must state "Treated seed, must not be used for or mixed with food or animal feed, or processed for oil." and "Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water."

### SEED TREATMENT DOSAGE RATES

Type of Seed	Ounces per 100 pounds
Barley	4.1
Beans (Snap & Dry)	2.0
Beans (Lima)	
Beets (Garden & Sugar)	8.0
Canola*	
Cantaloupe, Cucumber, Pumpkin	
Squash, Watermelon	
Castor Beans*	4.5
Corn (Field & Sweet)	3.0
Cotton	4.5
Cowpeas	
Eggplant	
Flax	
Grasses	
Legumes (Small seeded)	
Millet	
Okra*	
Peanuts (Shelled)	
Peas	
Rice	
Rve	
Safflower	
Sesame	
Sorghum	
Soybeans	
Sugar Beets	
Tomato	
Wheat	
Broccoli, Brussels Sprouts, Carro	
Cauliflower, Collards, Endive,	
Kohlrabi, Lettuce, Mustard, Pe	
Radish, Spinach, Swiss Chard	Eppers, L'Eurnin All 8.0
Madish, Opinach, Owiss Chare	r, rangAli 6.6
Ornamental foliage plants or the i	amilies
Araliacea (scheffleras), Aracea (p	
and Palmacea (palms)	
and annacca (pairis)	
Ornamental flower seeds	0.8.IIA
THE PROPERTY OF STREET, STREET	
All other vegetable seeds	All A
*Not registered for use in Californi	ia

<sup>\*</sup>Not registered for use in California

NOTE: When using formulations that do not contain dye, to comply with 40 CFR 153.155, all seed treated with an economic poison must be colored to distinguish and prevent subsequent inadvertent use as a food for man or feed for animals.

### NOTICE-READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRE-SENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MER-CHANTABILITY, GUARANTY OR REPRESENTATION, EX-PRESS OR IMPLIED, CONCERNING THIS MATERIAL, Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product manufactured by: **Gustafson LLC** 1400 Preston Road, Suite 400 Plano, Texas 75093 Questions?(972) 985-8877

Gustafson (logo) is a Reg. TM of Gustafson LLC



# Gustafson Thiram 50WP Dyed

NOTIFICATION NOV 0 5 2002

ACTIVE INGREDIENT:	BYWT
Thiram (Tetramethylthiuram disulfide)	50%
OTHERINGREDIENTS	50%

100%

## CAUTION FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment.

### If swallowed:

- •Call a poison control center or doctor immediately for treatment advice.
- ·Have person sip a glass of water if able to swallow.
- •Do not induce vomiting unless told to do so by a poison control center or doctor.
- •Do not give anything by mouth to an unconscious person. **If inhaled:**
- •Move person to fresh air.
- •If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- •Call a poison control center or doctor for further treatment advice.

### If on skin or clothing:

- ·Take off contaminated clothing.
- •Rinse skin immediately with plenty of water for 15 20 minutes.
- •Call a poison control center or doctor for treatment advice.

  If in eyes:
- •Hold eve open and rinse slowly and gently with water for 15
- 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- •Call a poison control center or doctor for treatment advice.

  See additional precautionary statements.

EPA Reg. No. 7501-105 EPA Est.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on

clothing. Avoid inhaling of spray mist or dust. Do not use or store near food or feed. Consumption of alcoholic beverages increases the toxic effects of thiram.

### PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to the product are listed below. If you want maore options, follow the instructions for Category A on the EPA chemical resistant chart. Applicators and other handlers (other than mixers and loaders) must wear: long-sleeved shirt and long pants, chemical-resistant gloves, shoes plus socks and protective eyewear. Mixers and loaders must wear: long-sleeved shirt and long pants, water-proof gloves, shoes plus socks and protective eyewear. Mixers and loaders must wear for exposures in enclosed areas, a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter. Mixers and loaders must wear, for exposures outdoors, a NIOSH approved respirator with any N, R, P or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### **USER SAFETY RECOMMENDATIONS:**

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

### **ENVIRONMENTAL HAZARDS**

This pesticide product is toxic to fish, birds and wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

STORAGE: Store in a cool, dry place in an area designated for pesticides, and away from food or feed. Keep pesticide in original container. Keep container firmly closed when not in use.

PESTICIDE DISPOSAL: Pesticide westes are toxic. Improper disposal of excess pesticide, spray mexture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EFA Regional office for guidance.

Continued Next Column



CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. Do not reuse drum. Dispose of in the same manner.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses. and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical -resistant gloves, and shoes plus socks and protective evewear.

### **GENERAL INFORMATION**

This product is recommended for the treatment of listed seeds and bulbs and, when used as directed, will usually increase stands and yields by reducing loss from seed decay, damping-off, and seedling blights. It also will usually control the loose and covered kernel smuts of sorghum and will usually prevent basal rot and decay of gladiolus corms. Gustafson Thiram 50WP aids in the control of *Alternaria* and *Phoma* on canola. Gustafson Thiram 50WP aids in the control of seedborne conidia produced from the honeydew inoculum from field infection of Claviceps africana (ergot) on sorghum seed.

### **DIRECTIONS FOR USE**

This product may be applied as a dry treatment or may be mixed into the required amount of water to form a slurry treatment.

(Rotary Drum or Small Container)—Fill unit not more than 1/2 full; add correct amount of Thiram; rotate slowly until product is evenly distributed on all seed.

(Planter or Drill Box)—Place 1/2 the total amount of seed and Thiram in box and mix with paddle or stick. Add remaining 1/2 of seed and Thiram and stir as specified above.

Treat peanuts promptly after shelling. Other seeds may be treated anytime after being well-cured.

For film-coating operations-Gustafson Thiram 50WP has demonstrated good to excellent compatibility with most commercial film coating products. Coating procedures identified by the polymer/coating companies and film-coating equipment manufacturers should be followed when preparing coating prepara-

tions containing Gustafson Thiram 50WP

For the treatment of Ornamental Bulbs, Corms and Tubers-Treat after drying thoroughly coating with Thiram by shaking in a paper bag or similar device.

Bulbs, Corms and Tubers that are treated with this product must bear distinct labeling that instructs: CAUTION: Treated with thiram. Wear rubber gloves and protective clothing when handling products treated with thiram. Direct exposure to skin may result in severe dermatitis.

### IMPORTANT:

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Seed commercially treated with this product must be labeled in accord with all applicable requirements of the Federal Seed Act. Labels attached to treated seed must state "Treated seed, must not be used for or mixed with food or animal feed, or processed for oil." and "Exposed treated seed may be hazardous to birds and other wildlife. Dispose of all excess treated seed and seed packaging by burial away from bodies of water."

### SEED TREATMENT DOSAGE RATES

Type of Seed	Ounces per 100 pounds
Barley	4.1
Beans (Snap & Dry)	2.0
Beans (Lima)	30
Beans (Lima)	8.0
Canola*	6.4
Cantaloupe, Cucumber, Pumpkin	
Squash, Watermelon	4.5
Castor Beans*	4.5
Corn (Field & Sweet)	
Cotton	
Cowpeas	
Eggplant	
Flax	
Grasses	
Legumes (Small seeded)	
Millet	
Okra*	
Peanuts (Shelled)	
Peas	
Rice	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Rye	
Safflower	
Sesame	
Sorghum	
-	
Soybeans	
Sugar Beets	
Tomato	
Wheat	
Broccoli, Brussels Sprouts, Carro	
Cauliflower, Collards, Endive,	
Kohlrabi, Lettuce, Mustard, Po	
Radish, Spinach, Swiss Chard	I, TurnipAll 8.0
Ornamental foliage plants in the 5	amilies
Araliacea (scheffleras), Aracea (p	hilodendrons)
and Palmacea (palms)	0.8 IIA
	•
Ornamental flower seeds	0.81IA
All other vegetable seeds	0.8 IIAA.II

<sup>\*</sup>Not registered for use in California

7/7

NOTE: When using formulations that do not contain dye, to comply with 40 CFR 153.155, all seed treated with an economic poison must be colored to distinguish and prevent subsequent inadvertent use as a food for man or feed for animals.

### NOTICE-READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRE-SENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MER-CHANTABILITY, GUARANTY OR REPRESENTATION, EX-PRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product manufactured by: Gustafson LLC 1400 Preston Road, Suite 400 Plano, Texas 75093 Questions?(972) 985-8877

Gustafson (logo) is a Reg. TM of Gustafson LLC