JUN 15 1994

Mr. Dennis L. deFaccen Gustafson, Inc. PO BOX 000065 Dallas, TX 75260 0065

Dear nr. Mcfaquen:

Subject: Gustaison 4-way Seed Printectant RPA Registration No. 7501-111

Application Undated OPP Identifer Number 199697, Request to Amend Labeling To Comply with MPS Requirements

The subject preposed lubeling amendments made in compliance with PR Notices 93-7 and 93-11 have been reviewed and are acceptable under the Pederal Insecticide, Fungicide, and Rodent-icide Act as amended provided that you:

o Sub; and five (5) printed copies or your final printed labeling before you release the product for shipment.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIRRA, section 6(e). Your release for shipment of the product constitutes acceptance of this condition.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Joanne I. miller Froduct Hanager (23) Fungicine-Berbicine Branch Registration Division (7505C)

Enclosures

E. Wilson: Captan: U6-14-94



20/2

Gustafson 4-WAY

with COMMENTS In EPA Letter Dated

JUN 15 1994

Under the Federal Inspeticide. Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

FOR SEED DISEASE CONTROL SEED PROTECTANT FUNGICIDE

ACTIVE INGREDIENTS:	By Wt.
*Captan	18.00%
Related Derivatives	0.40%
**Maneb	
Pentachloronitrobenzene (PCNB)	
5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole	
INERT INGREDIENTS	
*N-trichloromethylthio-4-cyclohexene-1,2-dicarbox	imide
**Managese ethylenebisdithiucarbamate	
This product contains the toxic inert ingredient Rha	odamine B.

EPA Reg. No. 7501-111

•

DANGER PELIGRO

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

SI usted no entiende la etiqueta, busque a algulen para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detall.)

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid contact with skin and clothing.

PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear: coveralls over long-sleeved shirt and long pants, waterproof gloves, chemical-resistant footwear plus socks, protective eyewear, chemical-resistant headgear for overhead exposure and chemical-resistant apron when cleaning equipment. Mixers and loaders must wear: coveralls over long-sleeved shirt and long pants, waterproof gloves, chemical-resistant footwear plus socks, chemical-resistant headgear, chemical-resistant apron whon mixing or loading, and a dust/mist filtering respirator (MSHA /NIOSH approval number prefix TC-21C).

Engineering control statements: When handlers use closed systems, in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Continued Next Column

USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gurn, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE in mediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician. If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. If Inhaled: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention. If on skin: Wash with pienty of soap and water. Get medical attention if abnormal reaction occurs.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

STORAGE AND DISPOSAL

PROHIBITIONS—Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

STORAGE—Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place. Protect from excessive heat. Do not store or transport near feed or food.

PESTICIDE DISPOSAL—Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL—Completely empty liner into application equipment. Then dispose of empty liner and container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.





DIRECTIONS FOR USE

It is a violation of State and Federal Law to use this product in a manner inconsistent with its labeling.

Do apply this product in a way that will contact workers or other persons, either directly or throughdrift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistances. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, shoes plus socks and protective evewear.

Use only recommended rates. Lower amounts may not give the desired control. Excessive amounts may cause seed injury. This material is a special formulation of 4-Way which, when used at the correct application rates, protects peanut seed against seed or soilborne diseases such as damping-off, root rot, seed decay and seedling blight.

RECOMMENDATIONS

Apply at the rate of 4 to 6 ounces of product per 100 lbs. of peanut seed by mixing 4-Way with the seed in the planter box, drill box or the hopper of the dust applicator. DO NOT MIX WITH HANDS.

Use the higher dose rate when disease pressure is severe.

IMPORTANTI Bags containing treated seed should be labeled as follows: TREATED SEED -DO NOT USE FOR FEED, FOOD OR OIL PURPOSES.

USE RESTRICTION

If this product is used on a crop, no other product containing a different EBDC active ingredient may be used on the same crop during the same growing season.

NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pests, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson, Inc., no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson, Inc., warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON, INC. NEI-THER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FIT-NESS OR MERCHANTABILITY, GUARANTY OR REPRESEN-TATION, EXPRESS OR IMPLIED, CONCERNING THIS MATE-RIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson, Inc. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

'EPA Est: _____ Net Contents: ___ Pounds

A quality product manufactured by: Gustafson, Inc.
1400 Preston Road, Suite 400
Plano, Texas 75093
(214) 985-8877

Gustafson (logo) is a Reg. TM of Gustafson, Inc.

111(WPS)-393090

4

