(A) United States Environmental Prote Office of Pesticide Programs (Washington, DC 2046 Application for Pe	. Amondmont	
Application for Pe	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Section I		
1. Company/Product Number 7501-112	2. EPA Product Manager 3. Proposed Classification G. LaRocca	
4. Company/Product (Name)	PM# None Restricted	
VITAVAX®-DIAZINON-LINDANE Seed Treatment	13	
5. Name and Address of Applicant (Include ZIP Code) Gustafson, Inc. PO Box 660065	 Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: 	
Dallas, TX 75266-0065	EPA Reg. No	
Check if this is a new address	Product Name	
Section I I		
Amendment - Explain below	Final printed labels in response to Agency letter dated	
Resubmission in response to Agency letter dated	"Me Too" Application.	
χ Notification - Explain below.	Other - explain below.	
Explanation: Usu additional page(s) if necessary. (For section I and Section II.)		
NOTIFICATION PER PR NOTICE 88-6, AS REQUIRED BY PR NOTICE 93-3, LABELING STATEMENT PROHIBITING APPLICATION TO WATER. ATTACHED IS A REVISED, HIGHLIGHTED LABEL AND ORIGINAL LABEL. NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 66-6		
Section III DATE. 2/3/93		
Material This Product Will Be Packaged in:		
;	Soluble Packaging 2. Type of Container	
Yes* Yes	Yes Metal Plastic	
L No No	No Glass	
	Page	
* Certification must be If "Yes," No. per Unit Package wgt. container Package	Page	
* Certification must be unit Package wgt. No. per Unit Package wgt. container Package wgt.	Paper Other (Specify)	
* Certification must be If "Yes," No. per Unit Package wgt. container Package	No. per Other (Specify) ontainer 5. Location of Label Directions On Label	
* Certification must be Unit Package wgt. No. per container Package wgt. 3. Location of Net Contents Information 4. Size(s) of Retail C	Paper Other (Specify) ontainer 5. Location of Label Directions On Label On Labeling accompanying product Other (
* Certification must be unit Package wgt. Vo. per container Package wgt. 3. Location of Net Contents Information 4. Size(s) of Retail Container 6. Manner In Which Label Is Affixed To Product Lithograph Paper glued Stenciled	Paper Other (Specify) Tother (Specify)	
* Certification must be submitted. 3. Location of Not Contents Information Label Container Container 4. Size(s) of Retail Container Lithograph Paper glued Stenciled Section IV	Paper Other (Specify) Tother (Specify)	
* Certification must be submitted. 3. Location of Net Contents Information 4. Size(s) of Retail Container Label Container 6. Manner In Which Label Is Affixed To Product Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual Name	No. per Other (Specify) ontainer 5. Location of Label Directions On Label On Labeling accompanying product Other (
* Certification must be submitted. 3. Location of Not Contents Information Label Container Container Container Container Container Container Lithograph Paper glued Stenciled Section IV Contact Point (Complete items directly below for identification of individual i	Paper Other (Specify) ontainer 5. Location of Label Directions On Label On Labeling accompanying product Other (
** Certification must be submitted. 3. Location of Net Contents Information	Other (Specify) Total Container St. Location of Label Directions On Label On Lab	
* Certification must be submitted. 3. Location of Net Contents Information	Other (Specify) Total Container St. Location of Label Directions On Label On Lab	
* Certification must be submitted. 3. Location of Net Contents Information	No. per Other (Specify) ontainer 5. Location of Label Directions On Label On Labeling accompanying product Other (Other (Specify) Other (O	
* Certification must be submitted. 3. Location of Net Contents Information Label Container 6. Manner In Which Label Is Affixed To Product 1. Contact Point (Complete items directly below for identification of individual and individual acknowledge that any knowingly false or misleading statement may both under applicable law. 1. Size(s) of Retail C. Lithograph Paper glued Stenciled Section IV Certification I certify that the statements I have made on this form and all attachmed acknowledge that any knowingly false or misleading statement may both under applicable law.	Other (Specify) Total Container St. Location of Label Directions On Label On Lab	
* Certification must be submitted. 3. Location of Net Contents Information Label Container 6. Manner In Which Label Is Affixed To Product 1. Contact Point (Complete items directly below for identification of individual individ	No. per Other (Specify) ontainer 5. Location of Label Directions On Label On Labeling accompanying product Other (Other (Specify) Other (Specify) Other (Specify) Other (Other (Specify) Other (Specify) Other (Other (Specify) Other (Other (Specify) Other (Specify) Other (Specify) Other (Specify) Other (Specify) Other (Other (Specify) Other (Other (Specify) Other (Other (Specify) Other (Specify) Other (Specify) Other (Other (Specify) Other (Specify) Other (Other (Other (Specify) Other (Other (Specify) Other (Specify) Other (Other (Specify) Other (Specify) Other (Other (Specify) Other (Oth	
**Certification must be submitted. 3. Location of Net Contents Information Label Container 6. Manner In Which Label Is Affixed To Product Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual indiv	No. per Other (Specify) ontainer 5. Location of Label Directions On Label On Labeling accompanying product Other (Other (Specify) Other (Specify) Other (Specify) Other (Other (Specify) Other (Specify) Other (Other (Specify) Other (Other (Specify) Other (Specify) Other (Specify) Other (Specify) Other (Specify) Other (Other (Specify) Other (Other (Specify) Other (Other (Specify) Other (Specify) Other (Specify) Other (Other (Specify) Other (Specify) Other (Other (Other (Specify) Other (Other (Specify) Other (Specify) Other (Other (Specify) Other (Specify) Other (Other (Specify) Other (Oth	

GERMATE PLUS DATE 813/93

NOTIFICATION LABEL NOT REVIEWED - 1 -

VITAVAX®- DIAZINON - LINDANE Seed Treatment Insecticide-Fungicide

Active Ingredients:	
Carboxin (5,6-Dihydro-2-methyl-N-phenyl-1,4-oxathii 3-carboxamide)	
Diazinon (0,0-diethyl 0-(2-lsopropyl-6-methyl-	1 4 70
4-pyrimidinyl) phosphorothicate)	15%
Lindane (gamma isomer of benzene hexachloride)	25%
nert Ingredients:	<u>46%</u>
Total	100%
Contains quantite	

Contains graphite

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements.

EPA Reg. No. 7501-112

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, or on clothing. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin, if sensitization reactions result, contact a physician. Avoid contamination of feed and foodstuffs. Do not store with food. Do not store with feed or forage to be fed to dairy animals or to animals being finished for slaughter.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. If on skin: Remove contaminated clothing and wash affected areas with soap and water. If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and wildlife. Birds feeding in treated areas may be killed. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff maybe hazardous to aquatic organisms in neighboring Continued Next Column areas. Exposed treated seeds may be hazardous to birds and other wildlife. Collect or incorporate treated seeds that are spilled during loading or are visible on soil surface in turn areas. Dispose of all excess treated seeds by burial away from bodies of water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read all directions before using and use only as specified on this label.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Do not allow to freeze or become overheated.

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Germate Plus VITAVAX-Diazinon-Lindane Seed Treatment is a ready to use dust base product especially formulated for seed treatment at planting time. This product is formulated to help lubricate the planter box and assure a smooth, even flow to the furrow. It contains a systemic fungicide, "TAVAX, for protection of seeds from seed and seedling diseases. Diazinon for protection against seed corn beetles and seed corn maggots; and Lindane for protection against wireworms. Germate Plus VI-TAVAX-Diazinon-Lindane Seed Treatment may be used on seed previously treated with Captan or Thiram. Do not use on seed previously treated with any insecticide other than stored grain protectant. Do not use on insurant ordered stock.

CORN (Field and Sweet), BEANS

Planter Box Application: Use Gerlinate Plus VITAVAX-Diazlnon-Lindane Seed Treatment at the rate of 1.8 ounces (one pouch) per 50 pounds of seed (2 oz/bu). Apply as a drift box treatment mixing thoroughly with the seed before planting. For best results,

or seed; add nair the required arm and or product and mix there oughly with a stick. Then add the remainder of seed to the drift box and add the rest of the required amount of product to the seed, again mixing thoroughly.

Good results are also obtained by premixing seed with the product in a suitable container, then pouring treated seed into the planter box.

Note: Do not use on foundation seed stock. Do not use on seed already treated with an insectir interest other than stored grain protectant. Regularly inspect planter plates and clean as required. If the seed treatment increases the friction between seeds sufficient to reduce the rate of delivery through a grain drill, 1 ounce of graphite per bushel of seed should be added as a drill lubricant. Adjust the seed drill to give the required rate of seed delivery with the treated seed. Check planter periodically to verify the proper planting rate is being delivered.

Clean-up for Electric Eye Population Monitors: At the end of each day of use, clean out the electric-eye monitors with brushes provided by the planter manufacturers, according to their directions.

WORK SAFETY RULES

REPEATED EXPOSURES TO CHOLINESTERASE INHIB-ITORS SUCH AS ARE CONTAINED IN THIS PRODUCT MAY, WITHOUT WARNING, CAUSE PROLONGED CUSCEPTIBIL-ITY TO VERY SMALL DOSES OF ANY CHOLINESTERASE INHIBITOR.

if handled indoors provide mechanical exhaust ventilation. Keep all unprotected persons, children, livestock, and pets away from treated areas or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. See Practical Treatment Section.

PERSONAL PROTECTIVE EQUIPMENT
WEARTHE FOLLOWING PROTECTIVE CLOTHING WHEN
TREATING SEED WITH THE CONCENTRATE : Long-sleeved
shirt and long-legged pants, gloves, shoes and socks, and a
disposable paper dust mask which covers at least one-third of
the face.

WEAR THE FOLLOWING PROTECTIVE CLOTHING DURING APPLICATION, EQUIPMENT REPAIR AND CLEANING, DISPOSAL OF EXCESS TREATED SEEDS: Long-sleeved shir. and long-legged parts, sho s and socks.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating, drinking, or using the toilet.

AFTER USING THIS PRODUCT: Wash hands, face and arms with soap and water. Remove clothing that has become damp, wet or dusty while using this product and wash them seperately from household clothing. Clothing or gloves that have been heavily contaminated or drenched with diazinon must be destroyed according to state and local regulations. HEAVILY CONTAMINATED OR DRENCHED CLGTHING CANNOT BE ADEQUATELY DECONTAMINATED.

USE RESTRICTIONS

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Care must be exercised in the handling of treated seed. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess seeds beyond planting time

Read entire label. Use strictly in accordance with precautionary statements and directions, and with applicable state and federal

CONDITIONS OF SALE AN' MITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pests, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond t... control of Gustafson, Inc., no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON, INC. MEI-THER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FIT-NESS OR MERCHANTABILITY, GUARANTY OR REPRESEN-TATION, EXPRESS OR IMPLIED, CONCERNING THIS MATE-RIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson, Inc. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product manufactured by: **Gustafson, Inc.** 1400 Preston Road, Suite 400 Plano, Texas 75093 (214) 985-8877

Gustafson (logo) is a Reg. TM of Gustafson, Inc.
Germate is a TM of Gustafson, Inc.
VITAVAX is a Reg. TM of Uniroyal Chemical Company, Inc.

1122(S)-299070

