

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060



United States Environmental Protection Agency Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

284915

Application for Pesticide - Section I

1. Company/Product Number 7501-114	2. EPA Product Manager C. Giles - Parker	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Gustafson RTU-Vitavax-Thiram Seed Protectant Fungicide	PM# 22	
5. Name and Address of Applicant (Include ZIP Code) Gustafson LLC 1400 Preston Rd., Suite 400 Plano, TX 75093 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response	NOTIFICATION APR 30 2001
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> Agency letter dated "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Change in respirator wording to remove Part E1 respirator designation per PR 98-9 between 4/1/01 and 4/1/04.

"On behalf of GUSTAFSON LLC, I certify that this notification is consistent with the provisions of PR Notice 98-9 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 16 U.S.C. Sec. 1091 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-9 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dennis McFadden	Title Mgr. Tox & Reg Affairs	Telephone No. (Include Area Code) 972-985-8877
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature Dennis McFadden	3. Title Mgr. Tox & Reg Affairs	
4. Typed Name Dennis McFadden	5. Date 4/26/01	

Gustafson RTU[®]-VITAVAX[®]-THIRAM

Seed Protectant Fungicide

Active Ingredients:

Carboxin (5,6-Dihydro-2-methyl-N-phenyl-1,4-oxathiin-3-carboxamide)	10.0%
Thiram (Tetramethylthiuram disulfide)	10.0%
Inert Ingredients:	80.0%
Total	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. See a physician.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: See a physician if an abnormal reaction occurs.

IF ON SKIN: Wash thoroughly with soap and warm water.

SYMPTOMS OF POISONING: No specific symptoms. Acute poisoning is accompanied by general depression and illness. Consumption of alcoholic beverages with exposure to thiram may cause flushing, breathing difficulty, nausea, vomiting and low blood pressure. In case of poisoning, call a physician immediately. Have patient lie down and keep quiet.

NOTE TO PHYSICIAN: No specific antidote is available. Treat symptomatically. In the presence of consumed alcohol, thiram responds similarly to disulfiram.

SEE ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 7501-114 EPA Est.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid inhaling of spray mist. Do not use or store near food or feed. Consumption of alcoholic beverages increases the toxic effects of thiram.

Continued Next Column

Personal Protective Equipment:

Applicators and other handlers must wear: long-sleeved shirt and long pants, waterproof gloves, shoes plus socks and protective eyewear. Mixers and Loaders must wear long-sleeved shirt and long pants, waterproof gloves, shoes plus socks, protective eyewear. For exposures in enclosed areas, mixers and loaders must wear a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter; for exposures outdoors a NIOSH approved respirator with any R, P or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide product is toxic to fish. Do not contaminate water when disposing of equipment washwaters. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: if the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, and shoes plus socks, and protective eyewear.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE

RTU-VITAVAX-THIRAM Seed Protectant Fungicide is a ready-to-use seed treatment. Apply as a commercial seed treatment or as a pour-on hopper-box application. This product does not require the addition of water for application.

RTU-VITAVAX-THIRAM Fungicide combines the systemic action of carboxin with the surface action of thiram to control various seed and seedling diseases. It is particularly effective against *Rhizoctonia solani* and shows good activity against various *Helminthosporium*, *Fusarium* and *Pythium* species. This often results in increased and more uniform stands of seedlings with higher yield potential. Use the higher rate under conditions of expected heavy disease pressure.

**RECOMMENDATIONS FOR USE
ASA HOPPER-BOX SEED TREATMENT**

Mix well before use: Apply RTU-VITAVAX-THIRAM Fungicide directly to seed in hopper box. Partially fill hopper box with a premeasured amount of seed. Apply the proper amount of RTU-VITAVAX-THIRAM Fungicide evenly over the surface of the seed. Mix with a stick or paddle until a uniform color is imparted to all seed. Repeat procedure until hopper box is filled.

BARLEY, WHEAT, OATS AND TRITICALE

In addition, loose smut (*Ustilago nuda*), covered smut (*Ustilago hordei*), and flag smut (*Urocystis agropyri*) are controlled on barley and loose smut (*Ustilago tritici*), common bunt (*Tilletia caries*), and flag smut (*Urocystis agropyri*) are controlled on wheat by RTU-VITAVAX-THIRAM Fungicide.

Use 5 to 6.8 fl. oz. of RTU-VITAVAX-THIRAM Fungicide per 100 lbs. of seed. The higher rate is recommended where smuts and bunt are severe.

Do not graze or feed livestock on treated areas for six weeks after planting.

DRY BEANS, SOYBEANS

Use 3.4 fl. oz. of RTU-VITAVAX-THIRAM Fungicide per bushel of seed or 6.8 fl. oz. per 100 lbs. of seed.

On soybeans, do not graze or feed livestock on forage and hay on treated areas. On dry beans, do not allow livestock to graze or feed on bean forage until 60 days after treated seed is planted.

COTTON

RTU-VITAVAX-THIRAM Fungicide provides systemic control of seed and seedling diseases of cotton. Seed rot, damping-off and sore-shin due to *Rhizoctonia solani* are reduced. RTU-VITAVAX-THIRAM Fungicide can be used on both machine and acid-delinted cottonseed at the rate of 11 to 13.5 fl. oz. per 100 lbs. of seed.

RICE

Use 5 to 6.8 fl. oz. of RTU-VITAVAX-THIRAM Fungicide per 100 lbs. of seed. The higher rate is recommended for control of *Helminthosporium oryzae*.

**RECOMMENDATIONS FOR USE
ASA COMMERCIAL SEED TREATMENT**

Application should be made using standard mechanical, slurry or mist-type seed treatment equipment. Uniform application is necessary to insure seed safety and best disease control. Seed should be sound and well cured prior to treatment.

USE RESTRICTIONS

Do not use treated seed for food or feed purposes. Do not graze or feed livestock on treated areas for six weeks after planting. Care must be exercised in the handling of treated seed. Do not graze or feed livestock on vines grown from treated seed.

COMPATIBILITY

RTU-VITAVAX-THIRAM Fungicide should not be tank mixed with any pesticide unless adequate physical compatibility and phytotoxicity tests have been completed and proved to be satisfactory.

SEED LABELING (Commercial Seed)

1. "This seed treated with Carboxin and Thiram. Do not use treated seed for food, feed or oil purposes." Add appropriate information for any other chemical treatments.
2. "Planting Note: Seed treated with this product does not flow as freely as untreated seed. The drill should therefore be adjusted to compensate for this restricted seed flow to prevent lower than desired seeding rates."
3. "Augers used for handling treated seed should not be used to move grain for food, feed or oil processing."
4. "Do not reuse bags from treated seed to handle food or feed products."

**NOTICE - READ CAREFULLY
CONDITIONS OF SALE**

AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product manufactured by:
Gustafson LLC
1400 Preston Road, Suite 400
Plano, Texas 75093
Questions?(972) 985-8877

Gustafson (logo) and RTU are Reg. TM's of Gustafson LLC
VITAVAX is a Reg. TM of Uniroyal Chemical Company, Inc.

114(S)-106240