U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (MH-567) WASHINGTON, D.C. 20460

TERM OF ISSUANCE

EPA REGISTRATI**ON NO.**

ATE OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION

(Under the Fe feral Insecticide, Fungicide and Redenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

NAME AND ADERESS OF REGISTRANT (Include ZIP code)

BEST AVAILABLE COPY

196234 160

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned berewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

TACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

c. Under Env. onmental Hazards, the labe, must be revised to include the new statement "Do not contaminate water when disposing of equipment washwaters." This should replace the old statement.
 d. Under storage and disposal, change the pesticide disposal instructions to read as follows:

Pesticide Disposal: Pesticides wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed by use a craining to label instructions, contact your state sticide or Environmental control Adency, or the Bazardous Waste representative at the nearest EPA Regional Office for quidance.

3. Submit one cony of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the redistration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shioment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely,

--(

Susan T. Lewis
Acting Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (87505-C)

enclosure

A 1 - 1029

Date of Draft: 4/09/87

Gustafson Flo-Pro MIMZ .7501-127 Flowable Systemic Fungicide

Active Ingredient:

Imazalil: 1-(2-(2,4-dichlorophenyl)-2- (2-propenyloxy)ethyl)-lH Imidazole -----31%

Inert Ingredients -----69%

Contains 2.56 lbs. of Imazalil* per U. S. gallon * Active Ingredient is manufactured by Janssen Pharmaceutica n. v., Beerse, Belgium

> Keep Out of Reach of Children WARNING

See Side Panel for Additional Precautionary Statements

EPA REG. NO.: 7501-7501-ID-1 EPA Est: U. S. Patent No. 3,658,813 Net Contents: _____ Gallon(s)

Gustafson, Inc. 1400 Preston Road Suite 400 Plano, Texas 75075

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Call a physician.

If on skin: Wash with plenty of scap and water. Get medical attention.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

If inhaled: See a physician if an abnormal reaction occurs.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat and open flame.

DIRECTIONS FOR USE

It is a violation of federal and state law to use this product in a manner inconsistent with its labeling. IMPORTANT: Read the entire DIRECTIONS FOR USE and the LIMITED WARRANTY STATEMENT before using this product.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place.

Prohibitions: Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



Wheat And Barley: For control of common root rot (Helminthosporium sativum) and barley leaf stripe, use 0.25 to 0.5 fl. oz. of Gustafson FLO-PRO IMZ Flowable per 100 pounds of seed.

Cotton: For control of Fusarium and Thielaviopsis, use 1.35 to 2.7 fl. oz. of Gustafson FLO-PRO IMZ Flowable per 100 lbs. of seed.

This product is to be applied using commercial slurry or on-farm seed treating equipment. It is recommended that Gustafson FLO-PRO IMZ Flowable be applied in combination with VITAVAX 200 or other flowable suspension seed treatments to provide additional disease control at the respective labeled rates. Pre-test for compatibility with other flowable suspension seed treatments. Do not tank mix Gustafson FLO-PRO IMZ Flowable with E. C. products which contain solvents.

NOTE TO USER: Combination treatments of Gustafson FLO-PRO IMZ Flowable with products containing Lindane may result in delayed emergence and stunting of wheat and barley, however plants will usually outgrow this effect. Do not carry over seed treated with Lindane to the next crop season. Minimize time between treating and planting for such treatments.

USE PRECAUTION: All seed treated with this product must be adequately dyed. Any dye added to treated seed must be cleared for use under 40 CFR 180.1001.

SEED LABELING: Seeds treated with Imazilil. Do not use for food, reed or oil purposes. Do not graze or reed foliage from treated area to livestock. Add appropriate language for any additional treatments applied to seed.

NOTICE - READ CAREFULLY LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pests, can result in reduced germination and/or reduction of seed and seedling vigor. Treat and germination test a sample of the seed lot before treating with a selected chemical treatment. Excess seed should not be carried over from one season to the next without re-testing germination. Due to seed quality conditions beyond the control of Gustafson, no claims are made to guarantee germination of carry-over seed.

Gustafson warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label. Gustafson neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, expressed or impled, concerning this material. In the event of any breach of this limited warranty, Gustafson shall not be liable for consequential damages.

blat AVAILABLE LOP?