PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear googles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to lish. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

ENDANGERED SPECIES PRECAUTIONS

The following restrictions apply to use of this product after February 1, 1988.

Before using this pesticide on corn, wheat and soybeans in the counties listed below, you must obtain the PESTICIDE USE BULLETIN 'OR PROTECTION OF EN-DANGERED SPECIES for the county in which the propert is to be used. The bulletin is available from your County Extension Agent, State Fish and Game Office, or your pesticide dealer. Use of this product in a manner inconsistent with the PESTICIDE USE BULLETIN FOR PROTECTION OF ENDANGERED SPECIES IS a violation of Federal laws.

Alabama: Leuderdale, Limestone and Madison. Arizona: Graham, Maricopa. Mohave, Pima, Pinal and Santa Cruz. Arkansas: Benton and Polk. California: Imperial, Modoc and Riverside, Mississippl: Claiborne, Copiah and Hinds. Missouri: Barry, Benton, Camden, Christian, Dallas, Greene, Hickory, Jasper, Lawrence, Miller, Newton, Osage, Polk, St. Clair, Stone and Webster, Nevada: Clark, New Mexico: Chaves, Debaca and Eddy, Ohlo: Pickaway, Oklahoma: Delaware, McCurtain and Pushmataha, Oregon: Lake, Tennessee: Lawrence and Wayne, Texas: Bastrop, Burleson, Comal, Harris, Hays, Jell Davis, Pecos and Reeves. Utah: Utah and Washington.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

STORAGE

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place. Protect from excessive heat. Do not store or transport near feed or food.

PEST:CIDE DISPOSAL

Pesticide wastes are scutely hazardous, improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Posticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Completely empty liner into application equipment. Then dispose of empty liner and container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. Il burned, stay out of smoke.

Gustafson (i) is a Reg. TM of Gustafson, Inc.

Gustafson (3)

CAPTAN 25

Seed protectant

Planter Box or Drill Box Application For Seed Disease Control Special Lubricant Added Discolored

Active Ingredients By Wt. *Captan 🐔 23.9% Related Derivatives . 📯 0.5% Inert Ingredients: . . 75.6% *N-trichloromethylthio-4-cyclohexene-1, 2 dicarbotimide

KEEP OUT OF BEACH

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water, Call a physician, if swallowed: Drink promptly a large quantity of n...? egg whites, gelatin solutions, or if these are not available, drink targe quantin. 2 of water. Avoid alcohol. It Inhalted: Remove wctim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention, II on akin: Wash with plenty of soap and water. Get medical attention if abnormal reaction occurs.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENT

NET WEIGHT 10 LBS. EPA Est. EPA Reg. No. 7501-128

PRODUCT INFORMATION.

CAPTAN 25 SEED PROTECTANT is a second the planter of second the planter. box or drill box to project seed from seadboxie and spil-to-ne fungi which cause Damping-Off, Seed Decay and Seedling Blight. . .

PLANT SAFETY

At the recommended docage CAPTAN 25 SEED PROTECTANT is non-injurious from the standpoint of seed injury or yield reduction. The germination of treated seed is frequently stimulated, giving a superior result as compared to results from other seed fungicides.

The amount of seed protectant, as shown in the recommendations, should be poured over the seed in the planter or drill box and stirred with the seed for uniform distribution throughout the hopper. The amounts recommended will provide adequate coverage of the seed and any excess, that does not adhere to the seed coat, will flow with the seed into the furrow, giving additional protection against soil-borne diseases. This product may be used on previously treated seed.

RECOMMENDATIONS

CORN (Fleid): Use at the rate of 4 ounces per bushel or 7 ounces per 100 pounds of seed as a planter box treatment.

PEANUTS (Shalled): For control of Aspergillus Niger and other seed and soil-borne diseases. use 2 to 4 cynces per bushel or 4 to 6 cunces per 100 pounds of seed as a planter box treatment. SOYBEANS; Use at the rate of 4 ounces per bushel or 7 ounces per 100 pounds of seed as a planter box treatment.

WHEAT: Use at the rate of 3 ounces per bushel or 4½ ounces per 100 pounds of seed as a drill box treatment. This treatment is not recommended for control of Bunt (Smul).

Further specific information on this subject may be obtained from the State Agricultural Experiment Stations or the State Agricultural Experiment Stations or the State Agricultural Extension Service.

USE PRECAUTION

Wear googles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

A dust mask must be worn when mixing and loading this product. Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coveral that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, googles or a face shield and a chemically resistant apron.

Fieldworkers and harvesters must wear chemical resistant gloves. Leather or labric gloves are not acceptable.

AFTER WORK; Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

SPECIAL PRECAUTIONS

Important: Treated seed must not be used for human consumption not for animal feed. Do not use treated seed for feed, food or oil purposes, with the exception that treated corn seed may be fed to beel cattle and hogs provided that it has been detreated by an appropriate method so that the CAPTAN residue does not exceed 100 parts per million. Detreated corn can be used as feed for cattle and hogs up to 14 days prior to slaughter.

NOTICE - READ CAREFULLY LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed or seed of known low vigor and poor quality. except for the purposes of curative control of existing disease or insect pests, may result in reduced germination and/ur reduction of seed and seedling vigor. Treat and conduct germination (ests on a small portion of seed before committing the total seed lot to a selected chemnical treatment. Due to seed quality conditions beyond the control of Custalson, Inc., no claims are made to quaranteed germination of carry-over seed

Gustafson warrants that this product conforms to the chemical description on the fabel and is reasonably fit for purposes stated on the fabel only when used in accordance with directions and instructions specified on the label. Gustalson neither makes, nor authorizes any agent or representative to make, any other warranty of FITHESS or MERCHANTABILITY, guarantee or representation, expressed or implied, concerning this material. In the event of any breach of this limited warranty, Gustalson shall not be liable for consequential damages