· ... Reg. # 7501-135

DENNIS L. MCFADDEN

Please read instructions on reverse before completing form. United States Environmental Protection Agency OPP Identifier Number Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 **199610** Application for Pesticide: Other Section I 2. EPA Product Manager 3. Proposed Classification 1. Company/Product Number C. GILES-PARKER 7501-135 Restricted y None 4. Company/Product (Name) Gustafson RTU Flowable Soybean Fungicide 22 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling GUSTAFSON, INC. PO BOX 660065 DALLAS, TX 75266 0065 EPA Reg. No. Check if this is a new address **Product Name** Section 1-1 Final printed labels in response to Amendment - Explain below Agency letter dated_ Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary (For section I and Section II.) NOTIFICATION PER PR NOTICE 88-6, AS REQUIRED BY PR NOTICE 93-3, LABELING STATEMENT PROHIBITING APPLICATION TO WATER. ATTACHED ARE A REVISED, HIGHLIGHTED LABEL AND AN ORIGINAL LABEL. Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Yes Metal Yes' Yes **Plastic** No Glass No Paper If "Yes." No. per If "Yes." No. per Other (Specify) Unit Package wgt. container Package wgt. container ' Certification must be submitted. 5. Location of Label Directions 3. Location of Net Contents Information 4. Size(s) of Retail Container Container Label On Labeling accompanying product 6. Manner In Which Label Is Affixed To Product Lithograph Other (Paper glued Stenciled Section 1. Contact Point (Complete items directly below for identification of inc. ual to be contacted, if necessary, to process this application) Name . MGR., TOXICOLOGY Telephone No. (Include Area Code) AND REGULATORY AFFAIRS DENNIS L. MCFADDEN 214-985-8877 Certification Care Application Peceuzd I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete? I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or ' (Stamped) both under applicable law 2. Signature ASST. MGR., TOXICOLOGY AND REGULATORY AFFAIRS Dennis Metadden 4 Typed Name 5 Date 7/2/93

RTU®

BEST AVAILABLE COPT

Flowable Fungicide

(Contains MERTECT®)

ACTIVE INGREDIENTS:

Thiram (Tetramethylthiuram disulfide) 12.60	J%
Thiabendazole (2-(4-thiozoly!) benzimidazole) 0.34	4%
INERT INGREDIENTS:	
TOTAL 100.00	

Contains 1.1 lbs. Thiram and 0.03 lbs. Thiabendazole per U.S. gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements.

EPA Reg. No. 7501-135

PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS** AND DOMESTIC ANIMALS CAUTION

Causes eve and skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid inhaling of spray mist. Do not use or store near .Jod or feed.

During commercial exposure in seed treatment and loading operations, wear goggles, clean rubber gloves, protective clothing, and a pesticide respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health under provisions of 30 CFR, Part 11. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Routinely shower or bathe after work; wash all clothing with soap and water before reusing. Consumption of alcoholic beverages increases the toxic effects of thiram.

STATEMENT OF PRACTICAL TREATMENT

If In Eyes: Immediately flush eyes with plenty of water. See a physician. If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconcious person li Inhaled: See a physician if an abnormal reaction occurs. If On Skin: Wash thoroughly with soap and water. SYMPTOMS OF POISONING: No specific symptoms. Acute poisoning is accompanied by general depression and illness. Continued Next Column

Consumption of alcholic beverages with exposure to Thiram may cause flushing, breathing difficulty, nausea, vomiting and low blood pressure. In case of poisoning, call a physician immediately. Have patient lie down and keep quiet.

NOTE TO PHYSICIAN: No specific antidote is available. Treat symptomatically. In the presence of consumed alcohol, thiram responds similary to disulfiram.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water when disposing of equipment washwaters. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool, dry location. Do not store in direct sunlight. Product will freeze at 20° F. If frozen, warm to 50°F and thoroughly shake or mix prior to use. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agenuy, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE AS A SEED TREATMENT

SOYBEANS: Gustafson RTU Flowable Fungicide, when used at recommended rates for the treatment of soybean seed, will provide protection from seedborne and soilborne diseases which cause damping off, seed decay, seedling blight and pod and stem blight (Phomopsis spp.) during germination and early seedling stages.

Apply Gustafson RTU Flowable Fungicide, at the tate of 4 fl. oz. of product per bushel (6.6 fl. oz. per cwt.) as a slurgy suspension.

Gustafson 🚷



3 3 3

WHEAT: Gustafson RTU Flowable Fungicide, when used at recommended rates for the treatment of wheat seed, will provide protection from seedborne and soilborne diseases which cause damping off, seed decay, seedling blight and seedborne common bunt (stinking smut) during germination and early seedling stages.

Apply Gustafson RTU Flowable Fungicide at the rate of 6.6 fl. oz. of product per cwt. as a slurry suspension.

Gustafson RTU Flowable Fungicide may be applied undiluted or with water when additional volumes are needed to insure uniform seed coverage. Application of tank mixes should not be made unless testing or prior experience insures compatability.

USE RESTRICTIONS

Do not use treated seed for food, feed or oil purposes. Care must be exercised in handling of treated seed.

If this product does not already contain a coloring agent, all seed treated with this product must be colored with an EPA-approved dye or pigment (e.g. 40 CFR 180.1001) which imparts an unnatural color to the seed to help prevent the inadvertent use of treated seed as food for man or feed for animals.

NOTE: Federal Law requires that bags containing treated seeds shall be labeled with the following information:

TREATED SEED. DO NOT USE FOR FOOD, FEED OR OIL PURPOSES.

This seed treated with Thiram and Thiabendazole.

Seed labeling must contain the following restriction: "Do not graze or feed livestock on soybean forage or soybean hay from treated areas."

NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pests, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson, Inc., no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson, Inc., warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTÉD BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON, INC. NEI-THER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FIT-**GUARANTY OR REPRE-**NESS OR MERCHANTABILITY, SENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson, Inc. if these terms are not acceptable, return all products to the place of

purchase, unopened for a full refund.

A quality product manufactured by: Gustafson, Inc.
1400 Preston Road, Suite 400
Plano, Texas 75093
(214) 985-8877

Gustafson (logo) and RTU are Reg. TM's of Gustafson, Inc.

135(W)-296190

