on 13 3 of 3

Gustafson VITAVAX®-Thiram-Lindane

Flowable Fungicide - Insecticide

Active Ingredients: (% by weight)	
Carboxin (5,6-dihydro-2-methyl-N-phenyl-1,4-oxathiin-	-3-
carboxamide)	14%
Thiram (tetramethylthiuram disulfide)	12%
Lindane (gamma isomer of benzene hexachloride)	8%
Inert Ingredients:	66%
Total:	100%

Contains 1.37 lbs. Carboxin, 1.17 lbs. Thiram and 0.78 lbs. Lindane per U.S. gallon

KEEP OUT OF REACH OF CHILDREN **CAUTION**

See additional precautionary statements.

EPA Reg. No. 7501-141

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, absorbed through the skin or inhaled. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing. This product should be applied in a well ventilated area. Consumption of alcoholic beverages increases the toxic effects of thiram.

PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart. Applicators and other handlers (other than mixers and loaders) must wear: long-sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate or nitrile rubber or neoprene rubber or Viton, and shoes plus socks and a NIOSH approved respirator with any R, P or HE filter. Mixers and Loaders must wear: long-sieeved shirt and long pants, chemical-resistant gloves, such as barrier laminate or nitrile rubber or neoprene rubber or Viton, shoes plus socks, and a NIOSH approved respirator with any R, P or HE filter. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USERSAFETYRECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRSTAID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If on skin or clothing:

- Take off contaminated clothing.
- *Rinse skin immediately with plenty of water for 15 20
- Call a poison control center or doctor for treatment advice. If in eyes:
- •Hold eye open and rinse slowly and gently with water for 15
- 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- •Call a poison control center or doctor for treatisent advice. If swallowed:
- •Call a poison control center or doctor immedia; ely for treatment advice.
- ·Have person sip a glass of water if able to swellow.
- •Do not induce vomiting unless told to do so by a poison control center or doctor.
- •Do not give anything to an unconscious person. If inhaled:

·Move person to fresh air.

- •If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- •Call a poison control center or doctor for further treatment advice.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Exposed treated seeds may be hazardous to birds or other wildlife. Dispose of all excess treated seed by burial away from bodies of water. Do not contaminate water when disposing of equipment washwaters.

(Continued Next Page)









STORAGE AND DISPOSAL

- 1. STORAGE: Store in a cool, dry place. Do not store in direct sunlight. Keep container closed when not in use.
- PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal or by cleaning of equipment. Open dumping is prohibited.
- 3. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot
 - be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
- 4. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that wall contact workers or other persons, either directly or through dirift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: if the product is soilinjected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows werkers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical-resistant gloves, such as barrier laminate or nitrile rubber or neoprene rubber or Viton, and shoes plus socks.

DIRECTIONS FOR USE

Gustafson VITAVAX-Thiram-Lindane Flowable Fungicide -Insecticide is a ready-to-use seed treatment containing the systemic fungicide, VITAVAX*, and the protectant fungicide, Thiram, plus the insecticide, Lindane.

BARLEY, WHEAT AND OATS

Gustafson VITAVAX-Thiram-Lindane Flowable provides systemic protection against loose smut (*Ustilago nuda*) and covered smut (*Ustilago hordei*) on barley; loose smut (*Ustilago tritici*) and common bunt (*Tilletia caries*) on wheat; and loose smut (*Ustilago avenae*) on oats.

Gustafson VITAVAX-Thiram-Lindane Flowable also protects seeds against seed decay and damping-off while providing protection to seeds and seedlings against damage from wireworms and seed corn maggots.

Apply Gustafson VITAVAX-Thiram-Lindane Flowable at the rate of 5 fluid ounces on wheat and oats and 6 fluid ounces on barley per 100 pounds of seed. Apply as a ready-to-use seed treatment by machine ensuring uniform seed coverage.

Do not graze or feed livestock on treated areas for six weeks after planting. Care must be exercised in the handling of treated seed.

USERESTRICTIONS

This product contains a dye which imparts an unnatural color to the seed to prevent the inadvertent use of treated seed for food, feed or oil use. Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess seeds beyond planting time.

USE PRECAUTIONS

- IMPORTANT: Federal Law requires that bags containing treated seed shall be labeled with the following information: This seed treated with Carboxin, Thiram and Lindane. Do not use treated seed for food, feed or oil purposes. Do not graze or feed livestock on treated areas for six weeks after planting. Add appropriate information for any other chemical treatments.
- 2. Planting Note: Seed treated with this product does not flow as freely as untreated seed. The drill should therefore be adjusted to compensate for this restricted seed flow to prevent lower than desired seeding rates.
- 3. Augers used for handling treated seed should not be used to move grain for food, feed or oil processing.
- Do not reuse bags from treated seed to handle food or feed products.

NOTICE-READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson, Inc., no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECTTO APPLICABLE LAW, GUSTAFSON LUC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRE-SENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

Gustafson (logo) is a Reg. TM of Gustafson LLC VITAVAX is a Reg. TM of Uniroyal Chemical Company, Inc. A quality product manufactured by: Gustafson LLC 1400 Preston Road, Suite 400 Plano, Texas 75093 Questions?(972) 985-8877

ACCEPTED

MAY 17 2002

Under the Federal Insectible, Fungioide, and Rodentioide Act, as amended, for the perticide registered under EPA Reg. No. 750/-/4/