FIGEST FORD HIS LIVE DUTTE OF I	aversa nerura compiaur	ng IOIM.	1		Form App	roved	. OMB No. 2	370-0060	. Approval expires 2-28-9		
	Uni	ited States					Registrat	ion	OPP Identifier Number		
Environmental Protection				ncy		$\mathbf{x}$	Amendm	ent	004450		
Washington, DC 20460				•		$\vdash$	Other		224159		
						<u> </u>			<u> </u>		
	A	pplicatio	n for F	esticide	- Sect	ion	<u> </u>	<del></del>			
1. Company/Product Number							3. Pro	3. Proposed Classification			
	7501-146			ال ا	Ande	er s	on	_	None Restricted		
4. Company/Product (Name)				PM#	00				None Restricted		
KODIAK	HB				90						
5. Name and Address of App	olicant (Include ZIP Code	le)		6. Exped	lited Rev	iew.	In accordan	ce with	FIFRA Section 3(c)(3)		
Gustafson, Inc.				(b)(i), my product is similar or identical in composition and labeling							
P.O. Box 660065				to:							
Dallas, TX 75266-0065				EPA Reg. No.							
Check if this is a new address											
Check if this	IS a new address			Product	Name _						
			Sec	tion - II							
Amendana Funtin	h-1				Tankaniata	4 1-5-	l- in	••			
Amendment - Explain	Delow.				anai pantet Agency lett		ls in response ted				
Resubmission in response to Agency letter dated "Me Too" Application.											
Hasification Fundain	hala				Debas Eval	lain h	alau.				
Notification - Explain	Delow.			` ∐ `	Other - Expl	iain D	olu w.				
Explanation: Use addition	nal nage(s) if necessary	(For section	n Land Se	ction II )							
	of inadveri	∡ ⊥		ou H.	1-1-01	/ /	مامله	£	- 1 not 20		
Correction	of maaveri	ent er	101	UM I MA	1460	,	abel s	(am)	ved 001,20,		
1774 show	ia have had	corn	on th	e label	· Ne	ed	corre	ected	labelstown		
See, cover	· letter da	ted 10	19/95	<u>.</u>					! label stampe		
		,	, , , ,	•							
			Sec	tion - III							
1. Material This Product Will	i Be Packaged In:										
Child Resistant Packaging	<del></del>		Weter	Soluble Pac	kaging		2. Type of	Container	<u></u>		
Yes Yes			Yes Metal								
I			$  \cdot  $					Plastic			
Ŭ No	No	<del></del>	<u> </u>	No				Glass			
* Certification must	If "Yes" Unit Packaging wgt.	No. per container	If "Yes	s" ge wgt	No. per containe	r		Paper Other (S	(necify)		
be submitted	Office ackaging was:	Community	I BUNG	gog.	Containo	•		j Othar (S			
3. Location of Net Contents	Information	4. Size(s) Re	tail Conta	iner		5. L	ocation of Lab	el Directio	ons		
	1	, , , , , , , , , , , , , , , , , , , ,					On Label				
Label	Container						On Label	ng accom	panying product		
6. Manner in Which Label is	Affixed to Product	Lithor	graph I glued		Othe	·					
		Stend	iglued iled								
			Sec	tion - IV	<u> </u>						
1. Contact Point (Complete	items directly below fo	or identificeti	on of indiv	vidual to be	contacted,	if ne	cessary, to pro	cess this	arplication.)		
Name	4		Title					Telephon	e No. (Include Area Code)		
D. L. Mc Fadden N			Mar						-435::-8877		
									T		
		Certific						1-4-	6. Date Application: (1)		
I certify that the statements I have made on this form and all atta I acknowledge that any knowingly false or misleading statement :								(Stamped)			
both under applicable			_						i violinea,		
2. Signature			3. Title								
Deunis L McFadden  4. Typed Name  D. L. Mc Fadden			Mgr. tox 1 Reg. Affairs								
4. Typed Name			5. Data		_						
211/11			10/31/95								
D.L. Mc Fadaen			10131195						1		

# ACCEPTED with COMMENTS In EPA Letter Dated

JAN 24 1996

Under the Federal Insecticide, Franciside, and Redenicide Act the nateword, for the posterior registered under EPA Reg. No.

# KODIAK, HB

# **Biological Fungicide**

For Use As A Seed Treatment

ACTIVE INGREDIENT:	
Bacillus subtilis GBO3 (nominal concentration of	
6.0 X 109 viable spores per gram)	0.3%
INERT INGREDIENTS:	

EPA Reg. No. 7501-146

# KEEP OUT OF REACH OF CHILDREN CAUTION

### **PRECAUTIONARY STATEMENTS** HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if inhaled, Avoid contact with eyes, skin or clothing. In case of contact, flush affected area with plenty of water. Repeated or prolonged excessive exposure may lead to respiratory sensitization in susceptible individuals.

#### PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear: Long-sleeved shirt and long pants, waterproof gloves, shoes plus socks and dust/ mist filtering respirator (MSHA/NIOSH approval number prefix

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **USER SAFETY RECOMMENDATIONS:**

Wash hands before eating, drinking, cherving gum, using tobacco or using the toilet.

#### STATEMENT OF PRACTICAL TREATMENT

If on skin, wash with soap and water. Get medical attention if irritation develops.

If in eyes, flush with water. Get medical attention if irritation develops.

#### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water, or to areas where surface water

is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Cover or incorporate spilled seed or seed on soil surface.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE: Store in a dry place.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty package by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into mixing equipment. Then dispose of package in a sanitary landfill or by incineration if allowed by State and local authorities. Dispose of box in the same manner. Do not reuse package or box.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either dorectly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

Gustafson (%)



Exception: if the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, and shoes plus socks.

KODIAK HB contains bacteria which colonize the developing root system, suppressing disease organisms such as Fusarium, Rhizoctonia, Alternaria and Aspergillus that attack root systems. When used with a chemical seed treatment, the combination of chemicals and KODIAK provides protection to the root for a much longer time than with chemicals alone. As the root system develops, the bacteria grow with the roots extending the protection throughout the growing season. As a result of this biological protection, a vigorous root system is established by the plant, which often results in more uniform stands and greater yields. In addition, KODIAK has been shown to increase the amount of nodulation by nitrogen-fixing bacteria when used on many legumes. This improvement in nodulation is a result of a health er root system allowing more sites for nodules to form from naturally-occuring soilborne nitrogen-fixing bacteria.

#### INSTRUCTIONS FOR USE (HOPPER BOX)

Fill hopper half full of seed, pour approximately half of the desired amount of KODIAK HB on the seed and stir. The amount of KODIAK HB held by the container lid is 1.8 oz. (level) to 2.0 oz. (heaping) or use as many 2.0 oz. packets as necessary. Finish filling hopper to desired level and pour on remainder of KODIAK HB to balance of seed and stir. Movement of planter across the field will help mix the KODIAK HB with the seed.

#### FOR USE AS A SEED TREATMENT

COTTON: For suppression of *Rhizoctonia* and *Fusarium* seedling disease, apply 4.0 to 8.0 ounces per 100 lbs. of seed. SEED AND POD VEGETABLES (such as) green beans, snap beans, lima beans, kidney beans, navy beans, pinto beans, wax beans, pole beans, garden peas, poas and field beans: For suppression of root diseases caused by *Rhizoctonia* and *Fusarium*, apply 3.0 to 6.0 ounces per 100 lbs. of seed. For improvement of nodulation by *Rhizobium* in fields where appropriate strains are detectable, apply 1.5 to 3.0 ounces per 100 lbs. of seed.

PEANUTS: For suppression of root diseases caused by *Rhizoctonia*, *Fusanum* and *Aspergillus* and for improvement of nodulation by *Rhizobium*, apply 2.0 to 4.0 ounces per 100 lbs. of seed. CORN: For suppression of root diseases caused by *Fusanum* and *Pythium*, apply at 4.0 ounces per 100 lbs. of seed.

ALL OTHER SEEDS (AGRICULTURAL, VEGETABLE, FLOWER, ORNAMENTAL): For suppression of root diseases caused by Fusarium, Rhizoctonia and Pythium, apply 4.0 to 8.0 ounces per 100 lbs. of seed. Adjust rate accordingly to provide good coverage. Larger seed, because of reduced surface area, require less product per 100 lbs. than smaller seed.

## NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

3 11-

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson, Inc., no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson, Ir.c. warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON, INC. NEI-THER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FIT-NESS OR MERCHANTABILITY, GUARANTY OR REPRESEN-TATION, EXPRESS OR IMPLIED, CONCERNING THIS MATE-RIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson, Inc. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product from: Gustafson,Inc. 1400 Preston Road, Suite 400 Plano, TX 75093 (214)985-8877

GUSTAFSON (logo) is a Reg. TM of Gustafson, Inc. KODIAK is a TM of Gustafson, Inc.

146(WPS)-490111