| se reed instructions on reverse before completing form. | Form Approved. OMB No. 2070-0060, Approved expires 2-28-95 | | | |
|--|---|--|--|--|
| United States Environmental Protection Washington, DC 2046 | Registration OPP Identifier Number Agency Amendment | | | |
| Application for Pesticide - Section I | | | | |
| 1. Company/Product Number 7501-151 4. Company/Product (Name) | 2. EPA Product Manager Shevada Holgood PM#, 1. A 1. Restricted | | | |
| 5. Name and Address of Applicant (Include ZIP Code) Gustafson LLC 1400 Preston Rd., Suite 9 Plano, TX 75093 Check if this is a new address | 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No | | | |
| | Product Name Section - II | | | |
| Amendment - Explain below. Resubmission in response to Agency letter dated Ma Too" Application. Notification - Explain below. Other - Explain below. Other - Explain below. This suddication is available with the providence of PR Notice 94-10 and EPA regulation at 40 CPR 152.46, and so other change from of the providence of the pr | | | | |
| | Section - III | | | |
| 1. Material This Product Will Be Packaged In: | | | | |
| Child-Resistant Packaging Yes No No * Certification must be submitted Unit Packaging Yes No No If "Yes" Unit Packaging wgt. container | Water Soluble Packaging Yes No If "Yes" Package wgt No. per Package wgt Other (Specify) | | | |
| 3. Location of Net Contents Information 4. Size(s) Retail Label Container | Conteiner 5. Location of Label Directions | | | |
| 6. Manner in Which Label is Affixed to Product Lithogra | oh Other | | | |
| Paper glued Stendied Section - IV | | | | |
| 1. Contact Point | | | | |
| Name Dennis Mc Fadden | Mgr. Tox & Reg Affairs 972-985-8877 | | | |
| Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | | | |
| 2. Signature Dennies McFadden 3. Tide Mgr. Tox & Reg Affairs 4. Typed Name 5. Date | | | | |

RAXIL®-Thiram

Flowable Fungicide

NOTIFICATION

JUL 1 9 2002

ACTIVE INGREDIENT:

| Alpha-[2-(4-Chlorophenyl)ethyl]-alpha-(1,1-dimethyl- | |
|--|------|
| ethyl)-1H-1,2,4-triazole-1-ethanol | 0.6% |
| Thiram (Tetramethylthiuram disulfide) | |
| INERT INGREDIENTS*: | |
| TOTAL | |

*Contains petroleum distillates.

Contains 0.055 pounds Alpha-[2-(4-Chlorophenyl)ethyl]-alpha-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol and 1.84 pounds Thiram per U.S. gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements.

EPA Reg. No. 7501-151 EPA Est. **NET CONTENTS:**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND **DOMESTIC ANIMALS** CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart. Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate or nitrile rubber or neoprene rubber or Viton, shoes plus socks, protective eyewear and a NIOSH approved respirator with any R, P or HE filter. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Continued Next Column

USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If swallowed:

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or clothing:

-Take off contaminated clothing.

5 minutes, then continue rinsing eye.

- -Rinse skin immediately with plenty of water for 15 20 minutes.
- Call a poison control center or doctor for treatment advice. If in eyes:
- -Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first
- -Call a poison control center or doctor for treatment advice. If inhaled:
- -Move person to fresh air.
- -If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- -Call a poison control center or doctor for treatment advice.

NOTETO PHYSICIAN:

Contain's petroleum distillate - vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This pesticide product is toxic to fish. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Cover or incorporate spilled treated seeds.





DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultrual pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical resistant gloves, such as barrier laminate or nitrile rubber or neoprene rubber or Viton, shoes plus socks, and protective eyewear.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place.

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited.

PESTICIDE DISPOSAL: This pesticide's wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Contact Gustafson or your chemical supplier for container return instructions. If container is not returned in accordance with instructions, triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

RAXIL-Thiram Flowable Fungicide combines the systemic action of RAXIL with the surface action of Thiram to control or suppress various seed, seedling and soilborne diseases of wheat, barley, oats.

SEEDLABELING

To meet U.S. Federal Seed Act requirements, all seed treated with RAXIL-Thiram Flowable Fungicide should be labeled:

TREATED SEED.

DONOTUSE FOR FOOD, FEED OR OIL PURPOSES.
Treated with Alpha-[2-(4-Chlorophenyl)ethyl]-alpha-(1,1-

dimethylethyl)-1*H*-1,2,4-triazole-1-ethanol (RAXIL) and Tetramethylthiuram disulfide (Thiram).

RESTRICTIONS

Do not use treated seed for feed, food or oil purposes. Seed labeling must contain the following restriction: "Barley, wheat, oat and rye green forage may be grazed or harvested for hay 31 days after seeding."

RECOMMENDED APPLICATIONS

| CROP & DISEASE Seed and Soilborne Diseases: | FLUIDOUNCES RAXIL-Thiram Flowable Fungicide | REMARKS |
|---|---|---|
| Wheat: Stinking Smut, Flag Smut, Loose Smut, Early Season Septoria Disease Complex, General Seed Rots, Pythium Damping-Off, Early Season Rhizoctonia Root Rot, Early Season Common Root Rot, Seedborne Fusarium Scab, Early Season Fusarium Foot Rot, Early Season Supression of Powdery Mildew, Early Season Suppression of Wheat Leaf Rust Barley: Covered Smut, Loose Smut, Barley Stripe (suppression), General Seed Rots, Pythium Damping-Off, Early Season Rhizoctonia Root Rot, Seedborne Fusarium Scab, Early Season Fusarium Foot Rot, Early Season Suppression of Powdery Mildew, Early Season Suppression of Barley Leaf Rust Oats: Loose Smut, General Seed Rots, Pythium Damping-Off, Early Season Rhizoctonia Root Rot, Early Season Common Root Rot, Seedborne Fusarium Scab, Early Season Fusarium Foot Rot, Early Season Suppression of Powdery Mildew, Early Season Suppression of Crown Rust | 3.5 to 4.6 fluid ounces per 100 pounds of seed | SEED TREATMENT: Application of RAXIL-Thiram Flowable Fungicide at the recommended rate per 100 pounds of seed should be made using standard slurry or mist-type seed treatment equipment. Uniform application to seed is necessary to ensure seed safety and best disease protection. Seed should be sound and well cured prior to treatment. Product should be diluted with sufficient water to give an applied slurry rate of 9 to 20 fluid ounces per 100 pounds of seed. Use low rate under dryland or low rainfall conditions and consult your area agronomist regarding planting depth recommendations for the particular variety to be planted. |

NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC no claims are made to guarantee germination of carry-over seed. As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLCSHALLNOTBELIABLEFOR CONSEQUENTIAL DAMAGES, SUBJECT TOAPPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHO-RIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATE-RIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product manufactured by: Gustafson LLC 1400 Preston Road, Suite 400 Plano, Texas 75093 Questions? (972) 985-8877

Gustafson (logo) is a registered trademark of GustafsonLLC, Plano, Texas RAXIL is a registered trademark of Bayer, A.G., used under license