
7501-172 12-21 Please read instructions on reverse before completing form.	6-2001 Form Approved, OMB No. 2070-0060 /3	
United States Environmental Protection Ag Weshington, DC 20460	gency Registration OPP Identifier Number Amendment 286315	
Application for Pesticide - Section I		
1. Company/Product Number 7501-172	2. EPA Product Manager 3. Proposed Classification	
4. Company/Product (Name) RAXIL ALLEGIANCE MD Fungicide		
5. Name and Address of Applicant (Include ZIP Code) CTUS / a fson LLC 1400 Preston Rd., Suite 400 Plano, TX 75093 Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No	
Section - II		
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.	DEC 5 9 5001	
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Add scuteure "(for all crops, commercial use only is registered in California, agricultural establishment the "out-farm" use is not regulation of 18 U.S.C. Sec. 1001 to willow of the product. I inderive that is a robustion of 18 U.S.C. Sec. 1001 to willow of this polar that it is a robustion of 18 U.S.C. Sec. 1001 to willow of this polar that it is a robustion of 18 U.S.C. Sec. 1001 to willow of this polar that it is a robustion of 18 U.S.C. Sec. 1001 to willow of this polar that it is a robustion of 18 U.S.C. Sec. 1001 to willow of this polar that it is a robustion of 18 U.S.C. Sec. 1001 to willow of PR Necks 94-19 and EPA. Is registered in California, agricultural regulations and polar that we have been made to the therms of PR Notice 94-19 and 14 of pirma. Deuter McGadden		
Section - III Max 2004 Control Ponton		
1. Materiał This Product Will Be Packaged in:		
Yes No t Contification must If "Yes" No. per If ")	er Soluble Packaging Yes No (es" No. per kage wgt container 2. Type of Container Metal Plastic Glass Paper Other (Specify)	
3. Location of Net Contents Information 4. Size(s) Retail Con	tainer 5. Location of Label Directions On Label On Label On Label Directions	
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled	Other	
Se	ction - IV	
1. Contact Point <i>Complete items directly below for identification of inc</i>	dividual to be contacted, if necessary, to process this application.)	
Name Dennis Mckadden Title	19x. Tox & Keg Affairs 972-985-877	
Certification I certify that the statements I have made on this form and all atta I acknowledge that any knowingly false or misleading statement both under applicable law.	S. Date Application Received	
2. Signature 3. Title Dennis McLadden N	Igr. Tox & Beg Affairs	
4. Typed Name 5. Date Denuis McFadden		

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.



# RAXIL<sup>®</sup> ALLEGIANCE<sup>TM</sup> MD Fungicide NOTIFICATION

#### **ACTIVE INGREDIENT:**

Tebuconazole [Alpha-[2-(4-Chlorophenyl)ethyl]-	
alpha-(1,1-dimethyl-ethyl)-1H-1,2,4-triazole-1- ethanol]	0.48%
Metalaxyl [N-(2,6-dimethylphenyl)-N-	
(methoxyacetyl)alanine methyl ester]	0.64%
INERTINGREDIENTS:	
TOTAL	
Contains 0.039 pounds Alpha-[2-(4-Chlorophenyl)ethyl]-alpha- (1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol and 0.051	
pounds Metalaxyl per U.S. gallon.	

# KEEP OUT OF REACH OF CHILDREN CAUTION SEE ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 7501-172 EPA Est. No. NET CONTENTS:

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

### PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear: long-sleeved shirt, long pants, and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

## USERSAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothes. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. DEC 26 2001

## **ENVIRONMENTAL HAZARDS**

This pesticide product is toxic to fish, estuarine and marine invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Cover or incorporate spilled treated seeds.

Groundwater Advisory: Metalaxyl is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

### STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. PESTICIDE DISPOSAL: This pesticide's wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Contact Gustafson or your chemical supplier for container return instructions. If container is not returned in accordance with instructions, triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the areas during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Gustafson (%).

#### **AGRICULTURALUSE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses. and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, shoes plus socks.

RAXIL ALLEGIANCE MD Fungicide is a combination of the systemic fungicides, tebuconazole and metalaxyl which aids in the control or suppression of the following seed, seedling and soilborne diseases of wheat, barley and oats: stinking smut, flag smut, loose smut, early season Septoria disease complex, general seed rots, Pythium damping-off, early season Rhizoctonia root rot, early season common root rot, seedborne Fusarium scab, early season Fusarium foot rot, early season suppression of powdery mildew and rust. (For all crops, commercial use only is registered in California, agricultural establishment use "on-farm" is not registered in California)

#### RECOMMENDATIONSFORUSE

Use 5 fluid ounces of RAXIL ALLEGIANCE MD per 100 pounds of seed. Applications should be made using standard slurry or mist-type seed treatment equipment. In some instances, a water and chemical slurry dilution may enhance coverage. A 1 part RAXIL ALLEGIANCE MD with 1 part water dilution may be used. This product is for commercial or on-farm application. This product is not intended for direct application into a planter box. Uniform application to seed is necessary to ensure seed safety and best disease control. Seed should be sound and well cured prior to treatment. Consult your area agronomist regarding planting depth recommendations for the particular variety to be planted. SEEDLABELING

To meet U.S. Federal Seed Act requirements, all seed treated with RAXIL ALLEGIANCE MD should be labeled:

#### TREATEDSEED.

#### DONOTUSE FOR FOOD, FEED OR OIL PURPOSES.

Treated with Alpha-[2-(4-Chlorophenyl)ethyl]-alpha-(1,1dimethylethyl)-1*H*-1,2,4-triazole-1-ethanol (Tebuconazole) and Metalaxyl.

Seed labeling must contain the following restriction: "Barley, wheat and oat green forage may be grazed or harvested for hay 31 days after seeding."

#### NOTICE-READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECTTO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EX-PRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A quality product manufactured by: Gustafson LLC 1400 Preston Road, Suite 400 Plano, Texas 75093 Questions? (972) 985-8877

RAXIL is a Reg. TM of Bayer, A.G., used under license

Gustafson (logo) is a Reg. TM of Gustafson LLC