Asse reed instructions	on reverse before completing for	<i>m</i> .	Form Approve	d. OMB No. 207	0-0060. Approvel expires 2-28-9	
\$EPA	United St Environmental Prot Washington, D	×	Registration Amendme Other	OPP Identifier Number		
	Appli	cation for Pestic	cide - Section	1		
1. Company/Product Number 7501—188			2. EPA Product Manager Sherada Holgood None Restricted			
4. Company/Product (Name) PROTEGE - FL			PM# Notifications X None Restricted			
5. Name and Address of Applicant Include ZIP Codel Gustafson LLC 1400 Preston Rd., Suite 400 Plano, TX 75093 Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name			
		Section -	- 1(
Amendment - Explain below. Resubmission in response to Agency letter dated			Final printed labe Agency letter dat "Me Too" Applic	HOTFICATION		
Notification - Explain below.			JAN 2 0 2003 Other - Explain below.			
Remove 1	litional page(s) If necessary. (For phrase "and cu whormation from a label.	urative" un u the 10/12/	der or end	delines at 40 CFR 152.46, on he confidential statement of 6 ation of 16 U.S.C. Sec. 1001 the her understand that if this or on 96-16 and 40 CFR 151.66, it he subject to enforcement	th the provisions of FR Notice 96-96 and RPA, of no other changes here from made to the teleding screens of this product. I wenderstand that it for a to willfully make may false statement to EPA. I effication is not consistent with the terms of FR chile product may be in visication of WFRA and I the product may be in visication of WFRA and I then and parallels under sections 13 and 14 of MC Fat Allen.	
		Section -	<u>tti</u>			
1. Meterial This Product			-	<u> </u>		
Yes Yes No No If "Yes" No. per If "Yes"			No. per container	Motel Plestic Glass No. per Paper		
3. Location of Net Conte	nts Information 4. Size	(s) Retail Container	j 5. Lc	ocation of Label D	Hrections	
Label	Container			<u> </u>		
6. Manner in Which Label is Affixed to Product Lithograph						
		Section -	IV			
1. Contact Point (Comp.	lete items directly below for ident	fication of individual to	be contacted, if nec	essery, to proces	s this application.	
Name Dennis	McFadden.	Tide Mar. 7	Tox & Reg A	flairs 9	phone No. (Include Area Code) 72-985-8877	
	tatements I have made on this fon it any knowlingliy false or misleadi	rtification m and all attachments t	C thereto are true, ecc	urate and comple	6. Date Application	
2. Signature		3. Title			1.40	
Dennis 1	1 chadden	Mgr. To	× & Reg A;	fairs		
4. Typed Name Dennis A	1 chadden	5. Date	x & Reg A ₁ 103		* 1	

PROTÉGÉ™-FL

NOTIFICATION

JAN 2 0 2003

Seed Applied Fungicide

Broad spectrum fungicide for control of plant diseases

ACTIVE INGREDIENT:

*IUPAC

KEEP OUT OF REACH OF CHILDREN WARNING

See Additional Precautionary Statement.

EPA Reg. No. 7501-188 EPA Est. 7501-ID-1 NET CONTENTS: 1 Gallon

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if inhaled. Harmful if swallowed. Do not breathe vapors. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart. Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate or nitrile rubber ≥ 14 mils or neoprene rubber ≥ 14 mils or Viton ≥ 14 mils, and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after

Continued Next Column

handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **If swallowed:**

- •Call a poison control center or doctor immediately for treatment advice.
- ·Have the person sip a glass of water if able to swallow.
- •Do not induce vomiting unless told to do so by a poison control center or doctor.
- •Do not give anything by mouth to an unconscious person. If inhaled:
- ·Move person to fresh air.
- •If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- •Call a poison control center or doctor for further treatment advice.

If in eyes:

- •Hold eye open and rinse slowly and gently with water for 15
- 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.
- •Call a poison control center or doctor for treatment advice. If on skin or clothing:
- Take off contaminated clothing.
- •Rinse skin immediately with plenty of water for 15 20 minutes.
- •Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

The active ingredient, Azoxystrobin, in this product can be persistent for several months or longer. Azoxystrobin has degradation products which have properties similar to chemicals which are known to leach through soil to ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in ground water contamination.

This pesticide is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

Gustafson



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on agricultural establishments in hopperbox, planter-box, slurry-box or other seed treatment applications at or immediately before planting.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by

storage or disposal.

STORAGE: Store in original container only. Keep container closed when not in use. Do not store near food or feed. In case of spill on floor or paved surfaces, mop and remove to chemical waste storage area until proper disposal can be made if product cannot be used according to the label.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Contact Gustafson or your chemical supplier for container return instructions. If container is not returned in accordance with instructions, triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or alternatives allowed by State and local authorities.

CONTAINER IS NOT SAFE FOR FOOD, FEED OR DRINKING

WATER.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours. Exception: if the seed is treated with the product and the treated seed is soilinjected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical-resistant gloves, such as barrier laminate or nitrile rubber ≥ 14 mils or neoprene rubber ≥ 14 mils or Viton ≥ 14 mils, and shoes plus socks.

GENERALINFORMATION

PROTÉGÉ -FL Seed Applied Fungicide is a broad spectrum, preventative fungicide with systemic properties recommended for the control of many important plant diseases.

GENERALUSE PRECAUTIONS

Crops on this label may be planted immediately after last treatment. Do not plant other crops within 45 days after previous planting.

USEPRECAUTION

When using formulations that do not contain dve, to comply with 40 CFR 153.155, all seed treated with an economic poison must be colored to distinguish and prevent subsequent inadvertent use as a food for man or feed for animals.

SEEDLABELING

To meet U. S. Federal Seed Act requirements, all seed treated with PROTEGE-FL Seed Applied Fungicide should be labeled: TREATED SEED. DO NOT USE FOR FOOD, FEED OR OIL Treated with methyl (E)-2{2-[6-(2-PURPOSES. cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate (PROTEGE)

APPLICATION

Apply PROTEGE-FL Seed Applied Fungicide at the recommended rate, using standard slurry or mist-type seed treatment equipment, Uniform application to seed is necessary to ensure seed safety and best disease protection. Seed should be sound and well cured prior to treatment. Product should be diluted with sufficient water to ensure complete seed coverage. Consult your Gustafson technical representative regarding slurry rates recommended for the crop to be treated with PROTEGE-FL Seed Applied Fungicide. It is recommended that PROTEGE-FL Seed Applied Fungicide be combined with a Pythium-active seed treatment product, such as ALLEGIANCE-FL Seed Treatment Fungicide to offer broad spectrum protection against the seed and seedling disease complex (Rhizoctonia sps. and Pythium SDS.)

Cotton:

For systemic seed and seedling protection against seedborne fungi causing seed decay and the soilborne pathogen, Rhizoctonia solani inciting seedling damping-off, apply 0.20 - 0.53 fl. oz. I cwt of seed. For Pythium seed rot and damping-off, apply Allegiance-FL as a seed treatment at the rate of 0.75 - 1.5 fl. oz. / cwt of seed to enhance broad spectrum protection.

Soybean:

For systemic protection against seedborne fungal pathogens causing seed decay and the soilborne fungus, Rhizoctonia solani causing seedling damping-off, apply 0.20 - 0.27 fl. oz. / cwt. of seed. For Pythium protection, a reduced rate application of Allegiance-FL (0.2 - 0.375 fl. oz. cwt of seed) may be used. Apply Allegiance-FL at 0.75 fl. oz. / cwt, of seed for Pythium protection of seed being planted into soils known to have a history of severe Pythium pressure. For early season Phytophthora control, apply Allegiance-FL as a seed treatment at the rate of 0.75 fl. oz. cwt. of seed.

NOTICE-READCAREFULLY CONDITIONS OF SALEAND LIMITEDWARRANTYSTATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLO warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKEANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED. CONCERNING THIS MATERIAL. BUYER PRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer

assumes the responsibility to handle, use and store this product in accordance with the safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty, which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

PROTÉGÉ is a Reg. TM of Syngenta Crop Protection Inc. ALLEGIANCE and Gustafson (logo) are registered trademarks of Gustafson LLC, Plano, Texas

A quality product manufactured by: Gustafson LLC 1400 Preston Road, Suite 400 Plano, Texas 75093 Questions? (972) 985-8877