. 15	01-197 9	-19-20	203		
		-			
Treese read instructions on n	everse before completing form.	<u></u>	Form Approve		70-0060, <u>Approvel expires 2-28-95</u> D D OPP Identifier Number
\$€PA	United States Environmental Protecti	ion Agency	,	Registration	•
	Washington, DC 20		x	Other	ян с
	Applicati	on for Pes	ticide - Section	-	
1. Company/Product Number			PA Product Manager		3. Proposed Classification
750	01-197		5. Hobgood	(None Restricted
4. Company/Product (Name) Imidaclopris	d-Metalaxy Seed Tr	catrucat -	Notifice	ations	
5. Name and Address of App	olicant (Include ZIP Code)	6.1	Expedited Reveiw		e with FIFRA Section 3(c)(3)
Guitafson LLC	n Rd., Suite 400	(D)(to:	(), my product is sir	millar or identica	I in composition and labeling
Plano, TX	75093	EP	A Reg. No		
	is a new address	Pr	oduct Name		
		Section	- 14		
Amendment - Explein	below.	[Final printed lab	els in repsonse to	NOTIFICATION
Resubmission in respo	onse to Agency letter dated	[Agency letter de		
Notification - Explain I	-	[Other - Explain t	oelow.	SEP 1 9 2003
Explanation: Use addition	al page(s) if necessary. (For section	on I and Section	<u> </u>		
Add sout	claime.			rdations at 41 CFR 152.46, o the coefficiential statement of	rith the provisions of PR Notice 94-16 and EPA and no other changes have been unde to the labeling formula of this product. I understand that it is a
Add wat	claime. suctions for 2	8.80zc	ontainer.	ther understand that If this a fee \$4-14 and 44 CFR 152.46	, to willowly scale any faire statement to EPA. I sofficient is not consistent with the terms of PR. , this product may be in violation of FIFEA, and I
porte trat	Ŭ		and) FOR	Y DE PERIJECI LA ORIOCOMICAL A 17 4 9	inter and production reactions to and the of
				Jenn	& Michalden
		Section	- 111		
1. Meterial This Product Will Child-Resistant Packaging	Be Packaged In: Unit Packaging	Water Solut	le Packaging	2. Type of Co	nteiner
Yes	Yes	Yes			Astal
No	No	No No			Testic iless
* Certification must	If "Yes" No. per	If "Yes"	No. per		aper
be submitted	Unit Packaging wgt. container	Package wg	t container		Other (Specify)
3. Location of Net Contents 1		stail Container	5. L	ocation of Label I	· ·
		8 oz.		oncon	tainer
6. Manner in Which Label is a	Affixed to Product	graph r gluad ciled	Other	**************************************	
		Section	<u>- IV</u>		۰ ۱۰۰۰ میں ایک
	items directly below for identificati	1	to be contected, if ne		
Dennis Mct	adden	Tide Mgr.	Tox & Reg A	thairs to	lephone No. (Include Area Code) 772 - 985 - 8877
	Certific		<u> </u>		6. Date Application
	nents I have made on this form and y knowlinglly false or misleading st law.				
2. Signature		3. Title			
	Ada	Mgr. 7.	ox & Reg A	Hairs	600 000 2000 2000 2000 2000
A. Typod Namo Den NIS MCK	udden.	5. Date 9	1 4/03		

Changes cicled IMIDACLOPRID-METALAXYL Seed Treatment

For the protection of Seeds and Seedlings of Field Corn, Sweet Corn and Popcorn against Damping-Off, Seed Decay caused by Pythium also for protection of seed against Seed Corn Beetle, Seed Corn Maggot, Wireworm, White Grub, Flea Beetle (up to first true leaf), and Imported Fire Ants.

ACTIVE INGREDIENTS:

Imidacloprid (1-[(6-chloro-3-pyridinyl)methyl]-N-nitro-2-Imidazolidinimine)	25.00%
Metalaxyl (N-2,6-dimethylphenyl)-N-(methoxyacetyl)alanine methyl ester	1.00%
INERT INGREDIENTS	<u>74.00%</u>
TOTAL	100.00%

EPA Reg. No. 7501-197 EPA Est.

NET CONTENTS:

KEEP OUT OF REACH OF CHILDREN	NOTIFICATION		
CAUTION	SEP 1	9 2003	
PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS			
Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing thoroughly with soap and water after handling.	j. Wash		
PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators and other handlers must wear sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material, an plus socks.			
Follow manufacturer's instructions for cleaning / maintaining PPF. If no such instructions for way	shables		

Follow manufacturer's instructions for cleaning / maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Manufactured for:



Gustafson LLC 1400 Preston Rd., Suite 400 Plano, TX 75093 Questions? (972) 985-8877

USER SAFETY RECOMMENDATIONS: Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID		
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. 	
	• Do not induce vomiting unless told to do so by a poison control center or doctor	
	Do not give anything by mouth to an unconscious person.	
lf in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 	
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. 	
	 Call a poison control center or doctor for treatment advice. 	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IN CASE OF AN EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL: CHEMTREC: (800) 424-9300 (Toll free – US) CHEMTREC: (703) 527-3387 (Domestic and International)

ENVIRONMENTAL HAZARDS

This product is highly toxic to birds and aquatic invertebrates and toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Exposed treated seeds may be hazardous to birds. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Do not contaminate water when disposing of equipment washwaters or rinsate.

PRODUCT INFORMATION

Imidacloprid-Metalaxyl may be used on seed previously treated with a full dosage of protective fungicide to give added protection against *Pythium* damping-off or seed decay. **Note:** Adjust the seed drill or planter to give the required rate of seed delivery with treated seed. Regularly inspect planter plates and clean as required. At the end of each day, clean the electric-eye monitors as directed by the manufacturer. **Important:** Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seed beyond planting time.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is: coveralls, chemical-resistant gloves made of any waterproof material, shoes plus socks, protective eyewear.

Field Corn, Sweet Corn, Popcorn: Use at a rate of 1.5 ounces per 42 pounds of seed.

Mixing Instructions: (1.5 oz. canister) Use as a dry mixture in the planter box as a seed treatment prior to planting. Apply Imidacloprid-Metalaxyl to seed at planting time with the canister applicator tube system, using one 1.5 oz. canister per 42 pounds of seed. For best results, fill planter box with seed, add Imidacloprid-Metalaxyl through applicator tube and mix so that all seeds are covered. DO NOT MIX WITH BARE HANDS. Use only at the recommended rate. Lower amounts may not give desired control.

Mixing Instructions: (4-pound pail) Field Corn, Sweet Corn, Popcorn: Use two scoops full (1.5 oz.) per 42 pounds of seed.

Use as a dry mixture in the planter box as a seed treatment prior to planting. For best results, fill planter box half full of seed, add half the required amount of Imidacloprid-Metalaxyl and mix thoroughly with a stick or paddle. Add remainder of the seed and Imidacloprid-Metalaxyl and mix again so that all seed are covered. DO NOT MIX WITH BARE HANDS. Use only at recommended rate. Lower amounts may not give desired control.

Mixing Instructions: (28.8 oz. Canister) Field Corn, Sweet Corn, Popcorn: Use at a rate of 1.8 oz. per 50 pounds of seed.

Use as a dry mixture in the planter box as a seed treatment prior to planting. For best results, fill planter box half full of seed, add half the required amount of Imidacloprid-Metalaxyl and mix thoroughly with a stick or paddle. Add remainder of the seed and Imidaclprid-Metalaxyl and mix again so that all seed are covered. DO NOT MIX WITH BARE HANDS. Use only at recommended rate. Lower amounts may not give desired control.

ROTATIONAL CROPS: Treated areas may be replanted with any crop specified on the Imidacloprid-Metalaxyl label, or for any crop for which a tolerance exists for imidacloprid, as soon as practical following the last application. The following plant-back intervals should be observed for listed crops:

	30-DAY PLANT-BAC			
Barley Broccoli Broccoli, Chinese Broccoli, raab Brussels Sprouts Cabbage, Chinese mustard Cabbage Chinese Cabbage Canola	Cauliflower Cilantro Collards Corn, Field Corn, Sweet Cotton Cucurbits Eggplant Ground cherry	Kale Kohlrabi Leafy Petiole Veg. Leafy Veg. Legume Veg. (succulent or dried) Mustard greens Pepinos Pepper	Popcorn Potatoes Rape greens Rapeseed Sorghum Sugar beets Tomatillo Tomato Turnip greens Wheat	Cereals (Including buckwheat, millet, oats, popcorn, rice, rye and triticale) Safflower Soybeans

Cover crops for soil building or erosion control may be planted any time, but do not graze or narvest for food or feed.
 * All other crops not listed on an Imidacloprid label, or for crops for which no tolerance for the active ingredient have been established, a 12-month plant-back interval should be observed.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty containers.

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool dry location. Protect from excessive heat.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty canister into application equipment. Then dispose of empty canister in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE - READ CAREFULLY

CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC, no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use, and store this product in accordance with safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

Gustafson (logo) is a Reg. TM of Gustafson LLC, Plano, Texas

- -1

Gustafson 🚷

September 4, 2003

Ms. Sherada Hobgood, Notifications Office of Pesticide Programs Document Processing Desk (NOTIF) Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

Subject: Imidacloprid-Metalaxyl Seed Treatment, 7501-197

Dear Ms. Hobgood,

Gustafson LLC is submitting a notification to add pests to the label and add instructions for use with a 28.8 oz container.

1-7

с. 19 С. 16 у. 1

Sincerely,

Derini Mchadden

Dennis McFadden

Manager, Toxicology and Regulatory Affairs