
	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460	EPA Reg. Number: 7501-201	Date of Issuance: JAN 20 2004	
	NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration	Term of Issuance: Conditional		Name of Pesticide Product: SoyGard™ L with Protégé™
	(under FIFRA, as amended)	Name and Address of Registrant (include ZIP Code): Gustafson LLC 1400 Preston Road, Suite 400 Plano, Texas 75093		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division of the Agency. In any correspondence on this product always refer to the above registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you comply with the following requirements.</p> <ol style="list-style-type: none"> Submit/cite all data required for the registration of your product when the Agency requires all registrants of similar products to submit data. Make the changes to the labeling that are listed below before you release the product for shipment: <ol style="list-style-type: none"> Revise the EPA Registration Number to read, "EPA Reg. No. 7501-201" on each of the components of the labeling. In the last sentence in the "AGRICULTURAL USE REQUIREMENTS" section in the container label, the component A label, and the component B label, immediately following "chemical resistant gloves" add "made of any waterproof material". In the "CONTAINER DISPOSAL:" subsection of the "STORAGE AND DISPOSAL" section on the container label, the component A label, and the component B label, change "...sanitary landfill, or incineration, or, if allowed..." to "...sanitary landfill, or by incineration, or, if allowed...". 				
Signature of Approving Official: 		Date: JAN 20 2004		

Page 2
EPA Reg. No. 7501-201

d. In the last sentence of the first paragraph in the "ENVIRONMENTAL HAZARDS" section, change "Do not contaminated water..." to "Do not contaminate water...".

3. Submit one copy of your final printed labels before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions about this letter, please contact John Bazuin at (703)305-7381.

Attachments: Product label stamped "ACCEPTED with COMMENTS"

SGP(S)041703D2

SoyGard™ L with PROTÉGÉ™

SoyGard™ L with PROTÉGÉ™ is a multi-pack that contains one gallon of PROTÉGÉ™-FL Seed Applied Fungicide (Component A), one gallon of Gustafson ALLEGIANCE®-FL Seed Treatment Fungicide (Component B) and one gallon of PRO-IZED® Seed Colorant (Component C). THIS PRODUCT IS ONLY TO BE MIXED TOGETHER FOR USE ON SOYBEANS. Do not use any component separately.

EPA Reg. No. 7501-

EPA Est.

PROTÉGÉ™-FL Seed Applied Fungicide

ACTIVE INGREDIENTS:

Azoxystrobin: methyl(E)-2-[2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl]-3-methoxyacrylate* 21.51%

INERT INGREDIENTS 78.49%

TOTAL 100.00%

*IUPAC

Gustafson ALLEGIANCE®-FL Seed Treatment Fungicide

ACTIVE INGREDIENTS:

Metalaxyl: N-(2,6-dimethylphenyl)-N-(methoxyacetyl)alanine methyl ester 28.35%

INERT INGREDIENTS 71.65%

TOTAL 100.00%

Contains 2.65 pounds Metalaxyl per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

May be fatal if inhaled. Harmful if swallowed. Do not breathe vapors. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE):
Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart. Applicators and other handlers must wear coveralls over short-sleeved shirt and short pants, socks and chemical resistant footwear and chemical resistant gloves (such as barrier laminate, nitrile rubber > 14 mils, butyl rubber > 14 mils, neoprene rubber > 14 mils or Viton > 14 mils). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:
Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change clothing.

A Quality Product Manufactured By:



Gustafson LLC • 1400 Preston Rd., Suite 400 • Plano, TX 75093
Questions? (972) 985-8877

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IN CASE OF AN EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL: CHEMTREC: (800) 424-9300 (Toll free – US) CHEMTREC: (703) 527-3387 (Domestic and International)	

ENVIRONMENTAL HAZARDS

The active ingredient, Azoxystrobin, in this product can be persistent for several months or longer. Azoxystrobin has degradation products that have properties similar to chemicals that are known to leach through soil to ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in ground water contamination.

This pesticide is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

Groundwater Advisory: Metalaxyl is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

IMPORTANT: Read the entire **Directions for Use** and the **Limited Warranty Statement** before using this product.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: if the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, socks and chemical resistant footwear, chemical resistant gloves (such as barrier laminate, nitrile rubber > 14 mils, butyl rubber > 14 mils, neoprene rubber > 14 mils or Viton > 14 mils).

NOTE: Seed treated commercially or for sale must be dyed an unnatural color using an EPA approved dye before being sold. Federal law requires that bags containing treated seeds shall be labeled with the following information. "This seed has been treated with azoxystrobin and metalaxyl. Do not use for feed, food or oil purposes. Store away from feeds and foodstuffs."

DIRECTIONS FOR USE OF SoyGard™ L with PROTÉGÉ™

PROTÉGÉ™-FL provides protection against seedborne fungal pathogens causing seed decay and the soilborne fungus, *Rhizoctonia solani* causing seedling damping-off. Gustafson ALLEGIANCE®-FL Seed Treatment fungicide provides control of *Pythium* rot and damping-off.

SoyGard™ L with PROTÉGÉ™ contains one gallon of PROTÉGÉ™-FL Seed Applied Fungicide and one gallon of Gustafson ALLEGIANCE®-FL Seed Treatment Fungicide and one gallon of PRO-IZED® Seed Colorant. SoyGard™ L with PROTÉGÉ™ will treat 1280 units (1 unit is a 50-pound bag) of soybean seed. Prepare a slurry using: one gallon of PROTÉGÉ™-FL, one gallon ALLEGIANCE®-FL and one gallon PRO-IZED® Seed Colorant and 27 gallons of water. Apply the 30-gallon slurry mix at a rate of six fluid ounces per hundredweight (equivalent to 3 fluid ounces of slurry per 50 pounds of soybean seed). Use commercial seed treating equipment.

ROTATIONAL CROP RESTRICTIONS

Crops on this label may be planted immediately after last treatment. Do not plant other crops within 45 days after previous planting.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty containers.

STORAGE: Store in a cool dry location. Do not store in direct hot sunlight. Do not store above 90°F for prolonged periods of time. After prolonged storage in intense cold, allow product to return to approximately 75°F before using.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

NOTICE – READ CAREFULLY

CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC, no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use, and store this product in accordance with safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

Gustafson (logo) is a Reg. TM of Gustafson LLC, Plano, Texas
PROTÉGÉ is a trademark of Syngenta Crop Protection, Inc. for azoxystrobin
ALLEGIANCE and PRO-IZED are registered trademarks of Gustafson LLC, Plano, Texas

ACCEPTED
with COMMENTS
In EPA Letter Dated
JAN 20 2004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
of 1947, the following pesticide
product is registered under the
act.

7501-201

SGP(S)Cmpnt A 041703D2

SoyGard® L with PROTÉGÉ™

SoyGard® L with PROTÉGÉ™ is a multi-pack that contains one gallon of PROTÉGÉ™-FL Seed Applied Fungicide (Component A), one gallon of Gustafson ALLEGIANCE®-FL Seed Treatment Fungicide (Component B) and one gallon of PRO-IZED® Seed Colorant (Component C). THIS PRODUCT IS ONLY TO BE MIXED TOGETHER FOR USE ON SOYBEANS. Do not use any component separately.

EPA Reg. No. 7501-

EPA Est.

COMPONENT A

PROTÉGÉ™-FL Seed Applied Fungicide

ACTIVE INGREDIENTS:

Azoxystrobin: methyl(E)-2-[2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl]-3-methoxyacrylate*21.51%

INERT INGREDIENTS78.49%

TOTAL 100.00%

*IUPAC

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

May be fatal if inhaled. Harmful if swallowed. Do not breathe vapors. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear coveralls over short-sleeved shirt and short pants, socks and chemical resistant footwear and chemical resistant gloves (such as barrier laminate, nitrile rubber ≥ 14 mils, butyl rubber ≥ 14 mils, neoprene rubber ≥ 14 mils or Viton ≥ 14 mils). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change clothing.

A Quality Product Manufactured By:



Gustafson LLC • 1400 Preston Rd., Suite 400 • Plano, TX 75093

Questions? (972) 985-8877

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

The active ingredient, Azoxystrobin, in this product can be persistent for several months or longer. Azoxystrobin has degradation products that have properties similar to chemicals that are known to leach through soil to ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow may result in ground water contamination.

This pesticide is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

Groundwater Advisory: Metalaxyl is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

IMPORTANT: Read the entire **Directions for Use** and the **Limited Warranty Statement** before using this product.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours. Exception: if the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical resistant gloves (such as barrier laminate, nitrile rubber > 14 mils, butyl rubber > 14 mils, neoprene rubber > 14 mils or Viton > 14 mils), and shoes plus socks.

DIRECTIONS FOR USE OF SoyGard® L with PROTÉGÉ™

PROTÉGÉ™-FL provides protection against seedborne fungal pathogens causing seed decay and the soilborne fungus, *Rhizoctonia solani* causing seedling damping-off. Gustafson ALLEGIANCE®-FL Seed Treatment fungicide provides control of *Pythium* rot and damping-off.

SoyGard® L with PROTÉGÉ™ contains one gallon of PROTÉGÉ™-FL Seed Applied Fungicide and one gallon of Gustafson ALLEGIANCE®-FL Seed Treatment Fungicide and one gallon of PRO-IZED® Seed Colorant. SoyGard® L with PROTÉGÉ™ will treat 1280 units (1 unit is a 50-pound bag) of soybean seed. Prepare a slurry using: one gallon of PROTÉGÉ™-FL, one gallon ALLEGIANCE®-FL and one gallon PRO-IZED® Seed Colorant and 27 gallons of water. Apply the 30-gallon slurry mix at a rate of six fluid ounces per hundredweight (equivalent to 3 fluid ounces of slurry per 50 pounds of soybean seed). Use commercial seed treating equipment.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty containers.

STORAGE: Store in a cool dry location. Do not store in direct hot sunlight. Do not store above 90°F for prolonged periods of time. After prolonged storage in intense cold, allow product to return to approximately 75°F before using.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

NOTICE – READ CAREFULLY**CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT**

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC, no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. **ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL.** Buyer assumes the responsibility to handle, use, and store this product in accordance with safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

Gustafson (logo) is a Reg. TM of Gustafson LLC, Plano, Texas
 PROTÉGÉ is a trademark of Syngenta Crop Protection, Inc. for azoxystrobin
 SoyGard, ALLEGIANCE and PRO-IZED are registered trademarks of Gustafson LLC, Plano, Texas

SGP(S)Cmpnt B 041703D1

SoyGard® L with PROTÉGÉ™

SoyGard® L with PROTÉGÉ™ is a multi-pack that contains one gallon of PROTÉGÉ™-FL Seed Applied Fungicide (Component A), one gallon of Gustafson ALLEGIANCE®-FL Seed Treatment Fungicide (Component B) and one gallon of PRO-IZED® Seed Colorant (Component C). THIS PRODUCT IS ONLY TO BE MIXED TOGETHER FOR USE ON SOYBEANS. Do not use any component separately.

EPA Reg. No. 7501-

EPA Est.

COMPONENT B

ALLEGIANCE®-FL Seed Treatment Fungicide

ACTIVE INGREDIENTS:

Metalaxyl: N-(2,6-dimethylphenyl)-N-(methoxyacetyl)alanine methyl ester28.35%

INERT INGREDIENTS.....71.65%

TOTAL100.00%

Contains 2.65 pounds Metalaxyl per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Causes skin irritation. Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Do not get on skin or on clothing. Avoid contact with eyes. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear coveralls over short-sleeved shirt and short pants, socks and chemical resistant footwear and chemical resistant gloves (such as nitrile, butyl, neoprene, and/or barrier laminate). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change clothing.

A Quality Product Manufactured By:



Gustafson LLC • 1400 Preston Rd., Suite 400 • Plano, TX 75093

Questions? (972) 985-8877

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for further treatment advice.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwater or rinsate.

Groundwater Advisory: This chemical is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

IMPORTANT: Read the entire **Directions for Use** and the **Limited Warranty Statement** before using this product.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: if the seed is treated with the product and the treated seed is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical resistant gloves, such as barrier laminate or nitrile rubber or neoprene rubber or Viton, and protective eyewear.

DIRECTIONS FOR USE OF SoyGard® L with PROTÉGÉ™

PROTÉGÉ™-FL provides protection against seedborne fungal pathogens causing seed decay and the soilborne fungus, *Rhizoctonia solani* causing seedling damping-off. Gustafson ALLEGIANCE®-FL Seed Treatment fungicide provides control of *Pythium* rot and damping-off.

SoyGard® L with PROTÉGÉ™ contains one gallon of PROTÉGÉ™-FL Seed Applied Fungicide and one gallon of Gustafson ALLEGIANCE®-FL Seed Treatment Fungicide and one gallon of PRO-IZED® Seed Colorant. SoyGard® L with PROTÉGÉ™ will treat 1280 units (1 unit is a 50-pound bag) of soybean seed.

Prepare a slurry using: one gallon of PROTÉGÉ™-FL, one gallon ALLEGIANCE®-FL and one gallon PRO-IZED® Seed Colorant and 27 gallons of water. Apply the 30-gallon slurry mix at a rate of six fluid ounces per hundredweight (equivalent to 3 fluid ounces of slurry per 50 pounds of soybean seed). Use commercial seed treating equipment.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty containers.

STORAGE: Store in a cool dry location. Do not store in direct hot sunlight. Do not store above 90°F for prolonged periods of time. After prolonged storage in intense cold, allow product to return to approximately 75°F before using.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

NOTICE – READ CAREFULLY

CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Gustafson LLC, no claims are made to guarantee germination of carry-over seed.

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. **ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL.** Buyer assumes the responsibility to handle, use, and store this product in accordance with safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

Gustafson (logo) is a Reg. TM of Gustafson LLC, Plano, Texas

PROTÉGÉ is a trademark of Syngenta Crop Protection, Inc. for azoxystrobin

SoyGard, ALLEGIANCE and PRO-IZED are registered trademarks of Gustafson LLC, Plano, Texas

SoyGard® L with PROTÉGÉ™

SoyGard® L with PROTÉGÉ™ is a multi-pack that contains one gallon of PROTÉGÉ™-FL Seed Applied Fungicide (Component A), one gallon of Gustafson ALLEGIANCE®-FL Seed Treatment Fungicide (Component B) and one gallon of PRO-IZED® Seed Colorant (Component C). THIS PRODUCT IS ONLY TO BE MIXED TOGETHER FOR USE ON SOYBEANS. Do not use any component separately.

EPA Reg. No. 7501-

EPA Est.

COMPONENT C

PRO-IZED® Seed Colorant

HAZARDOUS INGREDIENTS:

Non-ionic Surfactant5 - 10%

CAUTION
KEEP OUT OF REACH OF CHILDREN

This product is mildly irritating to the eyes. Wear goggles and protective clothing as necessary to prevent eye contact. For supplemental information, refer to the Material Safety Data Sheet.

DIRECTIONS FOR USE OF SoyGard® L with PROTÉGÉ™

PROTÉGÉ™-FL provides protection against seedborne fungal pathogens causing seed decay and the soilborne fungus, *Rhizoctonia solani* causing seedling damping-off. Gustafson ALLEGIANCE®-FL Seed Treatment fungicide provides control of *Pythium* rot and damping-off.

SoyGard® L with PROTÉGÉ™ contains one gallon of PROTÉGÉ™-FL Seed Applied Fungicide and one gallon of Gustafson ALLEGIANCE®-FL Seed Treatment Fungicide and one gallon of PRO-IZED® Seed Colorant. SoyGard® L with PROTÉGÉ™ will treat 1280 units (1 unit is a 50-pound bag) of soybean seed. Prepare a slurry using: one gallon of PROTÉGÉ™-FL, one gallon ALLEGIANCE®-FL and one gallon PRO-IZED® Seed Colorant and 27 gallons of water. Apply the 30-gallon slurry mix at a rate of six fluid ounces per hundredweight (equivalent to 3 fluid ounces of slurry per 50 pounds of soybean seed). Use commercial seed treating equipment.

STORAGE AND DISPOSAL

1. Prohibitions:
 - Open dumping is prohibited.
 - Do not reuse empty containers.
2. Container Disposal: Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place.

NOTICE - READ CAREFULLY CONDITIONS OF SALE AND LIMITED WARRANTY STATEMENT

As its sole express warranty, Gustafson LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label only when used in accordance with directions and instructions specified on the label, subject to the inherent risks set forth above. ONLY AS PERMITTED BY APPLICABLE LAW, IN THE EVENT OF A BREACH OF THIS LIMITED WARRANTY, GUSTAFSON LLC SHALL NOT BE LIABLE FOR CONSEQUENTIAL DAMAGES. SUBJECT TO APPLICABLE LAW, GUSTAFSON LLC NEITHER MAKES NOR AUTHORIZES ANY OF ITS AGENTS OR REPRESENTATIVES TO MAKE ANY WARRANTY OF FITNESS OR MERCHANTABILITY, GUARANTY OR REPRESENTATION, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL. Buyer assumes the responsibility to handle, use, and store this product in accordance with safety instructions and use directions contained on the label.

Buyer/User purchases this product subject to the foregoing Conditions of Sale and Limited Warranty which, subject to applicable law, may be varied only by a written agreement signed by a duly authorized representative of Gustafson LLC. If these terms are not acceptable, return all products to the place of purchase, unopened for a full refund.

A Quality Product Manufactured By:



Gustafson LLC • 1400 Preston Rd., Suite 400 • Plano, TX 75093
Questions? (972) 985-8877

Gustafson (logo) is a Reg. TM of Gustafson LLC, Plano, Texas
PROTÉGÉ is a trademark of Syngenta Crop Protection, Inc. for azoxystrobin
SoyGard, ALLEGIANCE and PRO-IZED are registered trademarks of Gustafson LLC, Plano, Texas