

Supersweet[®]

MULTI-PURPOSE DISINFECTANT

DIRECTIONS

**BEFORE USE READ DIRECTIONS,
PRECAUTIONS AND NOTICE STATEMENTS CAREFULLY**

Two fluid tablespoons equal one fluid ounce

IMPORTANT: Do not use with soap or synthetic detergents. Materials to be sanitized and deodorized should first be washed and rinsed thoroughly. Rinse empty container thoroughly with water and discard it.

SUGGESTED USES FOR SUPERSWEET MULTI-PURPOSE DISINFECTANT: Farrowing houses, cattle sheds, hog finishing pens and poultry houses. Remove all livestock or poultry and feeds from premises, trucks, coops, crates. Remove all litter and droppings from floors, walls, and surfaces of facilities occupied or traversed by poultry or animals. Empty all troughs, racks, and other feeding and watering appliances. Saturate surfaces with a solution made by mixing one tablespoon of SUPERSWEET MULTI-PURPOSE DISINFECTANT and one gallon of water (2 ounces in four gallons of water, 400 ppm.) Mop or spray thoroughly. Ventilate buildings and other closed spaces. Do not house poultry or animals or employ treated equipment until treatment has been absorbed, set or dried. All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly rinsed with potable water prior to reuse.

DAIRIES: For sanitation of milk cans and miscellaneous dairy equipment, clean and rinse thoroughly, immerse in solution of one ounce of SUPERSWEET MULTI-PURPOSE DISINFECTANT in four gallons (200 ppm) of water for 2 minutes; air dry. Rinse in potable water before use. Use same solution for flank and udder washing before milking. Use a separate clean towel for each cow, never dip a used towel back into the disinfectant solution, prepare a fresh solution for each milking. Discard solutions if they become visibly soiled or turbid. To prevent residues in milk allow udder to air dry or dry with a clean towel before attaching to milker.

HATCHERIES: Remove all poultry and feeds from premises, trucks, coops, crates. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by poultry. Empty all troughs, racks, and other feeding and watering appliances. Saturate surfaces with a solution of one ounce of SUPERSWEET MULTI-PURPOSE DISINFECTANT in two gallons (400 ppm) of water. Ventilate buildings, coops and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried. All treated feed racks, mangers, troughs, automatic feeders, fountains, and waterers must be thoroughly rinsed with potable water prior to reuse. For egg dipping for hatching eggs, one ounce of SUPERSWEET MULTI-PURPOSE DISINFECTANT in two gallons of water is recommended.

DISINFECTION OF CLOTHING: Prior to washing, soak clothing in a solution containing one ounce of SUPERSWEET MULTI-PURPOSE DISINFECTANT per gallon (800 ppm) of water to disinfect clothing and linens.

8104-17b

PTED

SON

ACCEPTED
28/19
7517-10

CALUSA CHEMICAL COMPANY

801 EAST MACY STREET LOS ANGELES, CALIFORNIA 90012
(213) 624-4151

CALUSA MILDEW PREVENTIVE

CALUSA MILDEW PREVENTIVE is based on a highly active **TWIN CHAIN** quaternary ammonium compound that prevents musty odors and discoloration on all fabrics due to molds, mildew, and fungi. It provides at least 30 days mildew inhibition when used as directed. It is concentrated and economically designed for commercial and institutional laundry use to be added in the final or sour rinse.

DIRECTIONS

Per 100 lbs. of laundry: For long-lasting protection of 30 days or more against mildew, dilute 5½ fl. oz. CALUSA MILDEW PREVENTIVE in one gallon of water and add to the final or sour rinse. Agitate a minimum of 7 minutes.

ACTIVE INGREDIENTS

| | |
|-----------------------------------|------------|
| DidecylDimethyl Ammonium Chloride | 20% |
| Isopropanol | 8% |
| INERT INGREDIENTS | 72% |
| | <hr/> 100% |

E.P.A. Registration No. 7517-10-AA

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

Before discarding empty container, rinse thoroughly with water.

ACCEPTED WITH COMMENTS

SOAPS

DETERGENTS

DYE STUFFS

CHEMICAL SPECIALTIES

SAN DIEGO
(714) 234-8147

SAN FRANCISCO
(415) 761-2685