


7546-3



SAN-I-QUEEN™

HYPOCHLORITE
No. 80

E.P.A. Reg. No. 7546-3

"QUEEN OF MODERN SANITIZERS"

MANUFACTURED BY
States Chemical Corporation
MILWAUKEE, WISCONSIN 53215

NET CONTENTS: 1 U.S. GALLON

Active hypochlorite	6.40%
Available chlorine	93.60%
Total chlorine	100%

WARNING: KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED
IRRITATING TO EYES, SKIN AND LUNGS
SEE SIDE PANEL FOR ANTIDOTE

... For The Nation!

DAIRY USE DIRECTIONS

UTENSILS:

1. Pre-rinse immediately after use to remove loose soil.
2. Wash thoroughly with a U.S. chlorinated detergent solution.
3. Rinse with clean water at about 125° F. acidified with U.S. Rifle. One ounce to each 10 gallons of water will aid rinsing and discourage stone-spot formation.
4. Air-dry — do not wipe.
5. Just before next use — **SANITIZE FOR AT LEAST 2 MINUTES** with a 200 ppm solution of SAN-I-QUEEN, No. 80 (1 ounce per 2 gallons of tepid water).

BULK TANKS:

1. Follow steps 1 through 4 as above.
2. Just before filling, **SANITIZE FOR TWO MINUTES** with a 200 ppm solution of SAN-I-QUEEN, No. 80 (1 oz. per 2 gallons of water). Exhaust sanitizing solution to drain before milk enters tank.

PIPELINE SANITATION:

1. Follow proper procedure to clean with TURBO or WALSH then rinse with RIFLE solution.
2. Just before milking **SANITIZE FOR AT LEAST 2 MINUTES** by circulating a 200 ppm solution (1 oz. per 2 gallons of water) of SAN-I-QUEEN, No. 80 through lines, then exhaust to drain.
3. Rinse empty container thoroughly with water and discard it.)

ACCEPTED WITH COMMENTS

low foam IODINE-ACTIVE detergent

**MILKING MACHINE AND FOOD PROCESSING
UTENSIL CLEANING PROCEDURE**

1. Pre-rinse milking machine and utensils in cold or warm water.
2. Prepare solution in stainless steel vat using 1 oz. U. S. Kick, No. 18, to each 3 gallons warm (120° F.) water. Brush wash all equipment thoroughly.
3. In stainless steel rinse tank prepare solution containing 1 oz. Protect, No. 235 in 5 gallons cold water. Rinse equipment by immersion. A plain water rinse is not necessary.
4. Just before milking, sanitize with solution of 1 oz. Saniphor No. 240 to each 5 gallons cold water.

MANUAL BULK TANK CLEANING PROCEDURE

1. Rinse tank thoroughly with cold or warm water.
2. Prepare a concentrated solution in plastic pail using 4 oz. U. S. Kick to 1 gallon of hot water. Brush tank thoroughly.
3. Rinse tank thoroughly with cold water followed with an acidified rinse using Protect at 1 oz. per 5 gallons.
4. Just before using tank, sanitize with Saniphor No. 240 at 25 ppm titratable iodine, one ounce to 5 gallons water.

— WARNING —

Harmful if swallowed. May cause skin irritation or damage to the eyes. Avoid skin contact. Do not get in eyes. In case of contact flush with plenty of water. If eye irritation persists get medical attention. Avoid contamination of food.

ANTIDOTE:

EXTERNAL: Wash with water.

INTERNAL: Drink mucilage, raw egg white, milk or rice gruel. Follow with emetic (tablespoonful of mustard in glass of water).

EYES: Flush with plenty of water for at least 15 minutes.

CALL A PHYSICIAN

© 1971



Saniphor

NO. 240

ACTIVE INGREDIENTS:

Butoxypolypropoxypolyethoxy ethanol-iodine complex (providing 1.75% minimum titratable iodine)

Phosphoric Acid, anhydrous

INERT INGREDIENTS

Total

MANUFACTURED BY

United States Chemical Corporation
Milwaukee, Wisconsin 53215

Net Contents: U. S. Gallons

**WARNING: KEEP OUT OF CHILDREN'S REACH
HARMFUL IF SWALLOWED
SEE SIDE PANEL
READ PRECAUTIONS CAREFULLY**

"Sanitation . . . For The Nation"

D
SIDE
ACT
TER-