

2-13-79
 FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FEDERAL POISON REGISTER
 EPC 2546-5

HARD WATER TOLERANCE

DE-GERM SANITIZER fulfills the criteria for Appendix "F" of the grade "A" Pasteurized Milk Ordinance, 1965 Recommendations of the U. S. Public Health Services in waters up to 500 ppm of hardness calculated as CaCO₃ when tested by the AOAC Germicidal and Detergent Sanitizers official method.

TABLE OF PROPORTIONS FOR DE-GERM SANITIZER

200 ppm* use 1 oz. to 2 gallons water
 *ppm means "parts per million" of quaternary ammonium chloride

Use Sanitizing Solution at Room Temperature or 70° F.

DANGER

Keep Out of Reach of Children. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may compound cases of acute gastritis, ulcers. Measures against irritation, such as respiration, depression and delirium may be required.

DE-GERM SANITIZER

Formula No. 14

ODORLESS

DEODORIZER . DRYING-AGENT . ANTI-LIME AGENT

Manufactured by

United States Chemical Corporation

P. O. Box 366, Watertown, Wisconsin 53094 1962 Lith. in U.S.



Net Contents: U. S. Gallon

Active Ingredients:

Alkyl (60% C₁₂ 30% C₁₄) 50%
 dimethyl benzyl ammonium chloride 15.0%
 Phosphoric acid 35.0%

Inert Ingredients

Total

50%
 15.0%
 35.0%
 100.0%

DANGER : KEEP OUT OF CHILDREN'S REACH
 HARMFUL IF SWALLOWED
 CORROSIVE TO THE SKIN
 CAUSES SEVERE EYE IRRITATION
 SEE LEFT PANEL FOR FIRST AID AND
 ADDITIONAL PRECAUTIONS

Sanitation For The Nation!

- UT**
1. Scrub when
 2. Wash
 3. Rinse
 4. Sanitize
 5. Place

Using Tab
 Tables, for
 with deter
 ments appl
 keep. Our
 during we
 keep in cl

For

Rinse e
 card it.

DE-GERM SANITIZER

Formula No. 14

ODORLESS

DEODORIZER , DRYING-AGENT , ANTI-LIME AGENT

United States Chemical Corporation

100% Purely Synthetic Water-Soluble Disinfectant

Net Contents: U. S. Gallon

Active Ingredients:

Alkyl (60% active) 50.0%

Dimethyl benzyl ammonium chloride 5.0%

Phosphoric acid 15.0%

Inert Ingredients:

Total

5.0%
15.0%
80.0%
100.0%

DANGER: KEEP OUT OF CHILDREN'S REACH
HARMFUL IF SWALLOWED
CORROSIVE TO THE SKIN
CAUSES SEVERE EYE IRRITATION
SEE LEFT PANEL FOR FIRST AID AND
ADDITIONAL PRECAUTIONS

Sanitation For The Nation!

SANITIZING

UTENSILS AND GLASSES

1. Scrape and prewash utensils and glasses whenever possible.
2. Wash in a detergent solution.
3. Rinse with clean water.
4. Sanitize in a solution of 1 ounce DE-GERM SANITIZER to 2 gallons of water (700 ppm). Immerse all utensils for at least two minutes or for contact time specified by generating table.
5. Place sanitized utensils on a CLEAN, SANITIZED rack or drainboard to dry.

Washing tables, touch counters, soda fountains, Serving Tables, food and tray carts, etc. when necessary, clean with detergent solution and rinse with clean water. Then apply 100 ppm DE-GERM SANITIZER solution for 10 minutes to the DE-GERM SANITIZER solution. Change solution frequently to keep clean.

F.P.A. Reg. No. 15475

For Industrial Use Only

For details, consult the right with water and in contact.



CE

for Appendix
Ordinance, 1965
Health Services in
calculated as
acid and de

I SANITIZER

is water
n" of
de
temperature

re damage on
n skin or on
ndling. Harm
f food

s or skin irrit
For eyes and
rated clothing

intity of work
are not over
all a physician

licite the
ulator, shou
y be never

6.1.1