

~~SECRET~~
~~SECRET~~

Reg # 7546-13

PM-32

193



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Warning: May be harmful if swallowed. Avoid contact with skin, eyes or clothing.

— WARNING —

Harmful if swallowed. May cause skin irritation or damage to the eyes. Avoid skin contact. Do not get in eyes. In case of contact, flush with plenty of water. If eye irritation persists, get medical attention. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Get medical attention

If In Eyes: Flush with plenty of water for 15 minutes. Get medical attention.

If On Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

CALL A PHYSICIAN

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

PLASTIC CONTAINERS


Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL

Consult federal, state, or local disposal authorities for approved alternative procedures such as limited open burning.

For Medical Emergency ONLY call: 24 Hour Emergency Response Number 1-800-228-5635 Ext. 075.

For Product Information, contact your local distributor.



SANII
No.
Low Foam

ACTIVE Detergent

E.P.A. Reg. No. 7546-13

ACTIVE INGREDIENTS:

Butoxypropoxypolyethoxy ethanethiodin complex (providing 1.75% minimum tin Phosphoric Acid, anhydrous

INERT INGREDIENTS

Total

KEEP OUT OF CHILDREN'S REACH

WARNING


SEE SIDE PANEL READ PANEL

Manufactured by **USC**

BEST AVAILABLE COPY

ACCEPTED
JUN
Under the Federal
Rodenticide Act,
pesticide registration
EPA Reg. No. 7





SANIPHOR No. 240

Low Foam IODINE

ACTIVE Detergent Sanitizer

E.P.A. Reg. No. 7546-13

E.P.A. Est. No. 7546-W-1

ACTIVE INGREDIENTS:

Butoxypropoxy polyethoxy ethanol iodine complex (providing 1.75% minimum titratable iodine)	16.00%
Phosphoric Acid, anhydrous	7.00%
INERT INGREDIENTS	77.00%
Total	100.00%

KEEP OUT OF CHILDREN'S REACH. HARMFUL IF SWALLOWED.

WARNING:

SEE SIDE PANEL. READ PRECAUTIONS CAREFULLY.

Manufactured By U S Chemical Brookfield, WI 53005

a Division of Hybrite Chemical Co.

ACCEPTED
JUN 06 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide registered under EPA Reg. No. 7546-13



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

BAR AND RESTAURANT COLD WATER

1. Dump waste from glasses and rinse.
2. Wash in glasswasher. Don't overload machine. Machine is supplied with detergent.
3. Use SANIPHOR NO.240 in final rinse to sanitize. Use proper amount (12.5 ppm = 1 oz. to 10 gallons). Titratable iodine is used.
4. Allow glasses to air dry — do not towel dry.

FOODSERVICE UTENSIL CLEANING AND SANITIZING PROCEDURE

Prepare fresh SANIPHOR NO.240 sanitizing solution frequently if solution becomes diluted or soiled.

1. Pre-flush all surfaces to remove loose soil.
2. Wash in a recommended detergent solution.
3. Rinse in clear water.
4. Sanitize in a SANIPHOR NO.240 solution at 12.5 ppm water by immersing for one minute. (25 ppm for 30 seconds).
5. Air dry — do not towel dry. Store all cleaned items in a protected area.

TABLE OF PROPORTIONS

For 25 ppm* (titratable iodine) use 1 oz. of SANIPHOR NO.240 to 10 gallons of water. For 12.5 ppm (titratable iodine) use 1/2 oz. of SANIPHOR NO.240 to 10 gallons of water. Use titration to measure the proper amount of SANIPHOR NO.240. *ppm means "parts per million."


PHOSPHOROUS CONTENT: Contains not over 2.21%



NET CONTENTS:



BEST AVAILABLE COPY



**PHOR
240
IODINE
Disinfectant Sanitizer**
E.P.A. Est. No. 7546-WI-1

Available iodine)	16.00%
.....	7.00%
.....	77.00%
.....	100.00%

**HARMFUL IF SWALLOWED.
WARNING:
READ INSTRUCTIONS AND PRECAUTIONS CAREFULLY.**

Division of Hydrite Chemical Co.

PRINTED
06 1994
46-13



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

BAR AND RESTAURANT COLD WATER GLASSWASHING

1. Dump waste from glasses and rinse.
2. Wash in glasswasher. Don't overload machine. Be sure machine is supplied with detergent.
3. Use SANIPHOR NO.240 in final rinse to sanitize. Be sure the proper amount (12.5 ppm = 1 oz. to 10 gallons water) of titratable iodine is used.
4. Allow glasses to air dry — do not towel dry.

FOODSERVICE UTENSIL CLEANING AND SANITIZING PROCEDURE

Prepare fresh SANIPHOR NO.240 sanitizing solution daily or more frequently if solution becomes diluted or soiled.

1. Pre-flush all surfaces to remove loose, gross soils.
2. Wash in a recommended detergent solution.
3. Rinse in clear water.
4. Sanitize in a SANIPHOR NO.240 solution at 1 oz. to 5 gallons of water by immersing for one minute. (25 ppm titratable iodine)
5. Air dry — do not towel dry. Store all clean utensils in a clean, dry, protected area.

TABLE OF PROPORTIONS

For 25 ppm*, (titratable iodine) use 1 oz. SANIPHOR NO.240 to 5 gallons of water. For 12.5 ppm (titratable iodine) use 1 oz. SANIPHOR NO.240 to 10 gallons of water. Use a graduated 1 oz. cup to measure the proper amount of SANIPHOR NO.240.

*ppm means "parts per million."

PHOSPHOROUS CONTENT: Contains not over 2.21% Elemental Phosphorous.



NET CONTENTS:

**1 U.S. GALLON
(3.79 Liters/Gal.)**



BEST AVAILABLE COPY